

ROANOKE RIVER WATER FLOW COMMITTEE REPORT



NOAA TECHNICAL MEMORANDUM NMFS-SEFC-216



ROANOKE RIVER WATER FLOW COMMITTEE REPORT

A RECOMMENDED WATER FLOW REGIME FOR THE ROANOKE RIVER, NORTH CAROLINA, TO BENEFIT ANADROMOUS STRIPED BASS AND OTHER BELOW-DAM RESOURCES AND USERS

Edited by Charles S. Manooch, III and Roger A. Rulifson February 1989

Sponsored by

U.S. National Marine Fisheries Service Southeast Fisheries Center Beaufort Laboratory Beaufort, NC 28516

U.S. Fish and Wildlife Service Fisheries Assistance Office P.O. Box 972 Morehead City, NC 28557

East Carolina University Institute for Coastal and Marine Resources Greenville, NC 27858

NOAA TECHNICAL MEMORANDUM NMFS-SEFC-216

U.S. Department of Commerce
C. William Verity, Jr., Secretary
National Oceanic and Atmospheric Administration
William E. Evans, Undersecretary
National Marine Fisheries Service
James W. Brennan, Assistant Administrator for Fisheries

The cover is a reproduction of a color painting by artist David Williams, selected as the Second Annual Poster Print of the NC Wildlife Resources Commission, Non-Game Wildlife Program, Raleigh NC 27611, and reproduced by Herbert R. Gordy, NMFS Beaufort, Laboratory.

The Technical Memorandum series is used for documentation and timely communication of preliminary results, interim reports, or special-purpose information. Although the memoranda are not subject to complete formal review, they are expected to reflect sound professional work.

Copies of this report can be obtained from:

U.S. National Marine Fisheries Service Beaufort Laboratory Beaufort, NC 28516

Correct citation of this report is:

Manooch, C.S. III, and R.A. Rulifson (eds.). 1989. Roanoke River Water Flow Committee Report: A recommended water flow regime for the Roanoke River, North Carolina, to benefit anadromous striped bass and other below-dam resources and users. NOAA Technical Memorandum NMFS-SEFC-216.

EXECUTIVE SUMMARY

A Committee of 20 representatives of State and Federal agencies and university scientists was formed in 1988 to gather information on all resources of the lower Roanoke River watershed in North Carolina and recommend a flow regime that will be mutually beneficial to these resources and their downstream users. The Committee has a combined record of experience on the ecology and fisheries of the Roanoke watershed and Albemarle Sound totaling over 190 years. Following is a brief summary of the observations, conclusions, and recommendations of the Water Flow Committee:

The Roanoke River, in northeastern North Carolina, flows through an extensive floodplain of national significance. This wetland area is considered to be the largest intact, and least disturbed, bottomland forest ecosystem remaining in the Mid-Atlantic Region. The diverse habitats of the system support a rich array of wildlife and fish species. It is imperative that the Roanoke River bottomlands and the water resource be protected.

The Roanoke River has historically carried more water than any other river in North Carolina, averaging about 8,500 cfs (cubic feet per second) annually. Surface waters of the river are used for municipal, industrial, and agricultural purposes and to maintain habitats for wildlife and fish species.

The construction of six upstream dams in the 1950s and 1960s and the resulting water flow regulation has had an impact on downstream resources and those that use them, particularly during the spring. While water regulation has prevented the magnitude of preimpoundment floods, unnatural, extended flooding during post-impoundment years has negatively influenced the production and harvest of agricultural row crops and timber, impaired the distribution and reproduction of certain wildlife species, especially wild turkey and deer, reduced the survival of young striped bass (Morone saxatilis) and perhaps other anadromous species, caused water use problems for industries and municipalities, reduced recreational opportunities within the floodplain, and caused damage to roads and bridges. Extremely low water releases have negatively impacted the survival of young striped bass and perhaps other anadromous species, created unsuitable nesting and brooding habitat for waterfowl, compounded effluent problems for industries and municipalities, and prevented the public use of State maintained boat launching facilities.

The striped bass-water flow issue is the most sensitive of those mentioned above because of the national importance of the species. The Albemarle-Roanoke population has generally experienced a decline since the 1970s based on estimates of population size and landings. A combination of factors including flow regulation on the lower Roanoke River, deteriorating water quality, and heavy fishing pressure on immature fish has taken its toll on the population as evidenced by extremely poor juvenile production.

Factors dictating the formation of a successful or dominant year class of striped bass are not completely understood. However, it is clear that one of the major forces influencing the aquatic environment and, therefore, striped bass stocks is water flow. Water flow affects striped bass in all facets of its complex life history. The Albemarle Sound-Roanoke River population is unique from almost every other striped bass population because it travels a great distance upstream (130 miles) to spawn. This migration must take place

because there is no tidal influence in the extreme lower river to support the semi-buoyant eggs.

By examining pre- and post-impoundment water flows, the Committee concludes that there has been a significant change in the flow regime since post-impoundment, particularly since 1977. The frequency of times in which the Roanoke River flows were within the Committee's negotiated flow bounds (upper and lower limits, approximating historical levels as presented in this document) has decreased over the years.

Upon examination of striped bass egg viability data and water flow data, the Committee found a statistically significant relationship between egg viability and the percentage of days in which flows were within the negotiated flow Q_1 - Q_3 bounds. However, the possible reasons for this phenomenon were not discussed.

The Committee concludes that the flows in the post-impoundment years of relatively high Juvenile Abundance Index (JAI) are more similar to the pre-impoundment flows than are those of low JAI. This population of striped bass evolved under unregulated flows. Since the fishery was successful prior to flow regulation by the reservoirs, making the flows consistent with pre-impoundment flows is likely to improve the production of striped bass. And indeed this was observed in 1988 when flow more closely resembled the pre-impoundment model.

The Committee finally concludes that best young-of-year recruitment to the year class occurs when the Roanoke River flows are moderate (neither too low or too high). This conclusion reaffirms the analyses of Hassler et al. (1981), in which it was reported that the best JAI values occurred in years of low to moderate flow.

The Committee recognizes that changes within the basin and water withdrawal projects may cumulatively have an adverse impact upon the ability of the reservoir system to meet a stringent flow regime requirement. Therefore, the Committee's recommendations on flow should be considered whenever potential impacts of water withdrawal on striped bass and other resources of the watershed are considered.

The following flows were recommended and accepted after negotiating with the U.S. Army Corps of Engineers (Wilmington District) and Virginia Power Company. The original Committee recommendations were changed to stay within the FERC license requirements of flow augmentation starting 1 April and ending 15 June. At no time must flows be greater than those specified for the dates indicated in Table 17 of this document. In general, the minimum allowable flows range from 4,000 cfs (1-15 June) to 6,600 cfs (1-15 April), and maximum allowable flows range from 9,500 cfs (1-15 June) to 13,700 cfs (1-15 April). In addition, a maximum rate of change in flow of 1,500 cfs per hour is recommended. Flows can change hourly but cannot exceed the upper or lower limits for that date. The Committee underscores the importance of moderate, sustained flows during the actual spawning period; therefore, as little flow variation as possible during this period is preferred.

Further, the Committee recommends that this negotiated flow regime be evaluated over a four-year period. During the evaluation period, the flow augmentation dates, flow limits, hourly variation in flow, and subsequent impacts on other resources and users, shall be studied and subject to revision. Also, the Committee urges that the tri-party Memorandum of Understanding be reexamined to incorporate the recommendations of the Committee.

TABLE OF CONTENTS

	Page
Executive Summary	•••••
Table of Contents	ii
List of Figures	vi
List of Tables	
Group Photograph	
Roanoke River Water Flow Committee	X1V
Committee Representation, Objectives, Meetings	1
Introduction to the System	3
Watershed Description	3
Forestry	6
Agriculture	6
Soils	6
Floodplain Habitats	/
Wildlife Resources	88
Fishery Resources	1U
Chronological Record of Watershed Impoundment Events	13
Hydrology	17
Importance of Water to Floodplain Habitats	17
Pre-impoundment Conditions	19
Descriptions of Impoundments	20
John H. Kerr Dam	20
Roanoke Rapids Dam	20
Gaston Dam	23
Reservoir Operation	23
Flood Control	
Spawning Flows	27
Downstream Water Demands	
Agriculture	27
Wildlife and Fishery Resources	
Municipalities and Industry	
Gaston	29
Roanoke Rapids Sanitary District	29
Weldon	34
Williamston	
Plymouth	
Jamesville	
Lower Roanoke Water Ouality	

	Page
Impacts of Hydrological Extremes on Downstream Resources	43
Agriculture	46
Infrastructure	46
Wildlife	47
Turkey	47
Deer	47
Small Game	48
Waterfowl	
Municipalities and Industry	
Recreation	
Hydrology and Striped Bass: A Key Species	51
Life Victory Overview	51
Life History Overview Decline of the Roanoke/Albemarle Stock	57
Charmina	52
Spawning	
Eggs	٥٥
Striped Bass Larvae	
Striped Bass Juveniles	
Zooplankton	39
Phytoplankton	60
Adult Mortality	60
Characterization of Pre-impoundment and Post-impoundment Flows	61
USGS Data	61
Virginia Power Company Data	66
Water Surface Profiles and Water Surface Area for River Reaches	79
Water Surface 1 formes and Water Surface 7 fred for 12. Vol 12. demos	
Recommended and Negotiated Flow Regimes	87
Summary	87
Juvenile Abundance Index Data Base	87
Initial Analyses by Recruitment Subcommittee	93
Water Flow Time Series Analysis Using JAI	96
ARIMA Modeling	96
The Data	97
Pre-impoundment Flow	97
Post-impoundment JAI Good Years	99
Post-impoundment JAI Bad Years	101
Flow Levels and Variability	101
Conclusions	106
Impact of the Negotiated Flow Regime on Striped Bass	107
Further Flow Analyses	10/
Egg Viability	109
Data Base Description	109
Analyses	109
Conclusions	
JAI and the Negotiated Flow Regime	111
Analysis Results	111
Conclusions	111

	Page
1988 Water Flow Conditions and Results	115
Water Flows	115
Water Quality	121
Striped Bass Resource	121
Egg Viability and Production	121
Juvenile Abundance Index	124
Recreational Catch	124
Committee Recommendations	125
Upper and Lower Flow Limits	125
Variation of Flow	125
Friendly Amendments to Negotiated, Recommended Flow Regime	125
Additional Comments	126
Acknowledgments	127
Literature Cited	129
Appendix A. Listing of Fauna and Flora of the Roanoke Watershed	135
	133
Appendix B. Listing of Data Bases Gathered for This Report	147
Appendix C. Pertinent Correspondence	160

Roanoke River Flow Study

LIST OF FIGURES

		Page
1.	Drainage area of the Roanoke River Basin	4
2.	Lower Roanoke River watershed	18
3.	Daily median flows of the lower Roanoke River for pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions	21
4.	Range of daily flows of the lower Roanoke River under pre-impoundment (1912-1950) conditions	22
5.	Range of daily flows of the Lower Roanoke River under post-impoundment (1955-1987) conditions	24
6.	U.S. Army Corps of Engineers Rule Curve for John H. Kerr Reservoir	25
7.	Kerr Reservoir water elevations on 1 April, 1963-1987	28
8.	Kerr Reservoir water elevations on 1 May, 1963-1987	28
9.	Irrigation water use (million gallons per year, MGY) in the Roanoke Basin, North Carolina in 1983	30
10.	Irrigation water use (million gallons per year, MGY) in the Roanoke Basin, Virginia in 1983	31
11.	Comparison of daily 10 percent and 90 percent flows for pre-project (1912-1950) years and post-project (1955-1987) years	44
12.	Instantaneous hydrograph at Roanoke Rapids gage for 15-27 July 1953, showing the influence of hydropower generation at John H. Kerr and Roanoke Rapids power plants (from Velz 1954)	45
13.	. Seasonal use by waterfowl of the lower Roanoke River forested wetlands	49
14.	. Daily average flows of the lower Roanoke River for pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions	62
15.	. Comparison of daily mean and median flows for the lower Roanoke River under pre-impoundment (1912-1950) conditions	63
16	. Comparison of daily mean and median flows for the lower Roanoke River under post-impoundment (1955-1987) conditions	64
17	. Comparison of daily minimum flows of the lower Roanoke River under pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions	65

	Pag	ge
18.	Pre-impoundment (1912-1950) flows of the lower Roanoke watershed	57
19.	Post-impoundment (1955-1987) flows of the lower Roanoke watershed	58
20.	Lower Roanoke River flows for April-June 1986 as monitored by gages at Roanoke Rapids Dam, and USGS gages at Weldon, Scotland Neck, and Williamston	59
21.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1956 (juvenile abundance index (JAI) = 19.14)	/2
22.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1958 (JAI=0.15)7	73
23.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1961 (JAI=10.33)	'4
24.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1964 (JAI=3.14)7	'5
25.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1967 (JAI=23.39)7	6
26.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1971 (JAI=2.86)7	7
27.	The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1973 (JAI=1.95)7	8
28.	Elevation of water levels of the lower Roanoke River from the mouth to Roanoke Rapids Dam as a function of five different flow regimes8	0
	Cross-section of the Roanoke River and floodplain near the mouth of Bachelor Bay	1
30.	Cross-section of the Roanoke River and floodplain at the U.S. Highway 17 bridge near Williamston, North Carolina for five different flow regimes8	2
31.	Cross-section of the Roanoke River and floodplain at the N.C. Highway 11 bridge between the towns of Hamilton and Palmyra, North Carolina for five different flow regimes8	3
32.	Cross-section of the Roanoke River and floodplain at the U.S. Highway 258 bridge near Scotland Neck, North Carolina for five different flow regimes8	4
33.	Percent of the time that water flows were within theQ ₁ -Q ₃ bounds for 1912-19888	9
	The relationship of the number of days (as percent) that Roanoke River flows were within the negotiated Q ₁ -Q ₃ bounds (PDAYS) to post-impoundment year9	0

		Page
35.	Sampling area and station locations for Hassler's striped bass juvenile abundance index survey in western Albemarle Sound, North Carolina	92
36.	The relationship of lower Roanoke River May flows (cfs) to the striped bass juvenile abundance index, depicting several distinct groups	94
37.	Mean and median weekly flows (cfs) of the lowe Roanoke River for Group 1 ("optimum flow", JAI>5), Group 2 (high flows, JAI<5), and Group 3 (low flows, JAI<5)	95
38.	Time series analysis of Roanoke River pre-impoundment flows for the period March-June	98
39.	Time series analysis of Roanoke River flows for JAI "good years"	100
40.	Time series analysis of Roanoke River flows for JAI "good years" and JAI "bad years"	102
41.	Time series analysis of Roanoke River flows for JAI "nongood" post-1965 years	103
42.	Time series analysis of Roanoke River post-1965 flows (smoothed averages) for JAI "good" years and JAI "bad" years	104
43.	Relationship of the striped bass Juvenile Abundance Index to post-impoundment years (1955-1987)	113
44.	Relationship of the Juvenile Abundance Index (JAI) and the percentage of flow days within the negotiated Q_1 - Q_3 bounds (PDAYS)	114
45.	Kerr Reservoir daily elevations (feet above mean sea level) for 1988 and inflow and outflow in thousands of cubic feet per second (cfs)	116
46.	Lower Roanoke River flows for March-June 1988 as monitored by gage at Roanoke Rapids Dam, and USGS gages at Roanoke Rapids, Scotland Neck, and Williamston, North Carolina	117

Roanoke River Flow Study

LIST OF TABLES

		Page
1.	Roanoke River Basin irrigation water use for 1983	32
2.	Population size of four North Carolina counties bordering the lower Roanoke River, 1940 to 1987	33
3.	Population size of six North Carolina municipalities bordering the Roanoke River, 1920 to 1987	33
4.	Major sources of water withdrawal from the lower Roanoke watershed, North Carolina, 1950s and present	34
5.	National Pollution Discharge Elimination System (NPDES) discharges to the lower Roanoke River	37
6.	Low flow, steady state water quality data for the lower Roanoke River for the period 5-15 October 1980	38
7.	Low flow, steady state water quality data for the lower Roanoke River for the period 26 September to 12 October 1981	39
8.	Low flow, steady state water quality data for the lower Roanoke River for the period 10 September to 11 October 1983	40
9.	Point source loadings for the lower Roanoke River for the period 5-15 October 1980	41
10.	Point source loadings for the lower Roanoke River for the period 26 September to 12 October 1981	42
11.	Point source loadings for the lower Roanoke River for the period 10 September to 11 October 1983	42
12.	. Historical reproduction information on the Roanoke/Albemarle striped bass population (from Hassler and Taylor 1986, except as otherwise noted)	53
13.	. Historical harvest of striped bass from Albemarle Sound and Roanoke River (from Hassler et al. 1981, except as otherwise noted)	54
14.	Regulations resulting in conservation and/or reduction in striped bass harvest in the Roanoke River-Albemarle Sound area, North Carolina, 1979-1987	55
15.	Surface area (acres) of the Roanoke watershed inundated at various flow rates at selected locations below the Roanoke Rapids Dam, North Carolina	

Roanoke River Flow Study

	P	age
16.	Roanoke River flow data, 1912-1950, in cfs (USGS data)	88
17.	Negotiated (Q ₁ -Q ₃) water flow regime (in cfs) for the Roanoke River below Roanoke Rapids Dam for the period 1 April to 15 June each year	91
18.	Results of t- and F-tests for differences in Roanoke River flow and variability among JAI good years and JAI bad years (JAI value <5)	105
19.	Results of regression analysis (SAS 1985) on the relationship of striped bass egg viability (EGGV) and juvenile abundance index (JAI) to year and percent of flow days within the negotiated Q_1 - Q_3 -bounds (PDAYS)	107
20.	Results of analysis of variance (SAS 1985) comparing the percent of flow days within negotiated Q ₁ -Q ₃ bounds (PDAYS), striped bass egg viability (EGGCLASS), and the striped bass juvenile abundance index (JAICLASS) to decades of post-impoundment (YRCLASS)	108
	Percent of days Roanoke River flow was within the negotiated Q ₁ -Q ₃ flow criterion by period, and mean values of the juvenile abundance index (JAI) and percent egg viability	110
	Percent of days Roanoke River flow was within the negotiated Q ₁ -Q ₃ bounds (PDAYS) and striped bass juvenile abundance index (JAI) by egg viability class	110
23.	Percent of days Roanoke River flow was within the negotiated Q ₁ -Q ₃ flow bounds by JAI category	112
	Summary of mean Roanoke River water quality analyses, 15 April through 15 June 1988 (from Rulifson et al., in preparation)	122



Front (L-R): W. Hassler, M. Shepherd, W. Cole, L. Gantt, C. Manooch, H. Johnson, L. Henry, R. Monroe, R. Laney, R. Cheek Rear (L-R): R. Rulifson, W. Hogarth, T. Quay, T. Ellis, A. Mullis, J. Kornegay, M. Clemmons, D. Crawford, F. McBride, M. Grimes

ROANOKE RIVER WATER FLOW COMMITTEE

Mr. Randall P. Cheek, National Marine Fisheries Service

Mr. Micky Clemmons, N.C. Wildlife Resources Commission

Mr. Willard J. Cole, U.S. Fish and Wildlife Service

Mr. David Crawford, N.C. Division of Water Resources

Mr. Tom Ellis, N.C. Department of Agriculture

Ms. L.K. (Mike) Gantt, U.S. Fish and Wildlife Service

Mr. Fred Harris, N.C. Wildlife Resources Commission

Dr. William W. Hassler, Professor Emeritus, N.C. State University

Mr. Lynn T. Henry, N.C. Division of Marine Fisheries

Dr. William T. Hogarth, N.C. Division of Marine Fisheries

Mr. Harrel B. Johnson, N.C. Division of Marine Fisheries

Mr. James W. (Pete) Kornegay, N.C. Wildlife Resources Commission

Dr. R. Wilson Laney, U.S. Fish and Wildlife Service

Dr. Charles S. Manooch, III, National Marine Fisheries Service

Dr. Robert J. Monroe, Professor Emeritus, N.C. State University

Mr. Anthony W. Mullis, N.C. Wildlife Resources Commission

Dr. Thomas L. Quay, Professor Emeritus, N.C. State University

Dr. Roger A. Rulifson, East Carolina University

Ms. Sara E. Winslow, N.C. Division of Marine Fisheries

Dr. L. H. Zincone, Jr., East Carolina University

Advisors:

Mr. Max Grimes, U.S. Army Corps of Engineers, Wilmington District

Mr. Jack D. Mitchell, Virginia Power Company

Ms. Marsha E. Shepherd, East Carolina University

COMMITTEE REPRESENTATION, OBJECTIVES, MEETINGS

The intent of this report is to inform the reader of the objectives, activities, data analyses, and recommendations of an *ad hoc* committee formed in 1988 to investigate the improvement of Roanoke River water flows below Roanoke Rapids Dam for striped bass (*Morone saxatilis*) and other downstream resources. The Committee is composed of 20 representatives of State and Federal agencies and university scientists. A list of Committee members and the affiliation of each has been previously provided.

The Committee has a combined record of experience on the ecology and fisheries of the Roanoke watershed and Albemarle Sound totaling over 190 years and is committed to the protection and recovery of the striped bass population. The purpose of the Committee is to gather information on all resources of the lower watershed and recommend a flow regime that will be mutually beneficial to these resources and their downstream users. Striped bass as a resource has received the most attention because of its great social and economic importance to this region and to our State; however, other resources such as wildlife, timber, and agriculture have been considered as well. The Committee recognizes the possibility that other factors such as water quality and overfishing may be contributing factors to the decline; however, the charge of the Committee was to examine only river flow.

The Committee's policy has been to examine Roanoke River flows in context with protection of wildlife and fishery resources irrespective of proposed or pending water use projects. This includes such projects as the wildlife refuge proposed by the U.S. Fish and Wildlife Service and the proposed water withdrawal from Lake Gaston by the City of Virginia Beach.

The full Committee held three meetings during 1988: 8-9 March at East Carolina University, 12 April at the NMFS, Beaufort Laboratory, and 11 August in Raleigh at the NC Wildlife Resources Commission Office.

A Recommendations Subcommittee selected from the full Committee met on two occasions: in Greenville on 3 May and in Beaufort on 23 June 1988. One member from each agency, university, and study group within the full Committee was selected for representation on the Subcommittee to provide a balance of local expertise in biology, statistics, and hydrology. The Department of Agriculture had one member on the Subcommittee because of its role as steward of the agricultural and timber resources. In addition, three advisors -- one from the Corps of Engineers, one representing Virginia Power Company, and the third representing East Carolina University -- provided the Subcommittee with expertise pertaining to dam operations, power generation, and data analyses. The following were members of the Recommendations Subcommittee: M. Clemmons, W. Cole, D. Crawford, T. Ellis, L. Henry, C. Manooch, R. Monroe, T. Mullis, R. Rulifson, and L. Zincone. M. Grimes, J. Mitchell, and M. Shepherd served as advisors to the Subcommittee.

Significant work was accomplished by the Subcommittee; meetings were designed to present findings of assigned investigations and to direct future studies. All of the work was summarized and endorsed by the full Committee. Detailed findings are presented in this formal report developed by the full Committee. The U.S. Army Corps of Engineers,

Wilmington District, has participated in all meetings and has endorsed the recommendations of the Subcommittee.

Although many data were compiled and analyses performed, more work is needed to fully comprehend the Roanoke River system. Work presented here is believed to be the first step towards the understanding of the interaction between the flow regime and the ecology of the river and floodplain. Data and analyses presented in this report could have been developed further, but time constraints and the nature of an *ad hoc* Committee limited some aspects of our investigations. It is the goal of Committee members to continue these efforts.

INTRODUCTION TO THE SYSTEM

Watershed Description

The Roanoke River, in northeastern North Carolina, flows through an extensive flood-plain of national significance. This wetland area is considered to be the largest intact, and least disturbed, bottomland forest ecosystem remaining in the Mid-Atlantic Region (North Carolina Natural Heritage Program 1988). In addition to extensive mature bottomland hardwood and swamp forests, there are beaver ponds, blackwater streams, and oxbow lakes. Together, these habitats support a rich array of diverse and abundant wildlife species including waterfowl, fish, deer, turkeys, otters, bobcats, herons, egrets, and migratory songbirds.

The Roanoke River in Virginia and North Carolina drains an area of 9,666 square miles (Moody et al. 1985), arising in the Blue Ridge Mountains of central Virginia and flowing east-southeast into north central North Carolina, where it empties into Albemarle Sound in the northeastern part of the State (Figure 1). Near the Virginia-North Carolina line, a series of dams was established between 1950 and 1963 for hydroelectric power and flood control from three reservoirs. These are the John H. Kerr Reservoir, Lake Gaston, and Roanoke Rapids Lake, upstream to downstream, respectively. The John H. Kerr Dam and Reservoir is operated by the U.S. Army Corps of Engineers for flood control, hydropower, low-flow regulation, recreation, water supply, and fish and wildlife. The dams at Lake Gaston and Roanoke Rapids Lake are owned and operated by Virginia Power Company and operated primarily for electric power generation. Below the dam at Roanoke Rapids, the river elevation drops from 50 feet at the dam to sea level as it enters Albemarle Sound. Downstream of the last dam (at Roanoke Rapids), the river meanders 137 miles through an extensive floodplain, approximately 70 air miles long and up to five miles wide, forming the border between Northampton and Halifax counties and Bertie and Martin counties.

The majority of the people in the Roanoke Valley live in the vicinity of the three reservoirs and in and around Roanoke Rapids and Weldon. Other major towns in North Carolina along the river's course include Halifax, Scotland Neck, Williamston, Jamesville, and Plymouth. The major industries are agriculture and forestry. The area consists of old plantations, some derived from the original royal grants, while "newer" ones are still over 100 years old. Very little population change has taken place within the basin area.

The river is no longer used for commerce as in earlier days. A drawbridge still exists across U.S. Highway 17 at Williamston but is seldom opened for barge traffic. In 1988, construction of a high-rise bridge to replace the existing structure was initiated. Floodplain development is limited primarily to the Plymouth area, probably due to the history of rampaging floods along the Roanoke River prior to construction of the reservoirs. In addition, a few residences are located on the adjacent river bluffs in the upper half of the river in North Carolina.

Hunting and fishing are the primary recreational activities conducted on the Roanoke River.




Figure 1. Drainage area of the Roanoke River Basin. Dashed line indicates approximate location of the fall line; diamonds = locations of USGS water quality and gaging stations; inverted triangle = USGS water quality station; T = upstream limit of tidal influence; S2 = mean upstream intrusion limit of saltwater front (200 mg/L chloride); Sm = maximum upstream intrusion of saltwater front (Giese et al. 1979). Counties containing Roanoke watershed are enumerated.

List of Counties Enumerated in Figure 1.

1-12 (Virginia)

- 1. Roanoke
- 2. Franklin
- 3. Patrick
- 4. Henry
- 5. Bedford
- 6. Pittsylvania7. Campbell
- 8. Halifax
- 9. Charlotte
- 10. Lunenburg11. Mecklenburg12. Brunswick

13-24 (North Carolina)

- 13. Stokes
- 14. Rockingham15. Caswell
- 16. Person
- 17. Granville
- 18. Halifax
- 19. Warren
- 20. Halifax
- 21. Northampton 22. Bertie
- 23. Martin
- 24. Washington

Forestry

The forest industry has a major role in management of the Roanoke River bottomland hardwoods and thus will have a major influence on the future value of the area for fish and wildlife. The floodplain forests upstream from Williamston are those altered most by logging operations, presumably due to relatively easier access. The least disturbed areas occur near the river mouth downstream from Jamesville (Lynch and Crawford 1980). Presently some old-growth tracts occur along the entire floodplain. The modification of the landscape by construction of permanent access roads, canals, and ditches is at present limited mainly to the upper sections.

Forestry practices vary: some companies clear-cut mature stands of most species and usually rely on natural regeneration. Others have clear-cut large tracts at slightly higher elevations along the river, provided rudimentary drainage by cutting through the natural ridges and levees, and replanted uniform stands of sycamore, sweetgum, and pine for short term pulp production. In some areas hardwood bottoms have been clear-cut, a drainage system constructed, and the area converted to pine plantation. In recent years, some logging by helicopter has been done in the normally flooded timberlands, while most logging has been done by more conventional methods during dry periods. Lumber or pulp mills are located along the river at Roanoke Rapids and at Plymouth. A new Champion International plant is proposed for Halifax County.

Agriculture

Since the early days of North Carolina's colonization, the Roanoke River Valley's fertile soils have provided jobs and a strong economic base for the region. Cotton, tobacco, peanuts, corn, soybeans, wheat, and livestock have played a major role in providing income and allowing the rural nature of the counties to continue.

Flood waters from the Roanoke created the fertile soils. Sediment, nutrients, and organic material from throughout the upper watershed were deposited in the floodplain. This natural fertility was crucial for the establishment of a successful agricultural base; however, the severity of flooding created a conflict as the area became settled. Early attempts to control flood damages can still be seen in the old dikes and levees along the river. These were constructed by hand at a time when slave labor was available between harvest and planting seasons. The river provided the transportation route to the markets of the world.

The need for more efficient flood control came with the disastrous flood of 1940. The entire agricultural production of the lower valley was destroyed and an immense amount of property damage occurred. Congress then authorized, in 1944, the construction of the Buggs Island Reservoir for flood control and other purposes. The completion of Kerr Dam in 1953 was the first step for water management on the river and represents a major public policy and financial commitment to landowners, residents, and users of the basin for protection from flooding.

Soils

Annual floods over the centuries have over-topped the river banks, dropping suspended sediments originating from upstream areas to form the levees and ridges of the floodplain. The coarser, heavier sediments fall out closest to the river, forming the natural levees

immediately adjacent to the river channel, while the finer, lighter sediments (clays) gradually settle in the slack water areas ponded behind the levees. These sediments are supplemented each year by humus from abundant leaf litter decay resulting in deep, rich soils. The presence of the three reservoirs upstream has reduced the amount of sediment deposition in recent years. Soil types identified from the Roanoke River floodplain include Altavista, Augusta, Bibb*, Chewacla, Conetoe, Congaree, Dorovan*, various Hapludults, Roanoke*, Una*, Wahee, Wehadkee*, and Wickham. Soils with an asterisk are recognized as hydric by the Soil Conservation Service (1985). Hydric soils are "... soils that in their undrained condition are saturated, flooded or ponded long enough during the growing season to develop anaerobic conditions that favor the growth and regeneration of hydrophytic (water loving) vegetation" (Soil Conservation Service 1985).

Floodplain Habitats

The Roanoke River floodplain below Weldon is an extensive wetland ecosystem containing excellent examples of a number of the major alluvial plant communities found in the Southeast. Lynch (1981) described 15 different natural communities on the basis of vegetation and physical characteristics. These can be grouped into three natural community types: levee forest, cypress-gum swamp, and bottomland hardwoods (Schafale and Weakley 1985).

Levee forests occur along the natural levees that are built up parallel to the river during flood stages. The dominant canopy species are sugarberry, sycamore, and green ash. Other species include cherrybark oak, eastern cottonwood, swamp cottonwood, water hickory, black walnut, American elm, and sweetgum. The subcanopy is typically dominated by box elder. Dominant shrubs include spicebush, pawpaw, and buckeye with a 100-percent ground cover of mixed grasses, sedges, and cane. This diverse wetland community is classified as palustrine forested wetlands, broad-leaved deciduous, temporarily to seasonally flooded (Cowardin et al. 1979).

Cypress-gum swamps occur landward of the natural levees, in sloughs and in lower parts of ridges and swale systems, and are areas of low elevation where the seasonal floodwaters may become trapped for long periods of time. In some areas the water table may remain at or near the surface year-round. These areas are dominated by bald cypress and tupelo gum with a shrub layer of Carolina water ash and very little ground cover. Some of these cypress-gum stands are very dense and of uniform height and age. These areas are classified as palustrine forested wetlands, broad-leaved deciduous or needle-leaved deciduous, seasonally to semipermanently flooded (Cowardin et al. 1979).

Bottomland hardwoods are found on slightly higher ridges formed through the years by the migrating river channel. This community type is often found on parallel ridges alternating with fingers of cypress-gum slough (filled-in ancient river channels). This seldom-flooded community is dominated by a variety of oaks and other hardwoods, including cherrybark oak, swamp chestnut oak, laurel oak, willow oak, bitternut hickory, green ash, and sweetgum. The highest ridges may occasionally have upland trees such as beech and white oak. The understory includes iron-wood, American holly, and deciduous holly. Shrubs include dogwood, ironwood, blueberry, and gallberry. The ground cover may be sparse to dense and includes grasses, sedges, giant cane, and false stinging nettle. This community is classified as palustrine forested wetlands, broad-leaved deciduous, temporarily flooded (Cowardin et al. 1979).

The occurrence of rare plants in the Roanoke basin contributes to the importance of this natural area to the State of North Carolina and to the Nation. The shumard's oak along the Roanoke is disjunct from its normal range, and wild hyacinths (Camassia), Atlantic isopryrum, purple larkspur, and blue phlox create an exemplary and extensive plant community perhaps best observed on the Roanoke bluffs in Northampton County in the Camassia Slopes Preserve (Charles Roe, North Carolina Natural Heritage Program, personal communication). A complete floral listing for one such tract, Company Swamp in Bertie County is provided in Appendix A.

The Roanoke River floodplain is relatively narrow from Weldon to Scotland Neck, at times only a mile in width, with natural levees and ridges alternating with sloughs and backswamps in rapid succession. In the middle reaches of the river, the floodplain becomes flatter and broader, commonly reaching widths of two to three miles, with cypressgum backswamps increasing in size, but the continued presence of levees and ridges make this stretch of the floodplain the most diverse and productive. Below Jamesville the river is essentially at sea level and broad expanses of cypress-gum swamp, as much as five miles across, predominate. In addition to the major vegetative communities described above, occasional oxbow lakes, beaver ponds, and blackwater streams can be found throughout the floodplain, adding to the rich mosaic of habitat types available in the Roanoke River floodplain.

Several large tracts along the Roanoke River contain more than 10,000 acres of roadless bottomland hardwood and swamp forests (USFWS 1981). The protection afforded by the size of these tracts, combined with the richness of the Roanoke River floodplain, provide some of the best remaining habitat in North Carolina for many wildlife species (USFWS 1981).

Wildlife Resources

The combination of hard and soft mast-producing trees and the availability of cover provides an ideal habitat for high mammal populations along the floodplain. The white-tailed deer is one of the most common mammals in the Roanoke River floodplain. It also is one of the most important species from a recreational standpoint in terms of providing hunting opportunity. This riverbottom area has traditionally maintained densities ranging from 50-80 deer per square mile (Osborne 1981). Surveys by biologists from the North Carolina Wildlife Resources Commission have revealed that populations in the lower Roanoke have been at or above the carrying capacity of the habitat from the late 1950's to the present.

Deer utilize every habitat component along and adjacent to the Roanoke, from the flats and ponds along the river channel to the oak ridges and farmlands adjacent to the bottoms. Principal spring and summer food items include green leaves and succulent sprouts of native hardwoods, numerous herbaceous plants, native grasses, and planted agricultural crops. Primary food items in fall and winter periods include oak mast, agricultural crop residues, honeysuckle, and greenbriar leaves. Soft mast is produced by numerous woody and herbaceous plants: e.g., blackgum, pokeweed, summer grapes, etc.

A remnant population of black bear is found along the lower river in one of the few remaining expanses of habitat for this species in this part of the State (USFWS 1981). The availability of food and large old trees for winter denning sites contributes to the quality of habitat.

Gray squirrels and marsh rabbits are abundant. The gray squirrel inhabits mature forests and likely reaches its greatest abundance in mature bottomland hardwood habitat. Periodic flooding restricts the movement of this species to the forest canopy. Food resources on the forest floor are unavailable during the duration of the flood. A positive aspect of floodplain habitat is that many of the hardwood species providing food and shelter for squirrels thrive under the regime of periodic flooding. Major reductions in acreage of hardwood forests due to development have occurred in floodplains where water control has been altered to allow intensive agriculture, plantation forestry, or building.

The range of the marsh rabbit is restricted to coastal marshes, river floodplains, and wetlands. This mammal thrives in bottomland cane thickets and cutovers. High water sometimes forces this species out of its normal habitat and into more crowded conditions, but they return when water levels recede. Mortality due to extensive and prolonged flooding occurs, but the high reproductive capacity of the species allows it to rebound quickly. Also, numerous furbearers are present including raccoon, mink, muskrat, otter, fox, bobcat, beaver, and opossum (Barick and Critcher 1975).

At least 214 species of birds, including 88 resident breeding species, are known to utilize the Roanoke River floodplain (Lynch and Crawford 1980). The area is believed to support the highest density of nesting birds, especially songbirds, anywhere in North Carolina (Harry LeGrand, North Carolina Natural Heritage Program, personal communication). The floodplain supports at least six active heron rookeries, containing both great blue herons and great egrets. This is almost a third of the inland, non-estuarine heronries known in North Carolina and over 60 percent of all the inland nesting great blue herons (Lynch and Crawford 1980). The red-shouldered hawk and barred owl are characteristic raptor species found in the wooded swamps and bottomland hardwoods.

The woodcock is an important migratory gamebird which reaches peak populations in the State during late winter. A breeding population does occur in the State, but the extent of breeding in North Carolina is not known. The lower Roanoke bottomlands are important wintering areas for this species. The woodcock is a very mobile species and should benefit from periodic bottomland flooding which replenishes nutrients and concentrates earthworms, the woodcock's major food.

One of the largest populations of wild turkeys in North Carolina occurs along the Roanoke River in Bertie, Martin, Halifax, and Northampton counties. The Roanoke River floodplain in this area has long been regarded as having some of the best wild turkey habitat in the State. Densities exceed 15 birds per square mile in some areas.

The ancient river ridges and terraces, supporting prime bottomland hardwood tree species, provide excellent food and cover for feeding and nesting turkeys (McClanahan 1979). The annual turkey harvest along the Roanoke River has increased steadily over the last 10 years, indicating that populations are strong and withstanding current hunting pressure (NCWRC unpublished data), although nesting success in recent years has suffered due to high water in the spring.

The eastern wild turkey is capable of surviving under a variety of habitat conditions. In general, however, habitat diversity seems to be one of the major factors controlling use of an area by turkeys and the presence or absence of scattered openings often determines whether turkey populations thrive. Isolation from human disturbance is also an important factor. Many populations seem to be associated with an abundant water supply. During the fall and winter, hardwood stands are the dominant habitat type used. During the spring and summer, turkeys primarily utilize open habitats. The Roanoke River floodplain is

characterized by a rich herbaceous ground cover that is utilized as nesting and brooding habitat.

Bobwhite quail occur sporadically along the river (Barick and Critcher 1975). Also, seven bird species found here are listed as rare and of special concern in the State (Cooper et al. 1977). Most notable among these are disjunct populations of breeding cerulean warblers (Lynch 1981a) and Mississippi kites (Lynch 1981b). The Federally-listed endangered bald eagle occurs as a transient along the river and has recently returned to nest near the mouth of the river after an absence of many years (USFWS, unpublished data).

At least 14 species of waterfowl utilize the Roanoke River floodplain regularly, with wood ducks, mallards, and black ducks the most abundant according to harvest data (USFWS 1983). Other frequently observed species include pintail, widgeon, gadwall, green-winged teal, bluewinged teal, ring-necked duck, hooded merganser, shoveler, bufflehead, Canada goose, and tundra swan. Over the 12-year period from 1973 to 1984, 24 species of waterfowl were recorded during the Roanoke Rapids Christmas Bird Count (Merrill Lynch, The Nature Conservancy, personal communication). Recent studies (USFWS 1984) have shown the importance of wooded wetlands to wintering waterfowl as a prime source of cover and food, meeting supplemental dietary needs prior to spring migration, mating, and nesting. Migratory mallards, black ducks, and some wood ducks utilize bottomland hardwoods and cypress-gum swamps in the fall, winter, and spring months. They often feed on the vegetable matter found in shallow water. For migration and pre-breeding activities they supplement this with the high protein foods found in the wooded floodplain, including: acorns; beechnuts; the seeds of buttonbush, bald cypress, and tupelo gum; insects; and the abundant floodplain aquatic invertebrates, such as snails, crustaceans, and insects (Bellrose 1976). Wood ducks move into the area in the spring to nest in cavities in the standing timber along the Roanoke River.

Representative floodplain amphibians and reptiles include the southern leopard frog, green treefrog, southern dusky salamander, black rat snake, eastern cottonmouth, yellow-bellied turtle, snapping turtle, and five-lined skink (Maki et al. 1980). Tinkle (1959) found that narrow, long levees were indispensable for the egg laying of many amphibious snakes and reptiles.

Fishery Resources

The Roanoke River and its tributaries provide excellent habitat for a diverse assemblage of fish species and their value to fishery resources is well documented. Fish (1968) ecologically classified the section of the Roanoke River between Williamston and the Roanoke Rapids dam as a carp-catfish stream and Coniott Creek was classified as a redfinwarmouth tributary. Sampling by Carnes (1965) was conducted in the Roanoke River and in Conoho Creek. Stations within the Roanoke were classified as carp-catfish and Conoho Creek was determined to be a redfin-warmouth stream. Classifications are based on a modification of Van Deusen's (1953) system for ecologically classifying streams.

The Roanoke River and the associated floodplain wetlands are especially critical to anadromous species (Hassler et al. 1981, Johnson et al. 1981). Anadromous fish utilizing the river include striped bass, blueback herring, alewife, hickory shad, American shad, and Atlantic sturgeon. The river near the town of Weldon provides critical spawning habitat for striped bass. This striped bass population within the Roanoke River/Albemarle Sound ecosystem has long been a significant component of both commercial and recreational fisheries catches in North Carolina (Rulifson et al. 1982). The life cycle of this population

is complex and has co-evolved with the Roanoke River where spawning adults, eggs, larvae, and juveniles are all dependent upon the presence of appropriate parameters within the system for successful progression to the next life cycle stage.

Other recreationally important species within the Roanoke River watershed include bluegill, redbreast sunfish, pumpkinseed, warmouth, flier, redfin and chain pickerel, white perch, yellow perch, black crappie, carp, white and channel catfish, and largemouth bass. Yellow and brown bullheads are caught incidentally while fishing for other species. The bowfin, longnose gar, American eel, tadpole madtom, margined madtom, and creek chubsucker are likely inhabitants of both the creeks and associated beaver ponds. Many other species such as the swampfish, pirate perch, mosquitofish, cyprinids such as the golden shiner, ironcolor shiner, and creek chub, and percids, such as the swamp darter and tessellated darter, contribute to a high level of diversity and provide forage for many of the game species. A complete faunal listing for one such tract, Company Swamp in Bertie County, is provided in Appendix A.

Roanoke River Flow Study

CHRONOLOGICAL RECORD OF WATERSHED IMPOUNDMENT EVENTS

1912-Natural, unaltered river flow (database 1912 to August 1950). 1950 1940 Hurricane moves through North Carolina, instigating an investigation by U.S. Army Corps of Engineers to determine need for "flood control" in Roanoke River Basin. 1942 Study by U.S. Health Service, August-September, requested by U.S. Army Corps of Engineers, to evaluate minimum flows required to dilute pollution at river mile (RM) 128-137 for a power diversion canal. Report submitted in 1943 suggested minimum flows of 500 cfs to 2,500 cfs depending on month. 1944 Passage of Flood Control Act by Congress, which authorized construction of Buggs Island (Kerr Reservoir). 1945-Period of rapid growth of lower Roanoke River industries and subsequent need 1950 for hydroelectric power generation. 1946 Construction of Buggs Island (Kerr Reservoir) began in February at RM 179. U.S. Fish and Wildlife Service report on fishery and wildlife resources and minimum flows for striped bass spawning (House Document 650, 78th Congress, 2nd Session). Minimum flows approved by Federal Power Commission = 2,000 cfs (10.8' stage). Not to exceed 75 days from 15 March -15 June each year at the recommendation of the N.C. Department of Conservation and Development. U.S. Fish and Wildlife Service continues river studies. Minimum daily flows of 2,000 cfs and mean monthly flows of 6,000-9,000 cfs during April and May will not be detrimental to striped bass spawning. An emergency 3-days of 15,000 cfs during the last week of April may be required to start fish upriver. 1947 N.C. Wildlife Resources Commission created as separate agency. 1948 Virginia Electric & Power Company applied to Federal Power Commission for license regarding future construction and operation of power facility at RM 137 (to become Roanoke Rapids Reservoir). 1950 Natural river flows first impacted by construction of Buggs Island (Kerr Reservoir) in August. 1951 Federal Power Commission issues license for construction of Roanoke Rapids Reservoir and sets minimum flow requirement of 2,500 cfs for navigation.

1952 Kerr Reservoir completed.

First power is generated at Buggs Island in December. Report by U.S. Fish and Wildlife Service, Office of River Basins. If 2,000 cfs minimum flow is not adequate for striped bass spawning as determined by N.C. Wildlife Resources Commission, increased minimum flows will be required.

Public hearing held at Weldon, NC on 28 January by U.S. Army Corps of Engineers and N.C. Wildlife Resources Commission: "minimum flows as required are too low." U.S. Army Corps of Engineers holds meeting with Federal and State conservation agencies to discuss Roanoke River flows and striped bass spawning. It was suggested at this meeting that there be four days of 12,000 cfs (18'stage) water at Weldon to attract fish and maintain 2,000 cfs for spawning.

N.C. Wildlife Resources Commission conducts experiments in the spring to determine rates of survival for striped bass fry using different sources of river water.

State and Federal conservation agencies and U.S. Army Corps of Engineers hold a conference. The N.C. Wildlife Resources Commission recommends a minimum of 2,300 cfs (11' stage) from late March-late May, and a minimum stage of 15' (8,350 cfs) at all times during striped bass spawning.

- Several agencies join together to study dissolved oxygen, passage of striped bass fry through the lower river and recreational fishing at Weldon.
- 1955 Roanoke Rapids Reservoir completed.

Laboratory studies proved conclusively that constant motion was a physiological necessity for development of striped bass eggs.

Dr. W.W. Hassler begins long-term studies on egg abundance, juvenile abundance, exploitation, and migration of striped bass in the Roanoke River/Albemarle Sound.

North Carolina Congressman Herbert C. Bonner called a meeting on 2 May at Weldon, NC for all Federal and State agencies, industries and private citizens interested in the Roanoke River. A Steering Committee was formed at this meeting.

- 1955- Roanoke River Steering Committee holds meetings. 1958
- 1956- Dr. Hassler and other scientists study Roanoke River striped bass.
- The Roanoke River Steering Committee issues its report, 30 June: "The Roanoke River carries more water, by far, than any other river in North Carolina. The annual flow through the State averages about 8,500 cfs. With the construction of the John H. Kerr flood control and hydroelectric project by the Federal Government, river flow was consistently altered. Following completion of the Roanoke Rapids Hydroelectric Project in 1955, further reregulation of river flows were effected so that now the river flow pattern

downstream is largely determined either by the stipulated schedule of minimum discharges from the Roanoke Rapids Dam or by the demands for peak power on the Virginia Electric and Power Company's distribution system."

"The Roanoke River constitutes, by far, the most important spawning area for striped bass in North Carolina. Protection of the striped bass spawning in the Roanoke River should receive consideration equal to that given other primary uses of the water. The entire study area of the river--including that section of the main stem at or below the industrial plants at Plymouth--should contain water during the spawning season of such quantity and quality as established for the maintenance of fish life."

"The 13-foot water stage at Weldon is the minimum at which fishing boats may pass from Weldon to River Mile 133. It is recommended each year for the 75-day period, April 2 through June 15, for the two-fold purpose of providing access of both fish and fishing boats to the vicinity of River Mile 133."

The N.C. Wildlife Resources Commission restated its position taken in 1953 that four days of 25' stage peak at Weldon during late March should be maintained to attract fish upriver.

The Roanoke River Steering Committee adopted the following schedule of instantaneous minimum flows at their meeting of 29 October:

Instantaneous minimum river discharges, as measured at the U.S. Geological Survey gage on the US. 301 Highway Bridge near Weldon, not less than: 2,000 cfs (10.8') between 1 April and 25 April; 5,550 cfs (13') between 26 April and 4 May; 8,950 cfs (15') between 5 May and 20 May; and 5,550 cfs between 21 May and 15 June.

(This contradicted recommendations by others in that it did not provide adequate water in March-April to attract fish upriver).

The N.C. Wildlife Resources Commission, not satisfied by the Steering Committee findings and recommendations, issued a report by Fish and McCoy: "The N.C. Wildlife Resources Commission--the State agency now responsible for protection of the striped bass during their spawning activities--was not created until some time after the minimum flows of the Roanoke River below the John H. Kerr Dam had been established. Since the time of its inception, the Wildlife Resources Commission has vigorously contended that the Roanoke River minimum-flow schedule, as it pertains to striped bass, was woefully inadequate from a biological standpoint. The highest expectancy of survival for striped bass progeny would be provided at, or very close to, the average river condition which prevailed prior to the impoundment." Even the recommendations of this study conclude: "The foregoing recommendations are not advanced as providing optimum spawning conditions for the striped bass. They constitute what must be considered as minimal protection to the anadromous fishes of the Roanoke River."

- 1963 Lake Gaston is completed.
- 1970 Water shortage problems are projected for southeastern Virginia municipalities.

- Memorandum of Understanding signed by representatives of Virginia Electric and Power Company, U.S. Army Engineer District, Wilmington, Corps of Engineers, and N.C. Wildlife Resources Commission, which identifies reserved storage space in Kerr Reservoir between 299.5' and 302' for augmentation flow for striped bass spawning; 13' water stage as minimum during spawning; and that either party may terminate the agreement, and a revised Memorandum of Understanding has been approved by the Federal Power Commission.
- 1972- Period of possible damaging river water flows to the striped bass resource.
- U.S. Army Corps of Engineers holds public meetings in Weldon, NC on 10 December, and in Clarksville, VA on 11 December. Public concerns were heard pertaining to Roanoke River water flows on wildlife, fisheries, recreation, timber, agriculture and other river industries. Also opposition to transfer of water out of Roanoke River watershed in North Carolina.
- Dr. R.A. Rulifson, East Carolina University, began studies on striped bass eggs and larvae in lower river and in western Albemarle Sound. These studies are ongoing as are the studies of Dr. Hassler, NCSU, the N.C. Division of Marine Fisheries and the N.C. Wildlife Resources Commission. Problems with year class strength and water flows.
- U.S. Army Corps of Engineers as directed by Congress prepared a Water Supply Study for Hampton Roads, VA. City of Virginia Beach, VA, applied for and received a permit from the U.S. Army Corps of Engineers to withdraw 60 MGD from Lake Gaston (Lake Gaston Pipeline project).
- Judge W. Earl Britt, U.S. District Judge, Raleigh, NC, remanded the Corps, for further consideration on need of the Lake Gaston Pipeline project, and impacts on striped bass.
- 1988 U.S. Fish & Wildlife Service announces plans to establish a 30,000-acre National Wildlife Refuge in Halifax, Bertie, and Martin Counties.

An ad hoc committee of State, Federal and university scientists formed to propose a flow regime for the Roanoke River that would benefit striped bass and other downstream resources and users.

The 100th Congress of the United States approved H.R. 4124, which under Section 5, established a three-year study of striped bass in Albemarle Sound and Roanoke River. Congress found that the stock has been declining for some time and that "the reasons for the decline are thought to include fishing; other human activities and environmental factors, such as unsuitable water flow before, during, and after critical spawning periods; degradation of water quality...".

1989 Roanoke River Water Flow Committee publishes findings of one-year study and makes recommendations on flow conditions for March through June each year (this document).

HYDROLOGY

The Roanoke-Chowan River drainage basin encompasses 17,500 mi² draining major portions of southern Virginia and northern North Carolina. Approximately 55 percent (9,666 mi²) of the drained land area is within the Roanoke River basin. Nearly six percent of North Carolina's land surface is drained by the Roanoke River watershed (Moody et al. 1985). Major tributaries include the Dan, Mayo, Smith, and Hyco Rivers (Figure 1).

The Roanoke River carries more water than any other river in North Carolina, with a daily average of about 8,500 cfs (cubic feet per second). Surface waters of the river are used for municipal, industrial, and agricultural purposes and to maintain fish and wildlife habitats.

Flow is regulated by six major dams on its main stem or tributaries. Philpott Lake, Smith Mountain Lake, and Leesville Lake are in Virginia. The John H. Kerr Reservoir and Lake Gaston are situated on the North Carolina-Virginia border. Roanoke Rapids Lake, the most-downstream reservoir on the watershed, is within North Carolina (Figure 2). These dams and powerhouses affect daily streamflow variability and flood peaks. Total water volume held by these dams is 4,372,000 acre-feet or 1,420,000 million gallons (MG) (Moody et al. 1985).

The most important of these reservoirs to the lower Roanoke River and western Albemarle Sound is Kerr Lake because of its storage capacity and its direct influence on the operation of the two dams downstream. Regulation of flow by the reservoir system virtually precludes intrusion of saltwater into the lower Roanoke River except in cases of extreme drought or unusual wind-tide conditions (Geise et al. 1979).

Importance of Water to Floodplain Habitats

On a national basis, forested wetland habitat losses have been occurring at a high rate in recent years (Frayer et al. 1983, Tiner 1984). Statistics indicate that during the 20-year period between the mid-1950s and 1970s, fully 92 percent of the national losses in forested wetlands occurred in the southeastern United States (Hefner and Brown 1984). These habitat losses have resulted in population declines in many fish and wildlife species, making the remaining wetlands even more valuable to fish and wildlife. Waterfowl, striped bass, black bear, wild turkey, red-shouldered hawk, barred owl, and bald eagle all use the Roanoke River bottomlands.

Water is the driving force of bottomland hardwood communities such as those described above (Wharton et al. 1982). Water forms and maintains the floodplain by transporting and redistributing sediments. It also provides seasonal access for aquatic organisms to the floodplain and transports nutrients and detritus across the floodplain and to downstream estuarine areas. Precipitation and subsequent surface and sub-surface runoff are the principal sources of water to the Roanoke River system.

Hydrological data for the lower Roanoke River basin are summarized by the U.S. Army Corps of Engineers (1968, 1984). Precipitation within the lower basin averages from 41 to 53 inches per year, depending upon location. Annual snowfall within the lower basin ranges from 3 to 10 inches. Widespread precipitation throughout the entire basin causes




Figure 2. Lower Roanoke River watershed.

discharge of the mainstream tributaries to increase, while localized rainfall events usually result in increased discharge only in smaller tributaries. Precipitation usually constitutes the only source of water input to a river basin, unless interbasin transfer of water is occurring. Both run-off and groundwater are derived from precipitation, although usually they are treated as separate components of the water budgets.

Organisms that depend on alluvial river systems for life have evolved adaptations to the seasonal fluctuations inherent in these floodplain systems. Winter and spring flooding provides accessibility and creates seasonal habitat for fish and waterfowl, which forage and depend on the abundant mast (acorns) and macroinvertebrates on the floodplain, or which utilize the floodplain for reproduction. Sniffen (1981) determined that the aquatic area created by floodplain inundation in Creeping Swamp (Pitt County, NC) represented over 90 percent of the annual aquatic area of the ecosystem on an inundated-per-day basis. Sniffen also found that production of macroinvertebrates on the floodplain constituted 80 percent of the total production within Creeping Swamp. Accessibility to and foraging upon these seasonally-available macroinvertebrates is necessary for wintering waterfowl to ensure that they are in satisfactory condition for successful breeding after their return migration (Fredrickson 1980; Heitmeyer and Fredrickson 1981; Drobney 1982, 1984; Rundle and Sayre 1983).

Fish production in such systems not only depends upon access to this macroinvertebrate prey but also is dependent upon access to the floodplain for breeding sites (Bryan and Connor 1981, Wharton et al. 1981). Species such as carp, fliers, yellow and brown bull-heads, warmouth, and chain pickerel are documented as breeding on the floodplain, which subsequently serves as nursery habitat for their larvae and juveniles.

The annual drying out of the floodplain is also of critical importance to maintaining the integrity and health of the system. Such a drying out process is necessary to allow aeration and growth of tree roots and saplings and ensure that seed germination will occur in order to maintain the vegetation within the system.

Pre-Impoundment Conditions

The mainstem of the Roanoke River is formed by the confluence of the Dan and Stanton Rivers approximately 200 miles above the river mouth. Between River Mile (RM) 150 and RM 128, the Roanoke crosses the eastern escarpment of the Piedmont Plateau (the "fall line") into the broad and flat Coastal Plain. Across the Piedmont Plateau the riverbed gradient is about 1.5 feet per mile. Across the fall line, the gradient steepens to 6 feet per mile and averages about 0.2 foot per mile across the Coastal Plain (Fish 1959).

The Roanoke River influences the hydrological conditions of Albemarle Sound. Posner (1959) reported that "the water mass from Edenton (in Albemarle Sound) to the Long Shoal area (in Pamlico Sound) is principally sensitive to a single fact: run-off from the Roanoke River." The Roanoke River provides, on average, about 87 percent of the freshwater flows to the coastal watershed (Giese et al. 1979).

Roanoke River flows were natural and unregulated until August 1950, when construction activities of the Philpott project in Virginia and the John H. Kerr project downstream first affected (to a minor degree) the flow records at the USGS gage at Roanoke Rapids. Construction of the John H. Kerr Dam continued to influence Roanoke River flows until 20 November 1952, when the powerhouse began operation. Permanent regulated flow

downstream of RM 137 were further achieved by the closure of the gates at the Roanoke Rapids project on 25 June 1955 (Fish 1959).

Before 1951, flows in the Roanoke River were driven by prevailing weather conditions. Typically, flows were highest during winter and early spring caused by abundant storm weather patterns. River flows then gradually tapered to minimum flows during early fall months, especially September through November (Figure 3). The late summer-early fall low-flow period was often interrupted by one or more extremely high river discharges caused by rainfall events from coastal hurricanes. The greatest river discharge on record was the result of the inland movement of a large unnamed hurricane in August 1940 (the practice of naming hurricanes began in 1950). At the site where Kerr Dam is now located, it was estimated that flows were about 270,000 cfs for the 1940 flood. Figures 4 and 5 show the change in flow regime of the river by depicting the frequency of flows at the Roanoke Rapids (USGS) gage before 1951 and after 1955. The maximum pre-project flows ranged frequently above 45,000 cfs (Figure 4). Post-project flows are seldom above 35,000 cfs with a definitive peak flow period in April and May (Figure 5).

Descriptions of Impoundments

The lower Roanoke River became a fully regulated stream in 1955 following a transitional five-year period of construction and operation of the Philpott, John H. Kerr, and Roanoke Rapids projects. The original Steering Committee for Roanoke River Studies documented the specifications of the various projects in the report prepared by Fish (1959). The following information is from that study.

JOHN H. KERR DAM. Originally known as the "Buggs Island project", the John H. Kerr Dam was built at RM 179 within the State of Virginia. The site is approximately 44 miles upstream from Roanoke Rapids and about 20 miles above the North Carolina-Virginia border. The project was approved by the U.S. Congress under the auspices of the Flood Control Act of 1944. The primary purposes of the project were flood control and production of hydroelectric power. Also recognized by the Congressional authorization were incidental downstream benefits including flood protection to additional hydroelectric plants, pollution abatement, navigation, and fish and wildlife conservation.

Construction of the John H. Kerr project was initiated by the U.S. Army Corps of Engineers in February 1946. The first power was generated in December 1952, and flood control measures were used in the spring of 1953. The dam created a lake 39 miles long, with a shoreline of 800 miles and a surface area of 48,900 acres at the normal summer water-surface elevation of 300 feet above sea level. At this elevation, water depth at the powerhouse is 112 feet. Water storage in the impoundment includes 1,046,000 acre-feet for power production, and an additional 1,278,000 acre-feet available for flood control. These estimates may be high for Kerr Reservoir for the 1980s due to extensive siltation within the system. The Kerr powerhouse contains seven generators with a total capacity of 204,000 kilowatts. Power production is primarily during peak energy demands. Some water is always released during off-peak periods. Power production contributes to the Southeastern Power Pool and is marketed by the Southeastern Power Administration.

ROANOKE RAPIDS DAM. On 6 October 1948, the Virginia Electric and Power Company (VEPCO, now known as Virginia Power, a subsidiary of Dominion Resources) applied to the Federal Power Commission (FPC) for a license to construct the Roanoke Rapids Dam at RM 137. The license was granted to VEPCO by the Federal Power Commission's Opinion and Order Number 204, effective on 1 February 1951, giving





Figure 3. Daily median flows of the lower Roanoke River for pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions.



Time, days Figure 4. Range of daily flows of the lower Roanoke River under pre-impoundment (1912-1950) conditions.

permission to build VEPCO Project 2009 (the Roanoke Rapids project). The FPC envisioned that the Roanoke Rapids project would act as a re-regulator of river flow, providing a continuous 2,500 cfs downstream so that the John H. Kerr could be used as a peak energy facility without serious harm to future navigation below Weldon. However, the 2,500 cfs minimum continuous flow was not required because the navigation from Palmyra to Weldon was of no consequence at the time, nor did it appear as a distinct possibility in the future. However, the Federal Government did reserve the right to require a continuous flow up to 2,500 cfs below the Roanoke Rapids project for navigation. Additionally, the FPC stated that the water release requirements during off-peak hours for pollution abatement and preservation of fish life were the same as for the Buggs Island project. Therefore, VEPCO's proposed Roanoke Rapids project could relieve the Buggs Island project of the off-peak water release burden.

The gates of the Roanoke Rapids project were closed on 25 June 1955, and power generation by VEPCO began in July 1955. The lake created by the dam is nine miles long, with a surface area of 4,900 acres at the normal power-pool elevation of 132 feet. At this elevation, water depth is approximately 60 feet. The dam impounds 85,000 acre-feet solely for use in power production. Operation of the Roanoke Rapids powerhouse is closely coordinated with the Kerr powerhouse so that fluctuation of the water surface elevation in the Roanoke Rapids Reservoir seldom exceeds three feet. The Roanoke Rapids powerhouse contains four adjustable blade propeller-type turbines driving four identical generators with a combined capacity of 100,000 kilowatts. Power production is primarily during peak energy periods, with firm power obtained from maintenance of minimum discharge during off-peak hours.

GASTON DAM. Gaston Dam and Reservoir, the newest of the three impoundments, was constructed in 1963 by VEPCO between the Kerr Dam and Roanoke Rapids Dam at RM 145.5. The normal power-pool elevation is 200 feet, resulting in a lake 34 miles in length. The creation of Lake Gaston essentially eliminated all natural river channel between Kerr Dam and the head of Roanoke Rapids Reservoir. The surface area of Lake Gaston is approximately 20,300 acres with a capacity of 400,000 acre-feet and a depth of about 90 feet. An additional three feet of flood control storage (about 63,000 acre-feet) is available. Close coordination of the three powerhouses is required to minimize the change in elevation of Gaston surface waters. Private shoreline development and heavy recreational use have become increasingly important to Lake Gaston since its construction.

The Gaston powerhouse is equipped with three fixed-blade propeller turbines, and one adjustable-blade turbine, driving four generators with a total capacity of 225,000 kilowatts. Power production occurs primarily during peak energy demand.

Reservoir Operation

The flow regime in the Roanoke River is dictated by the releases from the Roanoke Rapids power plant. The release from the dam is dependent upon the release from Lake Gaston. These two projects have limited storage and therefore are driven by releases from Kerr Reservoir. The release is a function of the lake level in Kerr (as defined by the Rule Curve, Figure 6) and power demands or commitments to supply power and energy.

Kerr operation distributes higher winter run-off to the spring and more importantly decreases the peaks of flood events. The storage available at Kerr dictates the operation of all three reservoirs on a weekly basis. That is, the storage available for release is known for any given point in time and a determination made as to the amount of water available




Figure 5. Range of daily flows of the lower Roanoke River under post-impoundment (1955-1987) conditions.




Figure 6. U.S. Army Corps of Engineers Rule Curve for John H. Kerr Reservoir. MSL = height (in feet) above mean sea level.

for power generation for the upcoming week. Forecasted higher flows or flood events will at times modify the release schedule. On an hourly basis, the operation of Roanoke Rapids has control of flows in the lower Roanoke River.

FLOOD CONTROL. Flood control is accomplished by reserving the 1.2-million acrefeet storage space for containment of Kerr inflow during periods of excessive run-off. Below the dam, the river need only carry the run-off entering the watershed downstream in addition to that amount released as part of flood control operations. As soon as downstream conditions permit, the excessive inflow is released from the storage space in the reservoir at the fastest rate possible but still maintaining the river within certain stages downstream. This procedure may result in prolonged flooding of downstream areas, with the flooding period much longer in duration than that observed under pre-impoundment conditions.

The potential for flood control varies with the seasons and in coordination with the two primary purposes of the project. This planned seasonal fluctuation in reservoir surface elevation is known as the "Rule Curve" for power generation (Figure 6). The surface water elevation of 300 feet is known as the "maximum power-pool elevation". During the usually wet months of November through January, a target water surface of 295.5 feet above sea level exists to provide maximum volume of floodwater storage while maintaining sufficient height for efficient power generation. Inflow conditions dictate the magnitude and duration of deviations from target elevations. Generally the Corps operates the project to bring the lake elevation to the target elevation as quickly as possible, consistent with flood control and power production objectives. During March the surface elevation is raised so that by 1 April the reservoir surface is between Elevation 299.5 and 302.0. This elevation zone is to provide additional storage for spawning flows from April to June. The normal upper target elevation for power operations is 299.5 from April to September. The elevation target is lowered from 299.5 to 295.5 during October and November to restore flood control storage.

Associated with specific elevation zones are maximum releases from Kerr powerhouse or dam. These zones are given in Figure 6. Zone "C", for example, is between elevations 295.5 and 300.0 from December through March. If lake elevation is within this zone, then the Corps would normally release 8500 cfs. Zone "E" is between elevations 300.0 and 312.0 and is the first flood control zone (except during the striped bass spawning period). In this zone Kerr would normally release 20,000 cfs. Figure 5 shows that maximum recorded controlled flows at Roanoke Rapids seldom exceed 35,000 cfs (equivalent to Zone "G"; elevations 315 to 320 at Kerr). For 90 percent of the time and for most of the year the flows are below 20,000 cfs (i.e., Kerr elevations below or in Zone "E").

The Kerr Reservoir Rule Curve was developed from the water requirements to meet contracts for the sale of power, receipts of which are used to reimburse the Federal Treasury for 80 percent of its investment in the Kerr project over a 50-year period. This Rule Curve cannot be significantly altered without affecting flood control objectives or the existing power contracts and thus the reimbursement schedule to the Treasury by the terms specified in the Congressional authorization of the project. Agreements, such as the existing Memorandum of Understanding on Spawning Flows, may however be developed that could enhance the flow regime downstream of the projects for the benefit of striped bass in particular without significantly affecting flood control or power production. However, more analysis is needed to determine necessary adjustments to enhance the regime and magnitude of impacts.

SPAWNING FLOWS. The Rule Curve has a zone specified for providing additional water storage for release from April into June to benefit spawning activity of fish. The time and duration of the spawning release is dictated primarily by the availability of the additional storage and the inflows received during the spawning period.

For the 35-year period from 1953 to 1987, Kerr Lake has achieved or exceeded the target elevation of 302.0 a total of 18 times by 1 April of that year (Figure 7). On 1 May of the year, the target has been equalled or exceeded 25 times (Figure 8).

Although there are many years when the full spawning water storage was not achieved, there was still some storage available for release during critical periods. Conversely, exceeding the target elevation may result in too much storage which, according to Corps rules, should be evacuated as quickly as possible to restore flood control capabilities. Therefore, storage over elevations of 305.0 will probably result in excessive flows with respect to the striped bass spawning cycle.

The coordination of the three entities involved -- the Corps of Engineers, Virginia Power, and the N.C. Wildlife Resources Commission -- could be improved to ensure: (1) that releases are made during critical periods particularly when storage is limited; and (2) that flood control objectives are weighed against spawning or subsequent life stage needs when storage is excessive. The apparently short time frame of the spawning cycle indicates that flood control and power operations could be changed during that time for potential significant enhancement of the cycle. However, the initiation of the spawning cycle and the subsequent needs of life stages after spawning require better definition.

Downstream Water Demands

AGRICULTURE. In the 1950s, agriculture accounted for approximately 60 percent of the occupational activity of the region (Fish 1959). Typical cash crops were tobacco, cotton, peanuts, soybeans, and livestock. In the 1980s, agriculture remains a dominant industry with little change in crop types except for corn. However, irrigation of the principle crop types and of specialty crops, such as fruits and berries, has grown significantly. Unfortunately, detailed water use data for purposes of irrigation have not been available until recently.

In 1984-85, a detailed survey of the Roanoke River Basin was conducted in both North Carolina and Virginia to determine water use in three categories: municipal, industrial, and irrigation. Irrigation estimates for each county (also by Roanoke River sub-basin) were compiled for 1983. The heaviest use of water for irrigation was in counties adjacent to Kerr Lake and to the lower Roanoke River (Figures 9-10). In the Roanoke River Basin, use of water for irrigation was estimated at 9,746 MG over the growing season. For the lower Roanoke River, the estimated use was 4,515 MG over the season. This figure is approximately equal to 25 MGD of irrigation water use for the lower Roanoke River, assuming a six-month irrigation period. Because irrigation does not occur every day, there is a potential for high rates of water use during irrigation days. Of the water used, 72 percent was from surface water sources (i.e., directly from streams, lakes, and impoundment ponds). The water from surface sources has a direct effect on Roanoke River flows. Table 1 presents the acreage of irrigated lands and the amount of water used (MG) for major Roanoke River sub-basins.

Irrigation potential in the seven-county region of north central North Carolina may be as much as 530 MGD for a three-month period, and possibly as high as 650 MGD for




Figure 7. Kerr Reservoir water elevations on 1 April, 1963-1987. Target elevation needed for striped bass spawning in lower Roanoke River is 302 feet.




Figure 8. Kerr Reservoir water elevations on 1 May, 1963-1987. Target elevation needed for striped bass spawning in lower Roanoke River is 302 feet.

August (Sneed 1982). This growth in irrigation water use has a high potential for altering Roanoke River flows by reducing inflow to Kerr Lake (resulting in lower lake levels and releases) and through direct withdrawal from the river and tributaries.

WILDLIFE AND FISHERY RESOURCES. Adequate water flows are required to maintain natural habitats for a variety of wildlife and fish species. Some groups, such as waterfowl and river herring, require periodic flooding of the forested wetlands for the completion of certain life history aspects. Some anadromous fish species require adequate flows to attract them upstream to the spawning grounds.

MUNICIPALITIES AND INDUSTRY. Population size of the Roanoke basin has remained rather stable from the 1940s to the 1980s. Halifax County has the largest population (about 56,000) followed by Martin, Northampton, Bertie, and Washington counties (Table 2). The six municipalities of the lower watershed have had relatively stable populations in recent times (Table 3). The towns of Gaston, Weldon, and Jamesville have experienced little growth since the 1920s. Roanoke Rapids and Williamston experienced rapid population growth between the 1950 and 1960 census periods. Currently, Roanoke Rapids is the largest community bordering the lower Roanoke River (over 15,000), followed by Williamston, Plymouth, Weldon, Gaston, and Jamesville. Also worthy of consideration is the Caledonia Correctional Institution near Scotland Neck, which at present has an inmate population of over 1,000 individuals (Caledonia and Tillery units combined).

Gaston. The water supply for the town of Gaston was a three-well system installed in 1969. Currently, Gaston residents rely on the Roanoke Rapids Sanitary District for water supply and treatment. Water usage is strictly domestic; no industry is present (Mrs. Manning, Gaston Town Clerk, personal communication).

Roanoke Rapids Sanitary District. Reliance on the Roanoke River for domestic and industrial water supply has nearly tripled since the original Roanoke River studies report by Fish (1959). In the 1950s, the District treated about 61 MG/month of Roanoke River water supplied from a 24-inch pipe installed in the Roanoke Rapids Reservoir (Table 4). The District supplied four J.P. Stevens textile mills (now owned by Bibb Towel Co.) with 26 MG/month, Halifax Paper Company (now Champion International Corp.) with 3 MG/month, and the remainder went to domestic (3,200 water meters) and small industry uses. Halifax Paper Company supplemented the 3 MG/month from the Roanoke Rapids Sanitary District with 560 MG/month pumped directly from the lower Roanoke for use as plant process water. Also, the District supplied the town of Weldon with approximately 7 MG/month. In addition to water withdrawal from Roanoke Rapids Reservoir, the District had an emergency pumping station below the intake for the Halifax Paper Company. Presently, the District uses 173 MG/month, with slightly over 80 MG/month allocated for the four textile mills. Domestic and small industry users now consume nearly 61 MG/month alone; this value includes water supplied to Champion International Corporation. Domestic water meters now total 7,043, a figure that is slightly misleading since one of those water meters is for Halifax County (which subdivides into 2,000 additional water meters). On average, each water meter represents approximately 3.5 people. The District service area represents over 30,000 people; the western boundary is Myrick Estates on Lake Gaston (25 MG/month) and the eastern boundary is the Caledonia Correctional facility (including the cannery) (Macon Reavis, Superintendent, Roanoke Rapids Sanitary District, personal communication). The Champion plant uses an additional 30 MGD of Roanoke River water. Approximately 13 to 14 MGD is used as noncontact cooling water and is returned to the river untreated. Demand for this portion of the total withdrawal varies considerably with season; more noncontact cooling water is required during summer




Figure 9. Irrigation water use (million gallons per year, MGY) in the Roanoke Basin, North Carolina, in 1983.




Figure 10. Irrigation water use (million gallons per year, MGY) in the Roanoke Basin, Virginia, in 1983.

Roanoke River Basin irrigation water use for 1983. Values represent water applied in million gallons.

Basin Acres Water Acres Applied Applied		North Carol	Carolina			Vi	Virginia		Ro	Roanoke sub-basins	sins
Mayo 161 43 5 Mayor River 171 1487 2,839 1,107 1 2,839 Mayo 161 43 5 Mayo River 171 148 4 171 Dan-Eden 1,487 533 Mayo River 171 148 4 171 Dan Fiver 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 Reanoke 2,178 741 12 Roanoke 2,178 748 1,564 Rapids 2,071 Rapids 8,639 2,071 8,639 1,799 11 6,504 Cashie 1,484 450 450 8,639 1,799 11 8,639 Lotals 1,484 450 8,639 1,705 1,484 1,484	m	asin			ñ	ısin	00 11	3 4 0 7		Acres	Water
Mayo 161 43 5 Mayo River 171 148 4 171 2,839 1,107 1 9,798 1,487 2 1,798 1,487 2 1,798 1,487 2 1,298 1,487 2 1,990 1,900 651 1,900 651 1,900 651 1,799 11 Rerr 2,836 1,733 1,731 11 Rerr 3,668 1,799 11 6,504 3,798 1,1484 450 2,071 Rapids Cashie 1,484 450 2,746 VA Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,73 1,044 5,708 1,484 150 10 10 10 10 10 10 10 10 10 10 10 10 10	No.		Acres irrigated	water applied	No.	Name	irrigated	applied	No.	irrigated	applied
Mayo 161 43 5 Mayo River 171 148 4 171 Dan-Eden 1,487 5 Mayo River 171 148 4 171 Dan-Eden 1,487 533 6 Upper Dan 387 100 6 1,298 Dan River 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 2,7 Hyco 1,900 651 10 Banister 4,733 1,373 1,900 4,733 1,900 Rerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3,68 Rapids 8,639 2,071 Rapids 2,178 748 12 4,356 1,484 Cashie 1,484 450 450 450 17,484 17,173 2,764 17,764 17,764 17,764 17,764 17,764 17,775					-	Smith Mt.	2,839	1,107	н	2,839	1,107
Mayo 161 43 5 mith River 171 148 4 171 Dan-Eden 1,487 5 Mayo River 134 117 5 295 Dan-Eden 1,487 533 6 Upper Dan 387 100 6 1,298 Dan River 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 2,1 Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 1, Reanoke 2,178 741 12 Roanoke 2,178 74 4,356 1, Rapids 8,639 2,071 Rapids 12 4,356 1, Williamston 7,173 2,094 2,717 14 7,173 2,764 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,7					1 73	Upper	3,798	1,445	7	3,798	1,445
Mayo 161 43 5 mith River 171 148 4 171 Upper Dan 911 287 6 Upper Dan 387 100 6 1,298 Dan-Eden 1,487 533 8 Lower Dan 2,809 868 8 7,087 2,7087 Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 1,799 Hyco 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Roanoke 2,178 741 12 Roanoke 2,178 748 12 4,356 1, Rapids Rapids 2,071 Rapids 12 8,639 2, Williamston 7,173 2,094 450 14 7,173 2, Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,						Roanoke					
Mayo 161 43 5 Mayo River 134 117 5 295 Upper Dan 911 287 6 Upper Dan 387 100 6 1,298 Dan-Eden 1,487 533 8 Lower Dan 2,809 868 8 7,087 2,187 Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 1,900 Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Rapids 8639 2,071 Rapids 2,178 12 4,356 1, Williamston 7,173 2,094 2,094 14 7,173 2,764 17, Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,					4	Smith River		148	4	171	148
Upper Dan 387 100 6 1,298 Dan-Eden 1,487 533 6 Upper Dan 2,809 868 8 7,087 2,187 Dan River 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 2,787 Hyco 1,900 651 10 Banister 4,733 1,799 11 4,733 1, Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Rapids Rapids Rapids 2,071 Rapids 12 4,356 1, Williamston 7,173 2,094 2,094 14484 15 1,484 Cashie 1,484 450 450 51,764 17,764 17,764	ſ.	Mavo		43	z,	Mayo River		117	2	295	160
Dan-Eden 1,487 533 Dan-Eden 1,487 533 Dan River 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 2, Hyco 1,900 651 Banister 4,733 1,373 10 4,733 1,900 Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Roanoke 2,178 741 12 Roanoke 2,178 748 12 4,356 1, Rapids Buzzard Pt. 8,639 2,071 Williamston 7,173 2,094 Cashie 1,484 450 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	י נ	Hoper Dan	911	287	9	Upper Dan	387	100	ب	1,298	387
Dan River 4,278 1,545 8 Lower Dan 2,809 868 8 7,087 2, Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 1, Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Roanoke 2,178 741 12 Roanoke 2,178 748 12 4,356 1, Rapids Rapids Buzzard Pt. 8,639 2,071 Rapids 1,484 450 Cashie 1,484 450 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	٦ (Dan-Eden	1.487	533		1			7	1,487	533
Hyco 1,900 651 10 Banister 4,733 1,373 10 4,733 1,900 Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Rapids Rapids Rapids 2,071 Rapids 1,484 450 Cashie 1,484 450 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	- α	Dan Biver	4.278	1,545	∞	Lower Dan	2,809	898	80	7,087	2,413
Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Roanoke 2,178 741 12 Roanoke 2,178 12 4,356 1, Rapids Buzzard Pt. 8,639 2,071 Rapids 12 8,639 2, Williamston 7,173 2,094 450 14 7,173 2, Cashie 1,484 450 450 15 1,484 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	0	Hugo	1.900	651					Q	1,900	651
Kerr 2,836 1,331 11 Kerr 3,668 1,799 11 6,504 3, Roanoke 2,178 748 12 4,356 1, Rapids Rapids 12 8,639 2,071 Williamston 7,173 2,094 14 7,173 2,094 Cashie 1,484 450 15 1,484 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	n	my co	2004	! } }	10	Banister	4,733	1,373	10	4,733	1,373
Roanoke 2,178 741 12 Roanoke 2,178 748 12 4,356 1, Rapids Buzzard Pt. 8,639 2,071 12 8,639 2, Williamston 7,173 2,094 14 7,173 2, Cashie 1,484 450 15 1,484 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	-	Kerr	2,836	1,331	11	Kerr	3,668	1,799	11	6,504	3,130
Rapids Rapids 12 8,639 2,071 Buzzard Pt. 8,639 2,071 14 7,173 2,094 Williamston 7,173 2,094 15 1,484 Cashie 1,484 450 1,484 1,484 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	12	Roanoke	2,178	741	12	Roanoke	2,178	748	12	4,356	1,489
Buzzard Pt. 8,639 2,071 Buzzard Pt. 8,639 2,071 Williamston 7,173 2,094 Cashie 1,484 450 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,		Rapids				Rapids			•	(
Williamston 7,173 2,094 Cashie 1,484 450 Totals 31,047 9,746 VA Totals 20,717 7,705 51,764 17,	13	Buzzard Pt.		2,071					12	8, 639	2,071
Cashie 1,484 450 1,484 Totals 20,717 7,705 51,764 17,	14	Williamston		2,094					14	7,173	2,094
Totals 31,047 9,746 VA Totals 20,717 7,705 51,764	ر ب	ם ניל א פי	1.4	450					15	1,484	450
	N S	Totals	31,047	9,746	VA	Totals	20,717	7,705		51,764	17,451

Notes:

- In cooperation with the Raleigh District, USGS

Table 2. Population size of four North Carolina counties bordering the lower Roanoke River, 1940 to 1987.

		4	Number of i	individuals	3	
County	1940	1950	1960	1970	1980	1987
Halifax	56,512	58,377	58,956	53,884	55,286	56,600
Martin	26,111	27,938	27,139	24,730	25,948	26,800
Northampton	28,299	28,432	26,811	24,009	22,584	22,200
Washington	12,323	13,180	13,488	14,038	14,801	14,700
Bertie	26,201	26,439	24,350	20,528	21,024	21,100

Table 3. Population size of six North Carolina municipalities bordering the Roanoke River, 1920 to 1987.

	,		N	umbers o	f indivi	duals		
Municipality	1920	1930	1940	1950	1960	1970	1980	1987
Gaston	-	-	_	1,218	1,214	1,105	883	1,042
Roanoke Rapids	3,369	3,404	8,545	8,156	13,320	13,508	14,702	15,747
Weldon	1,872	2,323	2,341	2,295	2,165	2,304	1,844	1,719
Williamston	1,800	2,731	3,966	4,975	6,924	6,570	6,159	6,264
Jamesville	389	344	499	529	538	533	604	678
Plymouth	1,847	2,139	2,461	4,486	4,666	4,774	4,571	4,922

Table 4. Major sources of water withdrawal from the lower Roanoke watershed, North Carolina, 1950s and present. Conversion to daily use assumes 30 days per month.

	195	i0s	Pres	ent
Source	MG/mo.	MGD	MG/mo.	MGD
oanoke Rapids				
Sanitary District (four textile mills and residential)	61	2.03	173	5.77
Halifax Paper Company (now Champion International)	560	18.67	900	30.00
Weldon	-	-	12	0.40
North Carolina Pulp Co. (now Weyerhaeuser Co.)	1,500	50	3,240	108
Caledonia Prison Farm (irrigation)	-	-	258	8.61
Total	2,121	70.7	4,583	152.77

¹Maximum output during peak irrigation periods.

and less during winter. The remaining 17 to 18 MGD of river water is used in product manufacturing, and is returned to the river through the Champion primary clarification plant as treated wastewater. The discharge permit for Champion is base 1 on pounds of biological oxygen demand (BOD) and total dissolved solids (TDS). The 30-day permitted average is about 6,700 pounds BOD and 13,000 pounds TDS; the 24-hour everage can be more than these values. This permit does not consider river stage (Reid Henson, Champion International Corporation, personal communication).

Weldon. Originally, Weldon residents used Roanoke River water furnished by the Roanoke Rapids Sanitary District and treated by the Weldon water treatment facility. In the 1950s, the District supplied 7 MG/month, which in turn supplied about 900 domestic meters and several small industries (Fish 1959). Weldon eventually purchased the original Roanoke Rapids Sanitary District pumping station and now obtains its water directly from the river at the NC Highway 48 bridge, which is approximately 0.5 mile upstream of the Champion International outfall. Weldon now withdraws about 12 MG/month from the river, treating approximately 350,000 g/day (Table 4). The water treatment plant is capable of treating 2 MGD. Weldon's water treatment facility supplies 720 water meters in

Weldon, parts of Northampton County including Garysburg, and portions of Halifax County including South Weldon. The town stores water in a 1.5-MG reservoir outside of the water treatment plant (Donald Crowder, Weldon Public Works Director, personal communication).

Caledonia Correctional Institution. This state facility obtains water from the Roanoke Rapids Sanitary District. Average usage for the Caledonia and Tillery units combined is approximately 0.5 MGD. A substantial portion of the water is used for livestock, but approximately 75 percent enters the Caledonia sewage treatment facility. The permit for this primary treatment plant allows a maximum discharge of 12,500 g/day, although the capacity will be tripled within the year (Ed Nelson, Caledonia Maintenance Superintendent, personal communication).

Williamston. The town of Williamston's water supply is from four wells. The town is presently attempting to establish a fifth well on the west edge of town, which is the area for growth (the river borders the eastern side of Williamston). However, four test wells on the west edge of town have produced neither quantity nor quality of water necessary to meet future demands. A fifth attempt will be made near the river. Geologists from East Carolina University determined that the aquifer below Williamston is the same as that tapped by the Union Camp facility in Franklin, Virginia. The geologists also believe that the lower Roanoke River is Williamston's only long range source of water (10-20 years) (John T. Broykin, Williamston City Administrator, personal communication). Fish (1959) reported that the Williamston Packing Company and Atlas Plywood Company at Williamston were major industrial plants contributing wastes to the Roanoke River. Since Fish's (1959) report, the Packing Company burned down and the Atlas facility went out of business. First Carolina Industries, a coldcut meat packaging company, uses approximately 10,000 g/day of city water primarily for daily washdown. Williamston Yarn Company, a subsidiary of Fruit of the Loom, Incorporated, uses about 1.5 MGD from the Williamston system and plans to boost water use to 3 MGD within several months (Mr. Broykin, personal communication).

Plymouth. In the 1950s, North Carolina Pulp Company near Plymouth was pumping about 1500 MG/month for plant process water to supplement their well-water supply (Fish 1959). This facility is now owned by Weyerhaeuser Company and is permitted to withdraw an average daily volume of 118 MGD (55 MGD treated wastewater, and 63 MGD untreated noncontact water). Average daily use is about 45 MGD of process water, which is returned to the system through the plant treatment facility. Consumption of noncontact cooling water for the boilers varies with season; about 27 MGD are used in winter, and approximately 63 MGD during the hottest summer months (Mike White, Weyerhaeuser Company, personal communication). The Atlas Plywood plant at Plymouth was bought by Georgia Pacific in late 1959 or 1960, which then moved from the Plymouth area in the 1970s. During its operation, the plant used the river primarily for barges, and withdrew several thousand gallons of river water daily for use in boilers and sprinkler systems. In 1962, the veneer plant portion of the facility closed and the remainder was a hardwood sawmill until it was moved in the 1970s (Ralph Plumblee, Washington County Planning Office, personal communication).

Jamesville. Currently, Jamesville residents rely on two wells to provide a 30,000 g/day water supply to about 200 meters. One well is used for standby. The primary (aeration) sewage treatment plant discharges approximately 10,000 g/day into the Roanoke River. The only industry nearby is Penn Elastic, makers of rubberized material for bathing suits. The company has its own wells and treatment facility.

LOWER ROANOKE WATER QUALITY. The portion of the Roanoke River downstream of Roanoke Rapids is classified as a "C" stream by the North Carolina Division of Environmental Management (DEM). The river receives wastes from numerous municipal and industrial sources in addition to agricultural runoff. Table 5 shows NPDES (National Pollution Discharge Elimination System) permittees along the river and permitted wastewater flows.

DEM has assigned a "water quality limited" category to the lower Roanoke due to observed dissolved oxygen levels below the 5.0 mg/L limit; low dissolved oxygen values are observed especially near the Weyerhaeuser plant at Plymouth. Continued growth in water withdrawals and wastewater discharges will exacerbate existing water quality problems and causes concern regarding the ability of the lower Roanoke to assimilate additional waste loadings. Examples of water quality data during low flow periods are given in Tables 6-8. Loadings from NPDES for the same low flow periods are given in Tables 9-11.

Table 5. NPDES discharges to lower Roanoke River. Distance (river miles) is from the Champion International Paper outfall. WWTP = waste water treatment plant.

Discharger Perm	itted Wastewater Flow (MGD	Distance Downstream (river miles)
l. Champion International Paper Co.	21.0	0.0
2. Roanoke Rapids Sanitary District (RRSD)	8.3	3.5
3. Weldon WWTP	0.5	5.5
4. North Carolina Department of Corrections - Odum	0.07	21.5
 North Carolina Department of Corrections - Caledonia 	0.01	23.5
6. Perdue Farms	1.5	44.0
7. Hamilton WWTP	0.08	71.0
3. West Point Pepperell	1.5	71.5
9. Williamston WWTP	3.0	93.0
10. Penn Elastic	0.08	108.0
ll. Jamesville WWTP	0.15	109.0
12. Weyerhaeuser	55.0	120.5
13. Plymouth WWTP	0.8	122.5

Table 6. Low flow, steady state water quality data for the lower Roanoke River for the period 5-15 October, 1980. Mile = distance downstream of Champion International Paper outfall.

-	TKN	(mg/L)	BOD ₅	oxygen (mg/L)	Dissolved o	ture (^O C)	Temperat	
Source	(mg/L)	Range	Mean	Range	Mean	Range	Mean	Mile
1,2		1.0-	0.9	9.0-	8.6	21.0-	20.3	<0.0
		0.8		8.3		19.5		
1,2		1.0-	1.0	8.0-	7.9	20.0-	19.5	14.0
•		0.9		7.8		19.0		
3	0.5		0.7		8.2		18.0	62.4
4					7.5		-	92.0
4,5	0.3	5.0-	2.6	7.3-	6.9	22.6-	21.4	119.8
-, -		1.0		6.4		19.0		
4	0.5		2.0		5.5		21.5	121.2
4					5.6		19.9	122.0
4	0.5				4.8		19.1	123.5
4,5	0.4	4.0-	2.8	5.6-	4.1	25.0-	21.8	124.9
-, 5	0.1	2.0		2.4		19.0		
4	0.7		3.0		3.9		20.5	125.2
4	0.6		3.8		2.1		19.3	126.2
4	0.7		4.1		3.3		22.5	126.9
4	0.7		3.5		3.1		19.1	127.6

Source 1 is Champion DMR (Discharge Monitoring Report) Source 2 is Roanoke River Sanitary District DMR

Source 3 is STORET

Source 4 is DEM (NC Division of Environmental Management)

Source 5 is Weyerhaeuser DMR

Table 7. Low flow, steady state water quality data for the lower Roanoke River for the period 26 September to 12 October 1981. Mile = distance downstream of Champion International Paper outfall.

	TKN	(mg/L)	BOD ₅	oxygen (mg/L)	Dissolved o	cure (^O C)	Temperat	
Source	(mg/L)	Range	Mean	Range	Mean	Range	Mean	Mile
1,2,3		1.0-	0.7	9.0-	8.1	22.2-	20.7	<0.0
		0.5		8.0		19.0		
1		1.3-	1.2	7.9-	7.9	22.3-	21.3	14.0
		1.1		7.8		20.5		
3	0.4		0.8		8.6		20.0	31.8
3	0.3		1.4		7.4		19.0	62.4
5		4.0-	1.8	7.6-	7.3	23.0-	20.9	119.8
		0.0		6.7		18.0		
3,5	0.6	5.0-	2.8	7.5-	5.8	23.0-	21.4	124.9
		1.0		4.6		19.0		

Source 1 is Champion DMR (Discharge Monitoring Report) Source 2 is RRSD DMR

Source 3 is STORET

Source 5 is Weyerhaeuser DMR

Roanoke River Flow Study

Table 8. Low flow, steady state water quality data for the lower Roanoke River for the period 10 September to 11 October 1983. Mile = distance downstream of Champion International Paper outfall.

	TKN	(mg/L)	BOD ₅	oxygen (mg/L)	Dissolved o	ture (°C)	Temperat	
Source	(mg/L)	Range	Mean	Range	Mean	Range	Mean	Mile
1,2,3		1.5-	0.8	10.1-	8.2	28.0-	23.9	<0.0
		0.5		7.0		20.2		
1,2,6	0.8	2.4-	1.4	7.9-	7.1	28.0-	23.8	14.0
		1.0		6.2		20.8		
6	0.5		0.1		7.3		20.8	15.0
6	0.6		0.7		7.2		20.7	16.1
6	0.9		0.8		7.3		20.8	17.9
6	0.7		1.1		7.2		20.9	19.8
6	0.5		1.3		7.3		20.7	22.3
3,6	0.4	1.0-	0.8	9.0-	8.0	20.5-	20.3	31.8
		0.5		7.0		20.0		
3,6	0.5	1.3-	1.1	7.3-	7.0	24.8-	22.8	62.4
-, -		0.9		6.6		20.8		
3	0.3		0.6		7.1		20.6	92.0
5		5.0-	3.6	8.0-	7.4	30.0-	25.0	119.8
•		1.0		6.4		21.0		
3	0.4		1.9		6.6		24.5	121.3
3,5	0.5	6.0-	3.4	7.5-	6.4	29.0-	24.6	124.9
-,0		1.0	•••	5.5		21.0		

Source 1 is Champion DMR Source 2 is RRSD DMR

Source 3 is STORET

Source 5 is Weyerhaeuser DMR Source 6 is Weston

Table 9. Point source loadings for the lower Roanoke River for the period 5-15 October 1980. RRSD = Roanoke River Sanitary District; DOC = Department of Corrections.

Discharger	Flow (MGD)	BOD ₅ (lb/day)	TKN (lb/day)
Champion Paper	17.8	2,702	2,672
RRSD	4.7	1,889	220
Weldon	0.34	158	43
DOC-Odum*	0.11	26	9
DOC-Caledonia*	0.01	3	1
Perdue Farms	0.96	395	301
Hamilton and West			
West Point Pepperell	0.80	64	9
Williamston	1.1	131	75
Penn Elastic	N/A	3	1
Jamesville	0.06	14	5
Weyerhaeuser	35.3	9,656	1,825
Plymouth	0.48	25	13
		15,066	5,174

^{*}From NPDES permit limit.

Table 10. Point source loadings for the lower Roanoke River for the period 26 September to 12 October 1981. RRSD = Roanoke River Sanitary District; DOC = Department of Corrections.

Discharger	Flow (MGD)	BOD ₅ (lb/day)	TKN (lb/day)
Champion Paper	14	4,157	2,102
RRSD	2.9	1,192	222
Weldon	0.34	158	43
DOC-Odum	0.11	26	9
DOC-Caledonia	0.01	3	1
Perdue Farms	0.96	395	301
Hamilton and West			
West Point Pepperell	0.80	64	9
Williamston	1.1	131	75
Penn Elastic	N/A	3	1
Jamesville	0.06	14	5
Weyerhaeuser	40.8	12,046	2,416
Plymouth	0.48	25	13
		18,214	5,197

Table 11. Point source loadings for the lower Roanoke River for the period 10 September to 11 October 1983. RRSD = Roanoke River Sanitary District; DOC = Department of Corrections.

	Flow	BOD ₅	TKN
Discharger	(MGD)	(lb/day)	(lb/day)
Champion Paper	25.0	3,128	3,753
RRSD	3.6	2,013	190
Weldon	0.34	158	43
DOC-Odum	0.11	26	9
DOC-Caledonia	0.01	3	1
Perdue Farms	0.96	395	301
Hamilton and West			
West Point Pepperell	0.80	64	9
Williamston	1.1	131	75
Penn Elastic	N/A	3	1
Jamesville	0.06	14	5
Weyerhaeuser	45.1	7,184	2,370
Plymouth	0.48	25	13
		13,144	6,770

IMPACTS OF HYDROLOGICAL EXTREMES ON DOWNSTREAM RESOURCES

Provisions for minimum flows during spawning have been established within the guidelines of the original agreements signed by the three agencies -- U.S. Army Corps of Engineers, North Carolina Wildlife Resources Commission, and Virginia Power. The required minimum flows for waste assimilation, navigation, and habitat change throughout the year. For example, during the striped bass spawning season in the spring, the minimum daily discharge specified by the Memorandum of Understanding is 2,000 cfs. This basic minimum release is supplemented by augmentation water from John H. Kerr Reservoir sufficient to maintain a minimum of 13 feet at the river gage at Weldon. The minimum flows required before spawning season is 1,000 to 1,500 cfs, and after spawning, only 2,000 cfs through September (Article 25 of the Federal Power Commission license).

The minimum flow guidelines established by the tri-party agreement do not consider maximum flows or the manner in which the average daily discharge is derived. Under high inflow conditions at Kerr, the dams provide controlled releases as given by the Rule Curve and release schedule, usually seen in the USGS gage records (below the Roanoke Rapids Reservoir) as about 20,000 cfs. Release of these large volumes of water causes extensive flooding downstream, which affects the pulp and paper industry, agriculture, nesting of wild turkey, fawning of deer, and spawning of a variety of commercially and recreationally important fish species. The flooding event per se is not new to the Roanoke watershed, but the timing of the flooding event or events is now controlled for the most part by the reservoir system. Historically, the worst flooding occurred during the late spring with some significant late summer floods. Figure 11 shows a comparison of the 90 percent of flows at Roanoke Rapids for pre- and post-impoundment conditions. In the majority of flood events, the dams have reduced flood peaks to the 20,000 cfs level in the spring and have greatly curtailed summer peaks. However, under most flood control conditions the duration of flood flows (higher than approximately 15,000 cfs) has been increased.

In addition to flood control, hydropower operations have also greatly affected daily flow magnitude. As early as July 1954, the downstream flooding problem associated with hydropower generation was recognized and documented. Velz (1954) presented the instantaneous hydrograph record from the Roanoke Rapids gage for the period 15-27 July 1953, which indicated routine changes in river flow of 8,000 cfs within a two-hour period (Figure 12). Even more dramatic changes in flow are commonly found in the USGS gage records from 1954 until the present time, many of which occur during striped bass spawning activity.

However, probable damages caused by disastrous floods would have been more extensive without the Kerr Dam. For example, the large flood that occurred in April 1987 had maximum regulated stages of 11.4 feet at Roanoke Rapids, 30.5 feet at Scotland Neck, and 12.1 feet at Williamston. Had flood control space in Kerr Reservoir not been in place during this event, the estimated maximums stage at Roanoke Rapids would have been 28.8 feet (17.4 feet higher), 36.8 feet (6.3 feet higher) at Scotland Neck, and 15.8 feet (3.7 feet higher) at Williamston. Other floods such as those in 1975 and 1978 produced stages one




Figure 11. Comparison of daily 10 percent and 90 percent flows for pre-project (1912-1950) years and post-project (1955-1987) years.




Figure 12. Instantaneous hydrograph at Roanoke Rapids gage for 15-27 July 1953, showing the influence of hydropower generation at John H. Kerr and Roanoke Rapids power plants (from Velz 1954).

to five feet lower at Williamston with flood control protection from Kerr Dam. Control of disastrous floods by Kerr Reservoir usually results in less acreage flooded but prolongs the duration of flooding.

Agriculture

Obtaining detailed financial information on damages and loss of production due to excessive moisture or delayed planting is impossible. Even a comparison of flood versus non-flood years for crop production on a county specific basis is of no assistance due to the large size of the affected counties and the many tens of thousands of acres of cropland outside of the floodplain. However, the impact on individuals who rely on farming in the floodplain for their livelihood can be severe.

The impact of flooding on agricultural production is relatively straightforward. Waters covering and/or saturating cropland during the spring prevents the planting of crops and the harvest of such winter cover crops as wheat, rye, and barley. Fall floods prevent harvest and destroy standing crops. Either event can turn an otherwise profitable crop year into a disaster. Further problems are faced when cattle or swine become stranded as flood waters inundate farm roads. Equipment is often left in standing water and the roads, buildings, and other facilities are damaged by the waters. Floodwaters also prevent adequate drainage of cropland on high grounds by filling ditches and drainage canals.

Flooding in 1975 caused much vocal concern of landowners in the basin. Damages in Northampton County were estimated at \$150,000 primarily due to the drowning of 400-500 acres of wheat and other small grains and the loss of several head of cattle. Martin County's damages were estimated at \$500 to \$1,000 per landowner, with two estimated at \$15,000 and \$30,000 respectively. Halifax County did not make an estimate but did record cropland and pasture land inundated with loss of crops and some cattle. Bertie County received the most extensive losses in 1975 -- damages totaling \$1,000,000.

A 1980 survey of farmland affected by the spring floods of 1978 and 1979 in Halifax County indicated extensive flooding. In 1978, flooding inundated 960 acres of cropland, 355 acres of pasture, and 22,481 acres of woodland. In 1979, 743 acres of cropland, 275 acres of pasture, and 23,714 acres of woodland were inundated. Bertie County reported 3,602 acres of farmland and 32,380 acres of woodland affected by flooding.

Farmers who have lived in the region for decades complain that both the frequency and duration of the flooding have changed. Present-day floods come more often and last longer. The historic spring "freshers" lasted less than a week, but the reservoir system now keeps water on the cropland for several weeks to several months, thereby completely eliminating the potential for crop production in certain areas.

Infrastructure

Throughout colonial times, transportation in the lower Roanoke Valley was by boat. Goods produced on the plantations such as cotton and tobacco were shipped from river loading areas to the outside world. Ship and barge transportation is now minimal compared to colonial times. Major highways connect with secondary roads and farm roads. The historic knowledge of the floodwaters is such that no one currently lives in areas that are stranded when waters are high. However, farmland and livestock can be isolated for long periods due to the coverage of private and public roads by floodwater.

In 1975, the damage to public roads caused by flooding in Bertie (\$7,521.88) and Martin (\$500.00) counties totaled \$8,021.88. An estimate of damages from the 1978 and 1979 floods was not available. However, a number of state roads including SR1502 and SR1505 (Martin County), SR1106 (Northampton), and SR1126, SR1127, SR1128, SR1129, and SR1130 (Bertie County) were inundated from 10 to 60 days. Damage to Bertie County public roads was \$7,500 in 1987.

Flood damage to private farm and forestry roads is unknown. The only information on damages is from a 1980 survey of the 1978 and 1979 flooding. Individuals reported continual replacement of farm roads to pasture areas. Another individual had to rebuild two roads. Eight miles of road were rebuilt at a cost of \$3,000-\$5,000. Another person reported that the sand topping washed from three miles of road, and \$4,476.76 was expended on a forestry road which kept washing out. Information from landowners from the 1975 flooding also cited reduced access and road repairs as problems.

Wildlife

Prolonged flooding negatively impacts habitats and the species utilizing these areas. Feeding, reproduction, and distribution are several life history aspects altered by flooding conditions.

TURKEY. The management regime of the John H. Kerr Reservoir periodically results in extended downstream flooding, usually during the spring of the year. This is suspected of causing displacement of wild turkeys and a reduction in reproductive success and poult survival rates. Dramatic annual fluctuations in fall turkey populations have been associated with the severity of floods during the previous nesting and brood rearing seasons.

A three-year research project completed in 1988 was conducted jointly by North Carolina State University and the North Carolina Wildlife Resources Commission to determine the effects of flooding on the population dynamics and habitat utilization patterns of wild turkey on the Roanoke River. Preliminary analyses of the data indicate that flooding influenced turkey nesting behavior. Drought conditions prevailed during the 1986 spring/summer and 85 percent of the nesting took place in habitats usually inundated during floods. Approximately 65 percent of the brood range habitats would have been inundated if flooding had taken place. The next year, the river was at flood stage from 23 December 1986 until 22 June 1987. During that time, all radio-collared birds were displaced from their customary lowground habitats. No reproduction by radio-collared hens was documented in 1987, although two hens attempted to nest. The hen/poult ratio increased from 0.33 in 1986 to 7.06 in 1987, providing supporting evidence that a significant decrease in reproduction occurred. Flow conditions in 1988 during the nesting season were within the river bank, and reproductive rates reflected this favorable condition. These examples apparently show a cause-effect relationship between floodplain inundation patterns and turkey population dynamics and habitat use.

DEER. Populations of deer in the lower Roanoke watershed generally have exceeded capacity in most years. However, there have been situations in a number of years where the effects of prolonged discharges of water have been deleterious to populations in the floodplain. The timing and duration of flooding are important considerations in determining the impact on deer and most other species. Displacement of animals, lower condition levels, concentration of parasites and diseases, fawn mortality, and increased crop depredation, have all been shown to occur in the river bottom habitats where prolonged floodwaters exist.

Flooding of short duration is not harmful to deer or their habitat. However, water level management that results in extended flooding during the spring or fall can adversely affect the number, condition, and survival of deer on the Roanoke River. It also can result in declines in harvest and hunter success in years following prolonged flood situations. This has been observed frequently by deer clubs who hunt in the floodplain of the Roanoke.

SMALL GAME. The primary small game species of the Roanoke floodplain are the gray squirrel, marsh rabbit, and woodcock. Each of these species is well equipped for life in a natural floodplain system. Maintenance of a flow regime closely resembling the flood frequency, extent, and duration of a natural river system will assure long-term well-being of small game on the lower Roanoke. Changes in managed water levels, which encourage increased human activity on the floodplain, present the greatest threat to small game populations on the lower Roanoke.

WATERFOWL. Migratory waterfowl that utilize forested wetland habitats within the lower Roanoke River basin can be segmented into two seasonal components: a wintering population and a breeding population. A migratory, wintering population of at least 14 species utilizes these wetlands during the winter months (USFWS 1983, 1988). Species which comprise this category include mallard, black duck, gadwall, pintail, green-winged teal, blue-winged teal, American wigeon, northern shoveler, wood duck, ring-necked duck, bufflehead, hooded merganser, Canada goose, and tundra swan. Data collected during Christmas Bird counts of the Roanoke Rapids route reflect the presence of an additional 10 species, most of which are diving species more likely to frequent open water than forested wetland areas. These species are the snow goose, canvasback, greater scaup, lesser scaup, common goldeneye, oldsquaw, surf scooter, ruddy duck, common merganser, and redbreasted merganser (Lynch 1973 through 1984). Species that nest within the Roanoke River wetlands are present in late winter, spring, and summer. These species are primarily wood duck, but mallards, black ducks, and possibly hooded mergansers may breed in small numbers (Potter et al. 1980). Seasonal use of the Roanoke River forested wetlands by waterfowl is depicted in Figure 13.

The primary factor that controls the utilization of these habitats by waterfowl is the degree to which they are flooded and, therefore, accessible. Some degree of flooding would be necessary on a year-round basis if optimum conditions were to be met for both user groups. However, fluctuations in duration and extent through time are necessary to ensure optimum conditions within the wetlands for the production of important waterfowl foods. Critical periods for the presence of water within forested wetlands can be defined as the periods November through March for wintering individuals and February through September for breeding individuals.

Municipalities and Industries

Municipalities and industries interviewed by telephone indicated that low flows (down to 1,000 cfs) had some negative impact on daily operations. There is concern that low flows (<2,700 cfs) do not adequately dilute and flush wastewaters from the river. Champion International's plant at Roanoke Rapids has a discharge permit that is independent of river flow. The Roanoke Rapids Sanitary District is concerned about low dissolved oxygen levels and aesthetic problems at the point of discharge. The District's waste pipe discharges into Choriak Creek just upstream of its merger with the Roanoke River. During low flow periods, pockets of wastewater build up within the creek and cause low dissolved

AMER. WIGEON BLACK DUCK BLUE-WINGED TEAL	
V 6	
Λ	
GADWALL	
GREEN-WINGED TEAL	
HOODED MERGANSER	
MALLARD	
NORTHERN SHOVELER	
PINTAIL	
RING-NECKED DUCK	
WOOD DUCK	

Figure 13. Seasonal use by waterfowl of the lower Roanoke River forested wetlands.

oxygen values. Variability of river flow from 2,400 cfs to 19,000 cfs within a 24-hour period is common. A 15,000 to 19,000 cfs flow would enhance the operation of their wastewater treatment plant. The Weyerhaeuser plant near Plymouth occasionally experiences plant shutdowns during low flow periods (< 2,500 cfs) because waters of the Roanoke mainstem actually flow upstream past the facility, resulting in increased conductivity values from the plant effluent (Robert G. Herrmann, Weyerhaeuser Company, personal communication). Under low flow conditions, the problem is exacerbated by the fact that 40 percent of the river flow exits the river via the Thoroughfare and Middle River, thereby effectively reducing the flow in the mainstem past the Weyerhaeuser plant to about 1,500 cfs.

Excessive discharge from the reservoirs upstream places additional burden on both municipalities and industry. Roanoke Rapids sewer plants are susceptible to flooding at 28,000 to 29,000 cfs because the head of the river exceeds the gravity flow of the treated discharge, closing the flapgate to the discharge pipe. The District had to add pumping facilities and dikes around the sewage treatment plant to reduce these problems during periods of excessive water release. Several other municipalities and industries indicated that faulty flapgates cause system flooding when river water levels are high. Another problem involves antiquated sewer systems and leakage problems. During periods of heavy rains, the sewer lines in several communities become inundated with freshwater infiltration, thus exceeding the capacity of the treatment system. For example, Williamston's sewage treatment plant normally discharges about 750,000 g/day, but heavy rains and subsequent infiltration through deteriorated sewer lines results in a discharge of over 2,000,000 g/day (John T. Broyken, Williamston City Administrator, personal communication). Williamston also suffers when the river level is higher than normal, causing the groundwater levels to rise and placing additional burden on the treatment plant from groundwater infiltration. The Caledonia Correctional facility has coped with flooding by constructing dikes along the periphery and adding pumps capable of removing 50,000 g/minute from the fields.

Recreation

The North Carolina Wildlife Resources Commission maintains five public boat ramps along the Roanoke River near the towns of Weldon, Scotland Neck, Hamilton, Williamston, and Plymouth. Extreme water level conditions, both high and low, reduce accessibility and make boat launching unsafe and difficult. Extreme high waters deposit silt that remains on ramp facilities as waters recede. Flood waters also effectively reduce parking areas. Extreme low water conditions may completely expose the ramps to the extent that boat trailers drop off the end of the ramp during launching and must then travel over soft sediments before waters are deep enough for boat launching. Under these conditions, facility users sometimes experience damage to personal property such as bent axles and trailer hitches, or more rarely twisted vehicle and trailer frames. In the most extreme cases, ramps are not usable.

Hunting, hiking, camping, and fishing activities in the floodplain are negatively impacted during flooding. Particularly affected are hunters and riverbank anglers, who are excluded from the floodplain during times of extreme high water. Access by boat to most areas of the lower river is not affected by extreme water conditions, although extensive sandbars and shoaling are common during low water periods.

HYDROLOGY AND STRIPED BASS: A KEY SPECIES

Life History Overview

Striped bass (also known as stripers, rockfish, or rock) have been commercially and recreationally important in North Carolina waters since the 1800s. Approximately 93 percent of the sportfishing landings in the State come each year from the Albemarle/Chowan system, and only five percent from the Tar/Pamlico system (Baker 1968). The Roanoke/Albemarle striped bass population in North Carolina is an important contributor to the anadromous stock of the USA east coast, ranking third in size below the Chesapeake stocks (spawned in Maryland and Virginia tributaries) and the Hudson River population (USDOI and USDOC 1987).

The major spawning area for Roanoke/Albemarle stripers is located in the Roanoke River between the towns of Halifax (RM 120) and Weldon (RM 130), North Carolina (Figure 2). Spawning usually occurs from late April through early June (Hassler et al. 1981). The historical spawning grounds farther upstream were blocked by the construction of the Roanoke Rapids dam at RM 137 (McCoy 1959). Adult striped bass are broadcast spawners: one female and several males release eggs and sperm into the water column during the spawning act, or "rockfight". The fertilized eggs require lotic waters to ensure proper development. Transported downstream by the currents, eggs hatch into larvae which are then transported through the Roanoke River delta to the historical nursery grounds of western Albemarle Sound (Rulifson et al. 1988).

The striped bass is anadromous, which means that it utilizes a life history strategy of living in the ocean in the adult phase but must migrate to freshwater streams to spawn (Dadswell et al. 1987). Striped bass must have water movement at the site of spawning strong enough to keep the eggs in suspension, but not so strong that survival to the hatching stage is jeopardized.

This spawning strategy is maintained throughout the range of this species along the eastern seaboard of North America. However, there are two distinct sub-strategies: one using movements of tidal waters, and the other utilizing flow of freshwaters from upstream watersheds with no tidal influence present. The first sub-strategy is the best-known. Nearly all spawning stocks of striped bass north of the Roanoke watershed, and most stocks south of North Carolina, spawn in tidally-influenced waters just above the freshwater-brackish water mixing zone typical of estuaries.

The Roanoke/Albemarle striped bass population is unique, however, because it travels a great distance upstream (130 miles) to spawn. There are two other populations, both in North Carolina, that mirror the Roanoke population in this respect: the Tar River population, and the Neuse River population. The common feature of all three watersheds is that there is no tidal influence on the rivers great enough to be utilized by spawning striped bass. The tidal effects are eliminated by the presence of the large lagoonal estuary/barrier island complex of the Albemarle and Pamlico Sounds. Therefore, these three populations must rely on freshwater discharge from upstream areas in order to complete the life cycle. If freshwater discharge is severely altered, striped bass cannot survive within the system.

Decline of the Roanoke/Albemarle Stock

The Albemarle Sound-Roanoke River striped bass population has generally experienced a decline since the 1970s based on estimates of population size (Table 12) and landings (Table 13). A combination of factors including flow regulation on the lower Roanoke River, deteriorating water quality, and heavy fishing pressure on immature fish have taken their toll on the population as evidenced by extremely poor juvenile production (Table 12).

During the mid-1970s, commercial and recreational fishermen complained that catches of striped bass in the Albemarle Sound-Roanoke River system were diminishing. During the same period, researchers at North Carolina State University noticed that reproductive success of striped bass was declining also (Hassler et al. 1981). Although no apparent trends were detected in the estimated total egg production, the viability rate of those eggs declined drastically beginning in the mid-1970s. Egg viability ranged from 80 to 96 percent from 1960 through 1974, but declined to 56 percent in 1975 and ranged from 23 to 74 percent in the succeeding years through 1987 (Table 12). In the past, the Roanoke/Albemarle striped bass population has been supported by dominant year classes produced at approximately five-year intervals. A dominant year class, indicated by a juvenile abundance index (JAI) of at least 10 young-of-year fish per trawl tow, has not been produced since 1976 (Table 12). The estimated number of striped bass in the spawning migration remained within historical levels through the mid-1970s, but in 1980, that number also declined. Since 1981, the estimated spawning population has remained below 100,000 fish (Table 12).

Commercial landings of striped bass in the early 1980s dropped well below long term averages. Commercial landings in Albemarle Sound reached a peak during 1967 (1,296,700 pounds) and by 1982 landings had dropped to 228,004 pounds (Table 13). In 1971, commercial landings in the Roanoke River were 30,104 fish, but dropped to only 2,286 fish in 1980. Estimates of striped bass harvest by sport fishermen in the Roanoke River ranged from a high of 65,399 fish in 1971 to only 3,131 fish in 1985. A three-year creel census in Albemarle Sound was conducted by the North Carolina Wildlife Resources Commission (WRC) and sport fishing catches of striped bass ranged from approximately 33,000 fish in 1977-78 to approximately 5,000 fish in 1979-80 (Mullis and Guier 1982).

Interpretation of commercial and sport harvests and spawning population size estimates (Tables 12 and 13) should be tempered in the context of recent changes in fisheries regulations, which reduced the catch and also altered the traditional methods of calculating certain population dynamics statistics, such as exploitation rates. A synopsis of these regulation changes is presented in Table 14.

Factors dictating the formation of a successful or dominant year class of striped bass are not completely understood. However, it is clear that one of the major forces influencing the aquatic environment and therefore striped bass stocks is water flow. In the lower Roanoke River, water flow is principally controlled by water release from Roanoke Rapids Reservoir. Water is released through the turbines by Virginia Power to maximize hydropower production during peak load hours.

Water flow affects striped bass (and similar fish species) in all facets of its complex life history. These effects are described in the following paragraphs. Information describing the various life history aspects has been taken from many sources, including the numerous reports by W.W. Hassler at North Carolina State University, Rulifson and colleagues at East Carolina University, and personnel of both the North Carolina Wildlife Resources

Table 12. Historical reproduction information on the Roanoke/Albemarle striped bass population (from Hassler and Taylor 1986, except as otherwise noted).

	Number of eggs spawned	Percent egg viability	Number of fish	Juvenile abundance index	
			in spawning migration	NCSU	NCDMF
1956			239,489	19.14	
1957			173,289	5.71	
1958		•	251,280	0.15	
1959	300,000,000 ^a		448,292	23.86	
1960	740,000,000	92.88	418,062	5.93	
1961	2,065,232,519	79.74	310,135	10.33	
1962	1,088,076,294	86.22	148,260	7.86	
1963	918,652,436	79.94	157,246	4.80	
1964	1,285,351,276	95.77	251,906	3.14	
1965	823,522,540	95.91	310,003	10.08	
1966	1,821,385,754	94.51	277,397	3.48	
1967	1,333,312,869	96.20	174,286	23.39	
1968	1,483,102,338	86.20	317,474	6.59	
1969	3,229,715,526	89.86	200,259	2.99	
1970	1,464,841,490	89.23	421,571	12.45	
1971	2,833,119,620	80.81	441,823	2.86	
1972	4,932,000,707	90.51	507,145	2.52	
1973	1,501,498,887	87.21	402,593	1.95	
1974	2,163,239,468	87.31	433,213	5.52	
1975	2,193,008,096	55.69	337,024	10.80	
1976	1,496,768,659	50.73	277,630	10.52	
1977	1,775,957,318	52.72	347,584	3.63	
1978	1,691,227,585	37.72	354,152	0.59	
1979	1,613,382,382	43.62	313,736	0.55	
1980	870,322,832	43.39	100,192	0.46	
1981	344,364,065	73.70	34,032	0.09	•
1982	1,698,888,853	71.93	70,650	3.80	0.61 ^d
1983	1,352,611,202	33.29	69,771	0.84	0.42 ^d
1984	703,879,559	22.73	59,890	0.36	0.00 ^d
1985 ^b	600,562,645 ^b	72.21 ^b	32,937 ^b	1.24 ^b	0.32 ^e
1986 ^b	2,279,071,483 ^b	51.10 ^b	61,656 ^b	0.14 ^b	0.11 ^f
1987 ^b	1,382,496,006 ^b	42.87 ^b	91,738 ^b	0.06 ^b	0.30 ^d
1988	2,082,147,979 ^C	89.00 ^C			4.09 ^d

a Partial season data only.
b Personal communication, W.W. Hassler, N.C. State University, Raleigh, NC.
c Personal communication, R.A. Rulifson, East Carolina University, Greenville, NC.
d Personal communication, Lynn Henry, N.C. Division of Marine Fisheries, Elizabeth

City, NC.

e Winslow and Henry (1986).
f Winslow and Henry (1988).

Table 13. Historical harvest of striped bass from Albemarle Sound and Roanoke River (from Hassler et al. 1981, except as otherwise noted). Roanoke River sport harvest numbers include all legal sport harvest methods (e.g., bow nets, fight nets, rod and reel).

	Commercial	Sport harvest				
	Albemarle Sound area	Roanoke River above Jamesville ^b	Albemarle Sound			
	(Pounds)	(Numbers)	(Numbers)	(Pounds)	Roanoke River ^b (Numbers)	
1956		2,209			16,434	
1957		1,827			15,970	
1958		4,240			9,931	
1959	•	5,442			48,131	
1960		13,820			28,821	
1961		6,531			26,627	
1962	504,800	7,526			14,688	
1963	587,100	7,479			10,308	
1964	564,200	9,300			28,114	
1965	367,900	14,294			32,116	
1966	547,400	18,508			13,368	
1967	1,296,700	5,526	67,172		7,433	
1968	296,700	10,050	49,476		31,988	
1969	913,600	15,431	62,444		23,891	
1970	773,600	16,485	96,170		28,257	
1971	615,300	30,104	41,426		65,399	
1972	314,434	24,691	35,698		45,650	
1973	535,301	9,020	30,783		42,047	
1974	449,477	15,609			38,826	
1975	635,617	19,989			22,219	
1976	676,401	7,156	_	_	40,799	
1977	469,718	10,465	33,201 ^d	71,720 ^d	32,983	
1978	524,999	16,253	16,599 ^d	30,850 ^d	28,016	
1979	326,848	9,798	5,700 ^d	12,526 ^d	29,419	
1980	376,510	2,286			15,239	
1981	333,484	349			3,905	
1982	228,004	398			7,324	
1983	288,742	650			6,976	
1984	475,640	1,023			5,523	
1985	269,671	101 ^C			3,131 ^c	
1986	172,683	76 ^C			6,663 ^C	
1987	228,861	8°C			10,027 ^C	
1988	114,183				16,657 ^e	

^a Personal communication. Lynn Henry. N.C. Division of Marine Fisheries, Elizabeth City, NC. (from NCDMF-NMFS commercial landings data, including all tributaries and mouth of Roanoke River up to Jamesville).

b from Hassler and Taylor (1986).

c Personal communication. W.W. Hassler. N.C. State Univ., Raleigh, NC. d from Mullis and Guier (1982).

e Mullis (1989).

Table 14. Regulations resulting in conservation and/or reduction in striped bass harvest in the Roanoke River-Albemarle Sound area, North Carolina, 1979-1987. DMF = North Carolina Department of Natural Resources and Community Development, Division of Marine Fisheries; WRC = North Carolina Wildlife Resources Commission.

Prior to 1979	Minimum size limit 12 inches (TL) for inland (WRC), internal coastal (DMF) and Joint Waters (WRC and DMF).				
	No trawling in Albemarle and Croatan Sounds between 1 December and 31 March.				
	Roanoke River drift gill nets attended at all times. (DMF)				
1979	Changed gill net mesh size from 3 1/4 to 3 1/2 inch in western Albemarle Sound and Chowan River, summer and fall. (DMF/July)				
	Defined small mesh "Mullet Nets" to be used only in the eastern Albemarle Sound. (DMF/July)				
1980	Creel limit reduced to 8 fish per day in inland waters. (WRC)				
	Field possession limit reduced to 1 day's creel limit in inland waters. (WRC)				
	Eliminated set gill nets in Roanoke River for April - May and restricted mesh size of drift nets, resulting in sharply curtailed landings. (Hassler 1984) (DMF/Oct.)				
1981	Roanoke River bow netting eliminated on spawning striped bass. (WRC)				
	Possession of large dip nets prohibited in the inland waters of Roanoke River. (WRC)				
	Extended drift gill net regulations to the mouth of Roanoke, Middle, Eastmost, and Cashie Rivers proper. (DMF/Oct.)				
1982	Minimum size limit of striped bass increased to 16 inches (TL) in inland waters. (WRC)				
1983	Eliminated use of small mesh gill nets in Currituck Sound, increased minimum mesh to 3 1/2 inches (June - December). (DMF/Jan.)				
	Roanoke River, reinstituted use of set gill nets in April - May of 3.0 inch and less. No more than one drift gill net may be used per boat. (DMF/Jan. and Oct.)				
	Eliminated use of 3 1/4 inch gill net (June - December) in all of Albemarle Sound and tributaries, increased minimum mesh to 3 1/2 inches. (DMF/Oct.)				
	Prohibited possession of striped bass on a vessel using a trawl in internal coastal waters (DMF/Jan.)				
1001					

First limited commercial season for striped bass October - May. (DMF/Aug.)

1984

Table 14. (Continued)

Minimum mesh 3 1/2 inch October - December. (DMF/Aug.)

Eliminated use of gill nets in Albemarle Sound and tributaries during June - September, except defined "Mullet Nets" (2 1/2 - 3.0 inch, floating, and within 300 yards of shore). (DMF/Aug.)

First reduction in hook and line creel limit (8 fish/day) and increase in striped bass minimum size limit to 16 inches (TL) for internal joint and coastal waters (June - September). (DMF/Aug.)

Unlawful to sell or offer for sale any striped bass from June - September. (DMF/Aug.)

First striped bass size limit for Atlantic Ocean (24 inches TL). (DMF/Aug.)

Closure of Atlantic Ocean to the harvest of striped bass by proclamation. (DMF/Aug.)

1985 Year-round reduction in creel limit for inland waters to 3 fish/day. (WRC)

Sale of striped bass taken from inland waters of Roanoke River prohibited. (N.C. General Assembly).

Roanoke River, eliminated all gill nets June - September. (DMF/Feb.)

Reduction in striped bass commercial season (November - March). Unlawful to sell or possess striped bass taken from commercial gear except during the open season. (DMF/Aug.)

Revisions for summer gill net use (June - September), which allowed 5.0 inch and greater "Flounder Nets" and attendance at all times provision for "Mullet Nets" in Albemarle Sound and tributaries. (DMF/Aug.)

Hook and line creel reduced to 3 fish/day in internal coastal and joint waters year-round. Hook-and-line-caught striped bass may not be sold. (DMF/Aug.)

Minimum size limit increased to 16 inches (TL) for joint waters. (DMF/Aug.)

Minimum size limit increased to 14 inches (TL) for internal coastal waters. (DMF/Oct.)

Minimum size limit increased to 16 inches (TL) for internal coastal waters. (DMF/Oct.)

Repealed 16 inch (TL) size limit and reverted back to the 14 inch (TL) minimum size limit for internal coastal waters. (DMF/Nov.)

Revisions on depth of water and net size for the fall gill net regulations (October - December) to allow for increased striped bass conservation without severely impacting the harvest of white perch and catfish. (DMF/Nov.)

Established proclamation authority to open or close a portion of the striped bass season (October and April). (DMF/Nov.)

Aligned Currituck Sound net regulations with the Albemarle Sound regulations relative to striped bass conservation measures. (DMF/Nov.)

Eliminated the harvest and sale of striped bass from the spring Albemarle Sound gill net fishery and Roanoke River delta pound net fishery. (DMF) (Effected by Aug. 1985 regulation)

1987 Eliminated all trawling in Albemarle Sound and tributaries year round. (DMF/Dec.)

Closed a portion of western Albemarle Sound to gill netting (Batchelor Bay area) and restricted the spring pound net fishery in the Roanoke River delta by proclamation. (DMF/April)

Striped bass size limit in Atlantic Ocean will correspond to the recommendation of the ASMFC interstate striped bass plan. (DMF/Sept.)

Proclamation authority established, reguarding use and attendance of "striped mullet gill nets" in Albemarle Sound and tributaries (June - December). (DMF/Sept.)

Allow use of "mullet gill nets" in Currituck Sound between 2 1/2 - 3 1/4 inch, maximum of 400 yards, attended at all times (June - December). (DMF/Sept.)

Closed a portion of western Albemarle Sound to gill netting (Batchelor Bay area) and eliminated harvest of striped bass from the Roanoke River delta pound net fishery by proclamation. (DMF/April)

Commission and the Division of Marine Fisheries. These reports are presented in the literature cited section of this document.

Spawning

Water release affects the seasonal timing of striped bass spawning. When water is released from the reservoir during the spring, the stored water is usually cooler than those waters below the dam. The result is a sudden drop in river temperature. If water releases are high (15,000 cfs or more) and consistent during April and May, striped bass adults remain in the Roanoke River delta and western Albemarle Sound waiting for water temperatures to rise to the optimum. If the optimum is not reached, some striped bass may spawn at less than optimum temperature. If high discharge is suddenly stopped or reduced, adults literally scramble upstream to spawn and retreat in the time remaining. Prolonged low discharges (during drought years) usually results in higher than normal water temperatures and the adults spawn earlier than normal.

Spawning location in the river is affected by water release from the Roanoke Rapids Dam. High prolonged discharges cause the adults to migrate farther upstream (sometimes above Weldon) seeking appropriate spawning waters of adequate depth. Prolonged low

discharges cause spawning to occur far below the historical spawning grounds near the towns of Hamilton and Halifax.

The daily patterns of hydropower generation affect spawning on a daily and hourly basis. Striped bass spawn over a period of about 50 to 60 days, but the majority of spawning generally takes place during several one to three-day periods. Most spawning activity is at night. If water is discharged at a consistent rate with no sudden changes, the adults will proceed with spawning activity. Sudden starts and stops of water release (as shown in the water gage records) can cause drastic changes in water temperatures and water depth, which can completely shut off the spawning process. When this occurs, these fish appear to turn and swim downstream. Spawning may occur later in the season, but no information is available to document whether the adults affected by sudden water release ever return to complete the spawning act.

Eggs

Egg transport downstream is directly attributable to water release from the reservoir. Under moderate flow conditions, striped bass eggs pass gently downstream rolled by the current due to their semi-buoyant nature. These conditions are necessary in the Roanoke for the eggs to remain healthy and to hatch successfully in the correct habitat downstream. Under prolonged high flows, egg distribution is changed both vertically and laterally. The turbulence associated with high flows increases the sediment load, which has been documented to smother eggs and reduce chances of a successful hatch (Auld and Schubel 1978). Eggs are transported laterally to the floodplain reducing chances for successful hatch even more. Many of the eggs transported downstream under high flow conditions are washed directly into Albemarle Sound to conditions not suitable for the eggs to hatch. Under prolonged low flow conditions, eggs are transported too slowly downstream. Hatching of the larvae occurs too far upstream where the food supply is not available (Rulifson et al. 1988).

Water release also affects time to hatch of striped bass eggs. Hatching time is a function of water temperature. Low temperature delays hatching time; warm temperatures decrease the hatching time. Sudden temperature changes associated with hydropower generation cause shock to the eggs, which can result in death or deformed larvae.

Egg mortality caused by water release is altered by the mechanisms described above. Basically, sudden changes in water discharge affect the general water quality including temperature, turbidity, hardness, alkalinity, pH, and dissolved oxygen. Additionally, high or low flows will dictate the dilution factor of municipal and industrial wastes, which in turn affects egg mortality.

Striped Bass Larvae

Water release changes the time of larval transport downstream. Appropriate flow conditions are necessary to ensure that larvae are in the proper habitats of the river at hatch, including distance downstream from the spawning ground, vertical distribution, and lateral position (i.e., within the confines of the riverbank rather than onto the floodplain under prolonged high flow conditions).

Larval feeding success is also affected by water flow. Striped bass larvae are weak swimmers propelled by prevailing water currents for several days after hatch. Swimming

ability increases with age. Striped bass larvae must make feeding strikes at zooplankton. Each feeding strike requires an expenditure of energy. Larvae must have a high success rate of feeding in order to survive. Those larvae too weak to feed successfully either sink to the bottom and die or are preyed upon. Greatest feeding success has been documented in those areas of the lower Roanoke River having the highest concentrations of zooplankton. Under conditions of high flow, larvae are swept into Albemarle Sound where the food resource is extremely poor, virtually ensuring high mortality. Under low flow conditions, larvae develop too quickly upstream of the highest food concentration and may be too weak to feed successfully as they pass through the highest food source downstream.

Larval mortality is affected by water flow. Poor feeding success was described above. General water quality, particularly dissolved oxygen, pH, and concentration of heavy metals, is an important factor controlled by flow. High flows have pH values lower than 7.0, making the waters acidic. High flows resuspend the fine silt clay particles from the river bottom. These particles are typical of the coastal plain soils in that they contain high concentrations of aluminum. As the aluminum-containing silt is resuspended, it is hypothesized that low pH water (entering from adjacent blackwater areas of the floodplain) causes the aluminum to change from non-toxic organic complexes to a monomeric form highly toxic to fish larvae. Laboratory studies (Mehrle et al. 1984) and field studies in Chesapeake Bay (Hall et al. 1986) have documented that low pH (6.0) and high monomeric aluminum (100 ug/L) are toxic to striped bass larvae. Limited studies have shown that the lower Roanoke River contains more than 100 ug/L of monomeric aluminum at reduced pH levels during high water discharge events. Under low flow conditions, aluminum levels are reduced but several other heavy metals, including mercury, have been detected in waters below Plymouth, indicating an insufficient dilution factor for industrial and municipal wastes (Rulifson et al. 1986). Low flow conditions also cause reduced oxygen levels at specific sites along the river, primarily those waters below waste discharge sites.

Striped Bass Juveniles

Water flow affects transport of young striped bass to the historical nursery grounds of Albemarle Sound. Prolonged high flows result in juveniles utilizing nursery grounds in eastern Albemarle Sound. Low and moderate flows allow the juveniles to use traditional sites of the western Sound. Both timing and position of juveniles on the nursery grounds is influenced by water flow. Water quality on the nursery grounds is influenced by Roanoke Rapids Reservoir discharge. High flow conditions cause low dissolved oxygen values in Albemarle Sound, perhaps due to the presence of organic matter swept from the floodplain and swampland streams into Sound waters. Prolonged low flow conditions cause high water temperatures, low dissolved oxygen under light wind conditions, and may be accompanied by algae blooms in the Chowan River and Western Albemarle Sound. Low flows allow nursery areas to be invaded by brackish water from the Atlantic Ocean. Poor water quality limits the areas suitable as nursery habitat.

Zooplankton

Zooplankton is the primary food source for larvae of many fish species, including striped bass. Abundance, relative distribution in the estuary, and species composition are influenced by water releases from Roanoke Rapids Reservoir. Zooplankton communities start to develop far upstream but concentrations are low. As zooplankton are transported

downstream, they reproduce and build the population over a period of several days or weeks. Upon reaching the Roanoke River delta the community has peaked in abundance. Under prolonged high flow conditions, zooplankton are swept downstream too quickly and the community does not increase in sufficient numbers. In addition, high flows may dilute the population which effectively reduces the chances of striped bass larvae to feed successfully. No information is available on the effects of pH, aluminum, and turbidity on zooplankton communities. Under prolonged low flow conditions, zooplankton develop highest concentrations in the Roanoke River delta, but the striped bass larvae cannot reach this area of highest concentration until it is too late (i.e., larvae become starved and are therefore too weak to feed successfully even though the food is available).

Phytoplankton

Phytoplankton, positioned at the base of the food chain, serve as the food source for zooplankton. Phytoplankton communities develop in the same manner as zooplankton. Phytoplankton are few in number at the headwaters but reproduce and grow as they are transported downstream. The size of the community is contingent on the length of time allowed for development and the amount of nutrients (especially nitrogen and phosphorus) present in the water column. High flow conditions result in low phytoplankton abundance; low flows result in greater abundance.

Adult Mortality

Water flow influences the susceptibility of adult striped bass to harvest by commercial gear in western Albemarle Sound and Roanoke delta during the first days of the spawning run (up to 30 April). Moderate flow attracts striped bass to the river mouth. By positioning the commercial gear correctly, catches of adults can be increased. Because river flow influences the location of the spawning grounds each year, it also serves to concentrate the adults in certain areas of the river. Sport harvest of striped bass increases when fish are concentrated at river bank access points (e.g., Weldon) and within reasonable motoring distance by boat from boat ramps.

Water flow also impacts the use of certain types of commercial fishing gear in the Roanoke River. During times of extreme high water, anchored gill nets and pound nets, unless set in specific areas, are ripped from their moorings by water surge and drifting logs, or if left intact, become clogged with debris. Extreme low waters also limit the locations where gill nets may be set; as water depths decrease, drift gill nets become entangled on obstructions on the bottom.

Extreme low water levels have caused mortality to adults on the spawning grounds by stranding fish (as in the spring of 1987), and by concentrating pollutants. One case in point occurred in 1963 as documented by Hassler, Trent, and Gray (1963). Hassler's tagging data indicated that the migration of striped bass occurred primarily during the first two weeks of April 1963. Initially it appeared as if another major run occurred during the week of 28 April-4 May. Hassler et al. (1963) stated that a re-ascension of the river by striped bass occurred during that week, but the run was "an aftermath of the fishkill which occurred on 21 April." For a period of 10 days prior to the fishkill the flow of the river was at the minimum level. During this low flow period, the report mentions some type of spill which poisoned the fish on the spawning grounds between Weldon and Roanoke Rapids.

CHARACTERIZATION OF PRE-IMPOUNDMENT AND POST-IMPOUNDMENT FLOWS

USGS Data

Discharge from the Roanoke Rapids Reservoir is monitored on an essentially continuous (quarter hourly) basis by the U.S. Geological Survey (USGS) water gage No. 02080500, Roanoke River at Roanoke Rapids. This gage is located in Halifax County on the right bank 2.8 miles downstream from the Roanoke Rapids Dam and 133.6 miles from the mouth in Albemarle Sound. The period of record is from 1911 to the current year. The unit (quarter-hour) values are used to determine an average daily discharge measured in cubic feet per second (cfs). The maximum discharge for the period of record was 261,000 cfs on 18 August 1940. The flood of 1940 was the maximum flow known since at least 1771. The minimum recorded discharge was 250 cfs on 16 December 1955.

Pre-impoundment data (PRE-USGS) for the purposes of our analyses were considered to be 1912 through Water Year 1950. Water flows were modified by Philpott Lake on Smith River in August 1950, and by John H. Kerr Reservoir since September 1950. However, flows were not completely regulated until fall 1952.

Post-impoundment data (POST-USGS) were considered to be 1955 through Water Year 1987. The John H. Kerr Dam first started power generation in the fall 1952, and flood control was first implemented during the spring 1953. Flows have been modified further since June 1955 by Roanoke Rapids Lake, since September 1962 by Leesville Lake, since October 1962 by Lake Gaston, and since September 1963 by Smith Mountain Lake.

In attempting to characterize the streamflow record, statistics were selected to allow comparison of pre- and post-impoundment conditions. Often simple daily means would provide an adequate statistic for comparison. But in the case of the Roanoke Rapids gage, it was believed that the daily mean would not provide good comparison because of the great amount of flow regulation provided by the basin's dams and reservoirs. The daily means are also greatly influenced by singular extreme events, such as large flood flows which bias the statistic upwards. This upward bias would not provide a true estimate of "typical" or "normal" expected flows. The regulation of the flows and effect upon the daily average flow is shown in Figure 14.

Figures 15 and 16 show the comparison of the average and median flows for pre- and post-project flows. The median flow was selected as a more appropriate measure of the expected flow. The greater variability in the median flow for post-project conditions over pre-project conditions is not readily explainable.

The availability of storage at Kerr Lake and the operating rules for spawning flows and low flow regulation has had a significant effect on low flows in the lower Roanoke River. During high temperature months, with probable lowest dissolved oxygen levels, the projects have essentially doubled the low flow (Figure 17). However, during the period of November through March the project has produced a flow record with low flows much lower than pre-project conditions (Figure 17). The absolute lows during the spawning season are not much different than that of the pre-project conditions, except for one day in May which appears to always have the 6,000 cfs target met.




Figure 14. Daily average flows of the lower Roanoke River for pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions.




Figure 15. Comparison of daily mean and median flows for the lower Roanoke River under pre-impoundment (1912-1950) conditions.




Figure 16. Comparison of daily mean and median flows for the lower Roanoke River under post-impoundment (1955-1987) conditions. Time, days




Figure 17. Comparison of daily minimum flows of the lower Roanoke River under pre-impoundment (1912-1950) and post-impoundment (1955-1987) conditions.

The occurrences of extreme high or low flows also make it difficult to determine a flow level or range of flows that are acceptable to spawning fish. To try and isolate a range of flows thought to be acceptable, it was decided that this range should occur for 50 percent of the time and be centered around the median flow; that is, within the 25 and 75 percentiles of flows. In other words, the bottom 25 percent (low flows) and the top 25 percent (high flows) were not considered to be representative of the best flow conditions of spawning or subsequent life stages. Obviously, this selection of the quartiles was arbitrary and it is possible that a broader or narrower range would provide a more optimal flow regime. The pre-project and post-project flow regime for various flow statistics (minimum, 10 percent, 25 percent, median, etc.) are depicted in Figures 18 and 19. More detailed analysis of the flow regime during the spawning period is presented below.

Virginia Power Company Data


The operation of the Roanoke Rapids power plant has a significant daily variation due to load demand and the ability of the hydropower facilities to respond to this demand at a rapid rate. This results in a possible daily flow change from about 1000 cfs to 20,000 cfs at the powerhouse. The flow change is limited by a mandated minimum flow, which is a function of the time of year and by an allowable rate of flow change. This rate of flow change is restricted to doubling or halving the flow in one hour for the duration of the spawning flow augmentation period (Article 26 of the Federal Power Commission license).

The effects of the flow changes are the most significant at the dam and diminish downstream as the flow is routed through the channel storage.


For this investigation, only data gathering was accomplished. The power plant operating records were obtained from Virginia Power for the Roanoke Power Plant for 1956 to 1986. These data consisted of daily operating logs giving hourly flow, power generation, and water elevations in the lake and in the tailwaters. The logs also contained periodic (about every six hours) measurements of water temperature and dissolved oxygen. The compilation of these data to a useful format was undertaken by the North Carolina Division of Marine Fisheries. Data are hourly flows and whatever temperature and dissolved oxygen data are available for the period of record.

To assist the analysis of a flow regime, several critical years were selected and hourly high and low flows were abstracted from the hourly records for each day during the spawning period. This was combined with the data base for average daily flows. The attenuation of the peaking flow pattern is illustrated by data collected by the U.S. Army Corps of Engineers at stage recorders downstream of the dam for April, May, and June 1956 (Figure 20).

The hourly change is given in Figures 21 through 27 for a series of years. The data plotted represent the maximum and minimum values from the hourly operating logs of the plant. The years plotted were selected to give a representation of "good" and "bad" years of the Juvenile Abundance Index (JAI).



Pre-impoundment (1912-1950) flows of the lower Roanoke watershed. Figure 18.



Post-impoundment (1955-1987) flows of the lower Roanoke watershed Figure 19.




Figure 20. Lower Roanoke River flows for April-June 1986 as monitored by gages at Roanoke Rapids Dam, and USGS gages at Weldon, Scotland Neck, and Williamston.




Figure 20. (Continued)




Figure 20. (Continued)





Figure 21. The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1956 (juvenile abundance index (JAI)=19.14).



The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1958 (JAI=0.15). Horizontal mark on each on the vertical bar equals the mean daily flow. Figure 22.





Figure 23. The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1961 (JAI=10.33). Horizontal mark on each on the vertical bar equals the mean daily flow.



The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1964 (JAI=3.14). Horizontal mark on each on the vertical bar equals the mean daily flow. Figure 24.






Figure 25. The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1967 (JAI=23.39). Horizontal mark on each on the vertical bar equals the mean daily flow.



April-June 1971 (JAI=2.86). Horizontal mark on each on the vertical bar equals the mean daily flow. Figure 26. The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for



The maximum, minimum, and average flows (cfs) through the Roanoke Rapids Dam for April-June 1973 (JAI=1.95). Horizontal mark on each on the vertical bar equals the mean daily flow. Figure 27.

WATER SURFACE PROFILES AND WATER SURFACE AREA FOR RIVER REACHES

The Wilmington District, Corps of Engineers has developed a water surface profile model of the Roanoke River from the Roanoke Rapids Dam to the River's mouth in Albemarle Sound. This model was obtained by the N.C. Division of Water Resources and further model runs were made to determine water surface profiles and inundated areas at flow rates ranging from 5,000 to 35,000 cfs.

The model used is known as HEC2 - Water Surface Profiles (personal computer version). Limited calibration of the model was performed for the lower flow values. However, the results obtained are believed to be reasonable for the purposes of this investigation.

Water surface profiles of the Roanoke River for flows ranging from 4,000 to 35,000 cfs are given in Figure 28. Numerical values of the computed water surface elevation, depth, top-width, cumulative area inundated from Bachelor Bay, average flow velocity in the main channel, and total energy head, is given in Appendix B for each of the cross-sections and flows. Selected cross-sections of the river are plotted in Figures 29 to 32.

The first reach, from Bachelor Bay to U.S. Highway 17 bridge at Williamston, has by far the largest flooded surface area of more than 30,000 acres at 5,000 cfs (Table 15) and shows the greatest increase in flooded surface area as flow increases (from 30,000 acres at 5,000 cfs to 57,800 acres at 35,000 cfs). The uppermost reach, from near Halifax to the railroad bridge at Roanoke Rapids, has a variation in flooded surface area from 410 acres to about 3,000 acres for flows of 5,000 and 35,000 cfs, respectively.




Figure 28. Elevation of water levels of the lower Roanoke River from the mouth to Roanoke Rapids Dam as a function of five different flow regimes.




Figure 29. Cross-section of the Roanoke River and floodplain near the mouth at Bachelor Bay.





Figure 30. Cross-section of the Roanoke River and floodplain at the U.S. Highway 17 bridge near Williamston, North Carolina for five different flow regimes.

River


Roanoke

U.S. HIGHWAY 17



N.C. HIGHWAY 11

Figure 31. Cross-section of the Roanoke River and floodplain at the N.C. Highway 11 bridge between the towns of Hamilton and Palmyra, North Carolina for five different flow regimes.



Cross-section of the Roanoke River and floodplain at the U.S. Highway 258 bridge near Scotland Neck, North Carolina for five different flow regimes. Figure 32.

River

Roanoke

U.S. HIGHWAY 258

Table 15. Surface area (acres) of the Roanoke watershed inundated at various flow rates at selected locations below the Roanoke Rapids Dam, North Carolina.

	Flow (cfs)						
Location	5,000	10,000	15,000	20,000	25,000	30,000	35,000
Bridge at Roanoke Rapids	414	463	515	983	1,196	2,036	2,952
Halifax	675	1,208	4,212	6,220	10,495	12,201	13,209
US 258	1,074	6,847	16,739	25,754	30,313	38,359	40,376
NC 11	952	10,064	24,210	27,706	30,334	31,365	33,609
US 17	30,305	33,248	48,667	52,881	55,115	56,659	57,837
Total	33,421	51,831	94,343	113,543	127,453	140,620	147,983

Roanoke River Flow Study

RECOMMENDED AND NEGOTIATED FLOW REGIMES

Summary

The Recommendations Subcommittee met in Greenville, NC, on 3 May with the understanding that control of low flows and high flows, as well as moderation of hydropower peaking activity at Roanoke Rapids, was necessary. The Subcommittee recommended that the flow be controlled between historical 25 percent and 75 percent quartiles of the daily flows between 1 March and 30 June each year; that is, between the 25 percent low flow value (Q1) and 75 percent high flow value (Q3) (Table 16). The rationale for choosing median rather than daily averages, and quartiles rather than other levels, was previously described. The Roanoke/Albemarle striped bass population evolved under conditions of unregulated flow; therefore, pre-impoundment data were used.

To show the historical trend of this flow regime, a simple diagram was provided (Figure 33) which depicts the percentage of time that flows stayed within the Q1 and Q3 range over a number of years. The figure shows the expected variation of about 50 percent for the pre-impoundment years. For the post-impoundment years, Figure 33 shows a definite trend away from the expected 50 percent variation.

The Recommendations Subcommittee re-convened in Beaufort, NC, on 23 June to formally adopt its recommendation for submittal to the full committee. After lengthy discussion, the Subcommittee constructed a negotiated (negotiated Q1-Q3) flow regime (Table 17) that was acceptable to the advisors from the U.S. Army Corps of Engineers, Wilmington District, and Virginia Power Company. It should be noted that the negotiated flow regime involves a much shorter period of time than does the flow regime analyzed on 3 May (Tables 16 and 17). This will be discussed later in the Committee Recommendations section. In addition to recommending minimum and maximum flows, the Subcommittee recommended that hourly variation in flow should not exceed 1,500 cfs. The negotiated flow regime was formally adopted unanimously by the full Committee on 11 August in Raleigh, NC.

The genesis of the recommendations outlined above was a statistical analysis of how the flow related to measures of striped bass spawning success. Specifically, we related percentage of days within the recommended flow regime to the juvenile abundance index and the passage of time. The remainder of this chapter and the next describe the statistical analyses which led to our recommendations.

The percentage of post-impoundment days having flows within the negotiated Q1-Q3 values were determined for the period 1 April to 15 June by inspection of the POST-USGS data (Figure 34). Data for these calculations are presented in Appendix B.

Juvenile Abundance Index Data Base

The Juvenile Abundance Index (JAI) is an indicator of relative success of juvenile recruitment to the forming year class of striped bass. Although the use of these indices is common to most states having striped bass stocks, the methodology used to determine the

Table 16. Roanoke River flow data, 1912 to 1950, in cfs (USGS data). $Q_1 = 25$ percent low flow value; $Q_3 = 75$ percent high flow value.

Week n	umber	Median	Q ₁	Ω3	Approximate dates
0		8,577	6,127	11,175	1-7 March
1		9,799	7,543	16,029	8-14 March
2		9,090	6,973	14,429	15-21 March
3		8,930	6,626	14,300	22-28 March
4		8,333	6,681	14,186	29-April 4
5		8,476	6,379	13,171	5-11 April
6		8,539	6,810	14,029	12-18 April
7		7,821	5,703	10,800	19-25 April
8		7,260	5,357	9,327	26 April-2 May
9		6,470	4,829	9,200	3-9 May
10		6,213	4,410	9,490	10-16 May
11		5,896	4,431	9,759	17-23 May
12		5,854	4,329	9,329	24-30 May
13		5,450	3,983*	7,663	31 May-6 June
14		5,139	3,701*	7,814	7-13 June
15		5,124	3,871*	7,301	14-20 June
16		4,447	3,394*	6,607	21-27 June
17		4,413	3,058*	6,173	28 June-4 July

^{*4,000} cfs minimum tentatively agreed to at the Roanoke River Water Flow Committee meeting on 3 May 1988 in Greenville, NC.





Figure 33. Percent of the time that water flows were within the Q_1 - Q_3 bounds for 1912-1988.



The relationship of the number of days (as percent) that Roanoke River flows were within the negotiated Q_1 - Q_3 bounds (PDAYS) to year after post-impoundment. Figure 34.

Table 17.	Negotiated (Q_1-Q_3) water flow regime (in cfs) for the Roanoke River
	below Roanoke Rapids dam for the period 1 April to 15 June each year.

		A. (
Dates	Expected Average Daily Flow	Lower Limit	Upper Limit
April 1-15	8,500	6,600	13,700
April 16-30	7,800	5,800	11,000
May 1-15	6,500	4,700	9,500
May 16-31	5,900	4,400	9,500
June 1-15	5,300	4,000	9,500

JAI is unique to each state. The JAI for North Carolina is the oldest and other states designed their indices after North Carolina's.

The JAI for Albemarle Sound was initiated in 1955 by Dr. Hassler, and the methods used for JAI estimates have remained the same since that time. The sampling area is located in western Albemarle Sound extending eastward approximately 12 miles. Seven permanent sampling stations were established: Station 1, Black Walnut Point; Station 2, east of Edenton Bay; Station 3, north side between the Norfolk and Southern Railway bridge and the State Highway (NC) 32 bridge; Station 4, north side east of NC 32 bridge; Station 5, south side east of NC 32 bridge; Station 6, south side between bridges; and Station 7, Albemarle Beach (Figure 35). Hassler used a 5.49-m semi-balloon trawl to collect juvenile fish. Samples collected early in the sampling period were taken with a trawl of 6.35-mm stretched mesh cod end. Later samples were taken with a cod end of 12.7-mm stretched mesh. The sampling schedule was every two weeks starting in July and ending in October, for a maximum of 56 samples. Each trawl sample was of 15-minute duration at a towing speed of approximately 2.75 miles per hour. Trawling depth varied between six and 10 feet. Numbers were expressed as average number of juvenile striped bass per unit of effort (15-minute tow).

In 1982, the North Carolina Division of Marine Fisheries (DMF) initiated their own JAI survey using the same methods and stations as the Hassler (NCSU) study. The only changes to the study involved mesh size and number of samples collected. The DMF study used the 12.7-mm stretched mesh cod end exclusively from 1984 through 1987, a 6.35-mm stretch mesh cod end in 1983, and a combination of 6.35-, 12.7-, and 25.4-mm stretched mesh cod ends in 1982.

The JAI values generated by both studies were compared by Phalen (1988) for significant differences using the Student's t-test. Data for the NCSU Survey of 1983 were not complete, so the data were expanded assuming the lowest variance which would maximize the chances that the DMF value and the NCSU value for 1983 will be significantly different. The JAI values used in these analyses are presented in Table 12. In only two years (1982 and 1984) were the JAI values significantly different (p<0.05).




Figure 35. Sampling area and station locations for Hassler's striped bass juvenile abundance index survey in western Albemarle Sound, North Carolina.

Phalen also reported that the trends in the two index values were similar between the two surveys for all years except for 1987. Phalen (1988) urged caution in making inferences about trends in the JAI in years of low striped bass abundance and subsequent low precision estimates. However, the DMF survey should provide results comparable to the historical NCSU indices. For our report, we chose the historical NCSU data base for all years available, and used the DMF value for 1988.

Initial Analyses by Recruitment Subcommittee

During the first meeting at ECU (8-9 March 1988), a Recruitment Subcommittee (W. Cole, M. Clemmons, L. Henry, S. Winslow) was formed to develop a suggested flow regime based on striped bass recruitment. Data bases used were the POST-USGS flows (Appendix B) and the Juvenile Abundance Index (JAI, Table 12) developed by Hassler and continued by NCDMF. For the purpose of characterizing flows when recruitment of juveniles into Albemarle Sound was best, a JAI of 5.0 was used as the cut-off between desirable and less desirable recruitment.

When plotting May flows against the JAI for years 1955-1986, three distinct groups were identified (Figure 36):

- a) Group 1 low to moderate flows (5,000 11,000 cfs); JAI > 5.0; termed "optimum flows" (n = 13 for years 1956, 1957, 1959, 1960, 1961, 1962, 1965, 1967, 1968, 1970, 1974, 1975, and 1976).
- b) Group 2 high flows (8,000 and greater cfs); JAI < 5.0; (n = 9 for years 1958, 1971, 1972, 1973, 1978, 1979, 1980, 1983, 1984 -- 1985 was overlooked in the calculations).
- c) Group 3 low flows (3,900 7,700 cfs); JAI < 5.0; (n = 8 for years 1963, 1966, 1969, 1977, 1981, 1982, 1985, 1986 -- 1964 was overlooked in the calculations).

Hassler et al. (1981) concluded that May flows in the "low to moderate" range (5,091 - 9,741 cfs) were favorable for juvenile striped bass production, and high May flows were detrimental to the formation of good to strong year classes. Since Group 1 was the only group with acceptable JAIs, we agreed that moderate flows around 7,500 cfs were preferable for May. However, we were also concerned about the rest of the months during which the spawning run occurs. In order to estimate which flows would be best for this period (March through June), mean and median weekly flows were plotted for each of these groups and comparisons made (Figure 37). The data used to generate Figure 37 are presented in Appendix B.

The mean and/or median flow values, from the years in Group 1, is what the Recruitment Subcommittee believed to be the "optimum flow" regime for striped bass production in the Roanoke River (Figure 37). Although these data depict striped bass success after impoundment conditions, the Subcommittee felt that it was the only flow regime which could be evaluated in terms of recruitment.

Groups 2 and 3, which have high and low flow years, respectively, with low JAIs, were graphed for comparison with the proposed "optimum flow," Group 1 (Figure 37). The problem with high flow years (Group 2) is very apparent; flows do not drop below 10,000 cfs until the first part of June, which tends to push eggs and larvae out into Albemarle Sound away from the food source. Group 3 differed from Group 1 in that flows were low




Figure 36. The relationship of lower Roanoke River May flows (cfs) to the striped bass juvenile abundance index, depicting several distinct groups. Group 1 = high flows, JAI>5; Group 2 = high flows, JAI<5; Group 3 = low flows, JAI<5; Group 4 = low-moderate flows, JAI<5.




Figure 37. Mean and median weekly flows (cfs) of the lower Roanoke River for Group 1 ("optimum flow," JAI>5), Group 2 (high flows, JAI<5), and Group 3 (low flows, JAI<5).

throughout the period, which implies that the high flow earlier in the year is important to striped bass recruitment.

The Subcommittee examined a fourth group, characterized as having low to moderate flows (6,400 - 8,100 cfs) and a JAI less than 5.0 (n = 4 for years 1955, 1969, 1977, and 1982). Group 4 contained four years of May flow within the "optimum" range, but good year classes were not formed in these years. The primary difference between Group 4 and Group 1 was that the late March - early April flows of Group 4 were lower than what the Subcommittee believed were optimum. This suggests that a strong peak in early April flows, followed by low to moderate May flows is essential for strong year class formation.

The high flow period in April ranged from 7 to 20 days during the "optimum flow" years (Figure 37). This high flow, with its increased nutrient and detritus load, may be responsible for increased algal and zooplankton production, which is essential for increased larval survival. Thus, we suspect that high April flows followed by moderate May flows may result in proper food chain development and timely arrival of the larvae into the nursery area. Apparently both April and May flows are extremely critical to larval survival, and ultimately striped bass year-class formation.

The Recruitment Subcommittee recommended to the full Committee a flow regime closely resembling that of Group 1. If flow was regulated on a weekly basis, then the median flows of Group 1 could be used. If monthly regulation was the only option, then the flow regime should be: March - $8,000 \pm 1,000$ cfs; April - $11,000 \pm 4,000$ cfs; May - 7,500 + 1,000 cfs; and June - 5,000 + 1,000 cfs.

Water Flow Time Series Analyses Using JAI

Dr. Louis H. Zincone, Jr. (ECU) was asked to model the flow of the Roanoke River prior to its impoundment and to compare that model with models of the flow during years defined as "good" or "bad" in terms of the JAI exceeding or falling short of five fish per trawl in a given year. The Committee asked Dr. Zincone to limit the analyses to those years following 1964, because it was the year in which the Roanoke Rapids dam began commercial hydropower production. The "good" post-impoundment years were: 1965, 1967, 1970, 1975, and 1976. All other JAI years were defined as bad. Additional analyses were conducted to determine whether the average flows during the good post-impoundment years were statistically different from those of the bad JAI years and whether the flow variances were statistically different. The analyses were conducted based on the assumption that flows during the period 1 March to 1 June do in fact contribute to the success of striped bass spawn.

ARIMA MODELING. The AutoRegressive Integrated Moving Average (ARIMA) modeling technique views the flow in the present time period as a function of past flows and past differences between the flow and what the model would predict the flows to be. As it turned out, the best models were "autoregressive", i.e., the present flows turned out to be functions of past flows.

To determine the model structure, the autocorrelation coefficients of the USGS data are analyzed at different lags to determine which values of the independent variable and which past error terms to include in the model equation. Usually, a number of models fit the data. A final decision on which model best represents the data is made on the autocorrelation structure of the model residuals. The smaller the residual autocorrelation, the better the model.

THE DATA. The first step in analyzing the USGS data was to reduce the year-to-year variability for the PRE-USGS and POST-USGS data bases. Models were estimated from the averages of the daily data; i.e., an average for 1 March in all years, 2 March in all years, etc. It was these averages to which the statistical analysis was applied.

It should be noted that the daily standard deviations are large relative to the daily means. In fact, only 50 of the 120 means were 1.66 times the corresponding standard deviations. Ordinarily, this would be cause for some alarm in that one would question whether the daily means truly represented the flows over the years. Two circumstances serve to minimize this problem.

First, measurements were recorded from the first gage downstream from Roanoke Rapids Dam as described above. A basic understanding of fluid dynamics is all that is necessary to recognize that, the closer the gage is to the dam, the more variable the flow. Below this point (e.g., Scotland Neck), the slight changes in discharge are dampened in the gage records.

Second, nature does not conform to the Gregorian calendar. Therefore, it is likely that some of the daily differences in flows is the result of natural variability in the onset of the conditions causing the annual spring floods: meteorological conditions ("April showers" in March) and the juxtaposition of cold and warm air masses causing thunderstorms and rain events which result in spring flooding. Clearly these phenomena do not begin precisely on 1 March and end on 30 June each year. Consequently, an unknown portion of the differences in the daily flows are the result of time displacement of the time path rather than true differences in daily flow. In other words, in order to know the true time path, one would have to know what day each year constituted Nature's onset of "spring." One could then compare the flows of days whose time was measured from the onset of Nature's spring, no matter what the calendar date was. Since there is no way to determine the onset of Nature's spring each year, we used calendar dates and accepted the fact that daily flows will be extremely variable over the years.

PRE-IMPOUNDMENT FLOW. Figure 38 depicts the average pre-impoundment flow of the Roanoke River after eliminating the top and bottom 10 percent of the flows. The line marked "AVG" represents this data item, while the line marked "AVGSM" represents a seven-day moving average of the daily average. This moving average was computed to illustrate and further smooth the daily averages. All statistical work was performed on the daily averages (AVG).

Inspection of Figure 38 suggests that pre-impoundment flow can be divided into three parts: (1) 1 March to 16 April; (2) 17 April to 12 May; and (3) from 12 May onward. The first segment appears as a plateau with a mean of 8,434 cfs and a standard deviation of 178 cfs. The second segment is a downward trend characterized by a day-to-day change of -88 cfs with a standard deviation of 416 cfs. The third segment appears as a second, lower plateau with a mean of 6,146 cfs and a standard deviation of 450 cfs.

Because of the different characteristics of the segments, each was modeled individually. It should be noted that the latter portion of Segment 3 might be better described as a downward trend, but the segment could not be subdivided because there were too few observations.




Figure 38. Time series analysis of Roanoke River pre-impoundment flows for the period March-June. Avg = average flow; avgsm = smoothed average flows.

Days (from March 1)

The model for each segment is

Segment 1: y(t) = 0.583y(t-1) + 3512 + a(t);

Segment 2: y(t) = 0.456(y[t-2] - y[t-3]) + a(t); and

Segment 3: y(t) = 0.788y(t-1) + 1301 + a(t);

where "y" is flow, "t" is a time indicator, and "a" is white noise or random error. All parameters and constants are significantly different from zero at p=0.05.

POST-IMPOUNDMENT JAI GOOD YEARS. It is the working premise of this report that, in years of good JAI values, the time path of the flows more closely resembles pre-impoundment flows than the post-impoundment flows in years with small JAI values. Figure 39 shows the average and smoothed average for post-impoundment flows of selected good JAI years. Two differences between pre-impoundment flows (Figure 38) and good JAI year (post-impoundment) flows are apparent. First, flows in JAI good years are higher throughout and have a higher standard deviation (indicating greater variability). Second, March is characterized by a steep upward trend rather than being part of a plateau. (The differences in average flow and the standard deviations of the flow in good JAI and bad JAI post-impoundment years is addressed in a later section). The downward trend toward the May-June plateau begins on 20 April just four days after the average pre-impoundment flows begin their descent.

For modeling, the data are divided into two segments. There are really four, but lack of observations precluded four models. Consequently, March and April are regarded as one segment and May and June as another segment. The models for the two segments are:

Segment 1: y(t) = 0.61y(t-1) + 0.29y(t-6) - 0.177y(t-7) + 2338 a(t). The mean for Segment 1 was 8,515 cfs and the standard deviation was 1,259 cfs.

```
Segment 2: y(t) = 0.92y(t-1) - 0.35y(t-3) + 0.322y(t-4) + 737 + a(t). The mean for this segment was 6,966 cfs and the standard deviation was 985 cfs.
```

That the models are different from those estimated from the pre-impoundment flows is not surprising. Of necessity, they would likely be different because of the different subperiods for modeling. There are some other aspects implied, however, from the model structures as well as the graph.

The first aspect is the difference in the flows during March. While the natural preimpoundment flow is high throughout the period, the post-impoundment flow rises throughout the month until it attains a level slightly higher than the pre-impoundment March-early April flow. This phenomenon is probably the result of flood control efforts as well as efforts to store water for later power generation and recreational use. Consequently, there is a logical explanation, in terms of the dams, for this difference.

The presence of the y(t-6) and y(t-7) terms is also explicable. What these terms say is that the flow today is related, in a significant manner, to the flows six and seven days ago. Clearly this is a reflection of the well known weekly fluctuation in electricity usage, especially the drop in usage on weekends.

On the other hand, the remaining terms y(t-1) in both segments, and y(t-3) and y(t-4) in Segment 2, are probably natural. One can say this because both the y(t-1) term and the y(t-3) term appear in the pre-impoundment equations. The remaining differences probably can be accounted for by the different segmentation. Overall, we conclude that the flows




Figure 39. Time series analysis of Roanoke River flows for JAI "good years." Avg = average flow; avgsm = smoothed average flows.

from the post-impoundment JAI good years are reasonably similar to those from the pre-impoundment era.

POST-IMPOUNDMENT JAI BAD YEARS. In order to examine the differences, if any, between the flow models for the JAI good and JAI bad years, it is necessary to model the flow in the JAI bad years. This section addresses the result of that exercise. Figures 40, 41, and 42 illustrate the flow in the bad years. Perhaps the most instructive is Figure 42, which shows the seven-day moving average of the good and bad years. Immediately apparent from all three graphs is that during the JAI bad years the flow does not decrease from April to May. In fact, it remains at an average of 11,500 cfs until about 15 May. The May flow for JAI bad years is substantially above that for the JAI good years. This is observed more clearly in Figure 42, where the averages are smoothed. Moreover, rather than having three distinct segments, the bad year time path is essentially horizontal until mid-May, when it falls off precipitously.

Time series analysis of the JAI bad year mean flows produced the model

$$Yt = 0.84Yt-1 + 1560 + at.$$

The standard error of the residuals is 1033. Another model that adequately describes the JAI bad year data is

$$Yt = Yt-1 + at$$

often known as the "random walk" model. Essentially, this model states that daily changes in the flow are simply white noise (random error) and represent no pattern at all. Not only is this second model adequate in the sense that there is no statistically-significant auto-correlation present in the residuals, but also that the standard error of the residuals (a common measure of fit) is 1067, essentially the same as that of the first model above (1033). Indeed, an F test for the differences in variances shows that the residual variation from the two models are not significantly different from zero, indicating that the difference between (1067)² and (1033)² is not significant. This means that the power of flow predictability for each model is the same. Clearly this is a different result from our results obtained from the JAI good years. Therefore, we conclude that Roanoke River flow in JAI bad years is NOT similar to that in the pre-impoundment years and that, in fact, it has no pattern at all: it is a "random walk".

FLOW LEVELS AND VARIABILITY. The previous sections have dealt with the time path of the flows in pre- and post-impoundment years. This section will deal with a question which bears on whether the average Roanoke River flow level and its variability affect striped bass spawning. Specifically, the committee theorized that extremely high and extremely low flows, and also extreme variability in the flows, affects spawning. If this is true, then the average flow in the JAI bad years will be either significantly higher or lower than flows for the JAI good years. Similarly, the variability in flow in JAI bad years will be greater than than flow variability in JAI good years.

These two hypotheses were tested by pairwise t-tests on the daily means and F-tests on the variances (Table 18). In the table, the JAI bad years and the corresponding mean flows and standard deviations are listed across the top; the same information for the JAI good years is listed along the left-hand side. As can be seen, all of the JAI bad years were years of extremely high or low flows. Also, all of the bad years except 1981 had relatively large variability in flows.




Figure 40. Time series analysis of Roanoke River flows for JAI "good years" and JAI "bad years," 1965-1987.

102




Figure 41. Time series analysis of Roanoke River flows for JAI "nongood" post-1965 years.




Figure 42. Time series analysis of Roanoke River post-1965 flows (smoothed averages) for JAI "good" years and JAI "bad" years.

104

Table 18. Results of t- and F-tests for differences in Roanoke River flow and variability among JAI good years and JAI bad years (JAI value <5). Critical t = 1.66 at p = 0.05; critical F = 1.22 at p = 0.05. All tests were significant except those indicated (NS).

							•	JAI Bad	d Year:	3			
				19	78	197	79	19	80	198	31	198	83
JAI	Good						_						_
Year	Varial				S 9351								
1965	Mean	7225	t	12.338		10.59		6.58		-9.10		12.58	
	SD	4390	F		4.53		2.59	•	1.48		0.20		2.46
1967	Mean	4330	t	16.46		15.98		13.08		-3.65		18.3	
	SD	2557	F		13.37		7.6	5	4.37		1.73		18.8
1970	Mean	4797	t	15.73		15.01		11.86		4.79		17.29	
	SD	2946	F		10.07		5.77	7	3.30		2.30		5.48
1975	Mean	16471	t	1.49(NS)	1.23	(NS)	4.62		12.51		0.66	(NS)
	SD	11736	F		1.58		2.75	5	4.82		36.55		2.90
1976	Mean	5320	t	15.24		14.41		11.10		6.76		16.70	
	SD	2731	F		11.75		6.72	2	3.83		1.98		6.38

The top number in each cell is the result of a one-tail t-test for the difference in the means of the row year and the column year. The second number in each cell is the result of an F-test for difference in variance between the same years. For example, from the upper left-hand cell, 12.338 is the t-value for the difference between the means for 1978 and 1965, and 4.53 is the F-value for the difference in the variances. Since both of these values are above their respective critical values of 1.66 and 1.22, respectively, we conclude that the flow in 1978 (JAI bad year) was significantly above that in 1965 (JAI good year).

Recognizing the critical values for the t-statistic, Table 18 shows that all means are significantly different from one another except for the following pairs of years: 1975(good)/1978(bad); 1975(good)/1979(bad); and 1975(good)/1983(bad). Thus, out of 25 possible pairs of years, 22 mean flows were significantly different, supporting our hypothesis that extremely high or low flows affect the striped bass spawn.

Finally, consideration of the F-values leads to the conclusion that all of the variances are significantly different. Again, the variance in 1981 was <u>lower</u> than that in 1965, which is contrary to the biologists' hypothesis that it is the <u>high</u> variation that harms the spawn. However, in the remaining 24 combinations, the differences are positive.

CONCLUSIONS.

- 1) The models which describe the daily flows for the pre-impoundment and the JAI good (post-impoundment) years are clearly not identical. This is obvious from the examinations of the model structure. However, they are similar. Specifically, the models for Segment 1 and Segment 3 are autoregressive models, which means that the flow today is very similar to the flow yesterday, a phenomenon which none of us find surprising. The model for the middle period includes a first difference to eliminate the trend and then is an autoregressive model which relates the first difference of the flow today with that of two days ago. The first autoregressive term is present in both model segments for post-impoundment flows. In that sense, they are similar.
- 2) The differences between pre-and post-impoundment flow are strikingly similar to what one would expect given the nature of electricity demand and the use of the dams on the Roanoke as peaking units. Specifically, the six- and seven-day lag in the model for Segment 1 of the post-impoundment flows, and the four-day lag in Segment 2, find no rationale in natural phenomena. These are clear differences between the pre-impoundment flow time path and that of the JAI good (post-impoundment) years.
- 3) On the other hand, the differences in flows between the JAI good years and the JAI bad years is quite dramatic. Neither the models nor the graphs of the time paths look anything like the pre-impoundment era and, indeed, the JAI bad year flows can be characterized as a series of random changes from one day to the next, or as a "random walk."
- 4) In terms of the level and variability of Roanoke River flows, it is likely that extreme differences from the "average" in either direction is likely to be harmful to the spawn. It would be interesting to perform an analysis of variance on the JAI using average flow, the flow variance, and an interaction term as independent variables. It is likely that the interaction of the high flow and extreme variability would be more important than either standing alone.
- 5) Finally, we conclude that the flows in the JAI good post-impoundment years are more similar to the pre-impoundment flows than those of JAI bad years. Consequently, since the fishery was successful prior to flow regulation by the series of reservoirs, making the flows consistent with the vast majority of the pre-impoundment flows is likely to improve the production of striped bass.

IMPACT OF THE NEGOTIATED FLOW REGIME ON STRIPED BASS

Subsequent to the meetings of the Recommendations Subcommittee, the full Committee, and the adoption of the negotiated flow regime, several additional analyses were performed using egg viability data and JAI data to ascertain potential effects of the negotiated flow regime on Roanoke/ Albemarle striped bass. Results of these analyses were not discussed by the full Committee, but are included in this report to provide additional information on the negotiated flows and Q_1 - Q_3 bounds criteria.

Further Flow Analyses

A regression analysis (SAS 1985) was employed to determine how the percent of days (PDAYS) within the negotiated Q1-Q3 values changed as a function of year (YEAR). PDAYS was significantly correlated (n=36, p=0.0003, R²=0.32) with YEAR; in general, the percentage of time that Roanoke River flows stayed within the bounds has decreased over time (Table 19, Figure 34).

Subsequently, an analysis of variance (SAS 1985) was used to determine if the percent of flows within the negotiated Q1-Q3 bounds varied by decade or part of a decade. The YRCLASS designations were: 1951-1959, 1960-1969, 1970-1977, and 1978-1987. The 1970s decade was divided into two portions because year 1977 was the last year in a series of reasonably good juvenile abundance indices (Table 12). PDAYS was significantly related (n=37, p=0.0021, R²=0.36) to YRCLASS; the average percentage of days in which

Table 19. Results of regression analysis (SAS 1985) on the relationship of striped bass egg viability (EGGV) and juvenile abundance index (JAI) to year and percent of flow days within the negotiated Q_1 - Q_3 bounds (PDAYS).

Dependent variable	Independent variable	df	F	P>F	R ²
PDAYS	Year	1,35	16.558	0.0003	0.32
EGGV	Year	1,26	35.591	0.0001	0.58
	PDAYS	1,26	6.854	0.0145	0.21
JAI	Year	1,31	10.610	0.0027	0.26
	PDAYS	1,31	10.657	0.0027	0.26

Table 20. Results of analysis of variance (SAS 1985) comparing the percent of flow days within negotiated Q_1 - Q_3 bounds (PDAYS), striped bass egg viability (EGGCLASS), and the striped bass Juvenile Abundance index (JAICLASS) to decades of post-impoundment (YRCLASS). Means connected by underline are not significantly different at p = 0.05 (Duncan's).

Variable	Comparison	n	df	F	P> F			Means	
						1951-	1960-	1970-	1978-
						1959	1969	1977	1987
PDAYS	YRCLASSa	37	3,33	6.07	0.0021	52.9	50.5	39.8	26.7
						1978-	1970-	1960-	
						1987	1977	1969	
eggclass ^b	YRCLASS	28	2,25	33.93	0.0001	1.0	0.4	0.0	
						•			
						1960-	1970-	1955-	1978-
						1969	1979	1959	1987
JAICLASS ^C	YRCLASS	33	3,29	9.84	0.0001	2.9	2.9	2.8	1.1

^aYRCLASS 1 = 1951-1959; 2 = 1960-1969; 3 = 1970-1977; 4 = 1978-1987.

Example for reading this table: A common underscore indicates that the means in each year class were not significantly different. Thus, mean PDAYS for 1951-1977 are <u>not</u> significantly different. Similarly, the 1970-77 and 1978-87 means are <u>not</u> significantly different.

^bEGGCLASS 0 = 275% viability; 1 = 75% viability.

^cJAICLASS 1 = < 1.00; 2 = 1 to 4.99; 3 = 5-9.99; 4 = 10 +.

Roanoke River flow fell within the negotiated Q1-Q3 bounds was significantly less after 1977 than for the period before 1970, but was not significantly different from the 1970-1977 period (Table 20).

These analyses confirm a significant change in the flow regime since post-impoundment, particularly since 1977. The frequency of times in which the Roanoke River flows were within the negotiated Q1-Q3 bounds have decreased over the years.

One analysis, which would have been interesting for comparative purposes, would be to model the theoretical natural flows during the post-impoundment years. However, these data were not available to the Committee at the completion of our study.

Egg Viability

DATA BASE DESCRIPTION. Striped bass egg production and viability have been determined by Dr. Hassler since 1959 using techniques and procedures developed by McCoy (1959) and Cheek (1961). McCoy's study determined that 10-inch diameter nets were more efficient than 1-meter nets, and that tows of 5 minutes were more efficient than 10- or 15-minute tows. Cheek (1961) determined that sampling at three-hour intervals had the smallest variance.

Annual sampling for striped bass eggs was conducted below the spawning grounds near Weldon, NC. In 1959, the study site was located at RM 128; in 1960, samples were taken at Hill's Ferry (RM 78.5). From 1961 to 1974, eggs were collected at Halifax, NC, at RM 121 which is approximately nine miles downstream of the major spawning ground. From 1975 to 1980, the study site was located at Barnhill's Landing approximately two miles below Halifax.

The estimated number of eggs spawned daily was calculated by obtaining a mean number of eggs counted from the eight replicated samples taken over 24 hours and then extrapolating that mean for the average cross-section of the river. Details of the methodology were described by Hassler et al. (1981).

ANALYSES. Hassler's egg viability estimates (Table 12) show a declining trend since data collection was initiated in 1960. During the period 1960-1969, the average egg viability was about 90 percent (Table 21). From 1970 to 1977, the average egg viability dropped to about 74 percent; since 1978 the mean viability was less than 50 percent. For the post-impoundment period, the average percent of days with flows within the negotiated Q1-Q3 bounds have dropped from 53 percent to 27 percent (Table 21).

A regression analysis on egg viability indicated a significant negative correlation between viability and year (n=27, p=0.0001; R^2 =0.58); that is, egg viability has exhibited a significant downward trend since the study was initiated in the 1960s. Also, egg viability was significantly related to the percent of flow days within the negotiated Q1-Q3 bounds (n=27, p=0.0145, R^2 =0.21) (Table 19), but the strength of the relationship is too low, suggesting a need for further analysis.

Egg viability data were then stratified into those values less than 75 percent, and those values 75 percent or greater to examine effects of negotiated flows on relatively poor and good egg survival. Subsequently, we examined the mean percentage of flow days within negotiated Q1-Q3 bounds and the mean percentage of viable eggs by viability class. In years of egg viability less than 75 percent, the percent flow days within the negotiated Q1-

Q3 bounds averaged 31.9 percent, and egg viability averaged approximately 50 percent (Table 22). The second viability class had percent flow days within Q_1 - Q_3 bounds averaging 45 percent and viability averaged 89 percent. Results of a t-test showed a significantly higher average percent flow days within the Q_1 - Q_3 bounds for the 75-100% egg viability class.

Table 21. Percent of days Roanoke River flow was within the negotiated Q₁-Q₃ flow criterion by period, and mean values of the juvenile abundance index (JAI) and percent egg viability.

		rcent of ithin Q1	-		JAI		Percent egg viability			
Period	n	Mean	SD	n	Mean	SD	n	Mean	SD	
1951-1959	9	52.92	17.90	5	10.43	9.33	_	_	_	
1960-1969	10	50.53	12.09	10	7.86	5.76	10	89.67	6.16	
1970-1977	8	39.80	14.50	8	6.28	4.01	8	74.28	16.70	
1978-1987	10	26.71	12.40	10	0.81	1.05	10	49.25	16.85	

Table 22. Percent of days Roanoke River flow was within the negotiated Q_1 - Q_3 bounds (PDAYS) and striped bass juvenile abundance index (JAI) by egg viability class. The critical t-value is 1.761 for df = 14 and p = 0.05.

% egg		PD	AYS	J	AI	Egg viability		
viability class	n	Mean	SD	Mean	SD	Mean	SD	
<75.0	13	31.88	15.49	2.45	3.71	50.13	14.90	
75.0 - 100	15	45.09	14.58	6.93	5.38	88.78	5.45	
		t =	t = 2.31		4.01			

CONCLUSIONS. While there is a statistically significant relationship between egg viability and the percentage of days in which flows were within the Q_1 - Q_3 bounds, the possible reasons for this phenomenon were not discussed by the full Committee. Further thought should be given to this relationship during the negotiated flow evaluation period.

JAI and Negotiated Flow Regime

In order to determine how the negotiated flow regime was related to the historical JAI records, we conducted several statistical analyses to define significant trends in the data. For these analyses, all available data were used instead of separating the data into JAI "good" years and JAI "bad" years.


ANALYSIS RESULTS. The juvenile abundance index shows a general post-impoundment decline. From 1955-1959, the JAI averaged 10.43; in the 1960s and 1970s, the value was about seven fish per trawl (Table 12, Figure 43). An alarming decrease was exhibited after 1977; the 10-year average was 0.81 (Table 21, Figure 43). This general decline was significant (n=32, p=0.0027, R²=0.26), and matched the general decline in percent flow days within Q1-Q3 bounds (Tables 19 and 20, Figure 44). The decrease in JAI and corresponding decrease in percent flow days within was also significant (n=32, p=0.0027, R2=0.26).

The data were re-examined by subdividing the JAI values into four categories: those less than 1.00, those 1.00-4.99, 5.00-9.99, and those values 10.0 or greater. In general, the lowest JAI values had the lowest percent of flow days within the negotiated Q1-Q3 bounds (Table 23). The period from 1978 to 1987 was significantly different from the other postimpoundment periods (Table 20).

CONCLUSIONS. Based on these analyses, we conclude that best young-of-year recruitment to the year class occurs when Roanoke River flows are moderate. This conclusion reaffirms the analyses of Hassler et al. (1981) and the Recruitment Subcommittee; both reported that the best JAI values occurred in low to moderate flow years.

Table 23. Percent of days Roanoke River flow was within the negotiated Q_1 - Q_3 flow bounds by JAI category.

		Percent within	of days	JA	.I 	
JAI Category	n	Mean	SD	Mean	SD	Data Years
<1	9	21.93	11.73	0.36	0.27	'58, '78, '79, '80, '81, '83, '84, '86, '87
1.00 - 4.99	11	42.82	14.26	3.06	0.95	'55, '63, '64, '66, '69, '71, '72, '73, '77, '82, '85
5.00 - 9.99	5	48.68	13.65	6.32	0.85	'57, '60, '62, '68, '74
10.00+	8	50.49	10.48	15.07	5.66	'56, '59, '61, '65, '67, '70, '75, '76






Figure 44. Relationship of the Juvenile Abundance Index (JAI) and the percentage of flow days within the negotiated Q1-Q3 bounds (PDAYS).

1988 WATER FLOW CONDITIONS AND RESULTS


Water Flows


The meetings of the Committee produced a desire to try and improve the operations of the reservoir projects. This desire, combined with reasonable manipulation of the hydrology of the system, resulted in the production of one of the better striped bass year classes in recent times. During this period, Virginia Power Company representatives conferred with fishery research biologists each week to plan water releases. The 1988 year class results will be presented later in the report. This review of 1988 operations will provide information on how the coordination and cooperation of the various agencies was used to take what nature provided and ensure better spawning conditions.

The flow records for the first six months of 1988 clearly depict a regulation of flood events by the reservoir early in the year, followed by the controlled releases for spawning flows in the spring. On 21 January the inflow to Kerr Reservoir reached a peak of over 30,000 cfs (Figure 45). This storm resulted in the reservoir rising from 295.62 on 16 January to a peak elevation of 299.35 on 25 January. As this elevation exceeds the Rule Curve and is in Zone C (Figure 6), the Corps initiated release of flood waters to evacuate this storage. However, continuing moderately-high inflows and the release requirement of 8.500 cfs resulted in the water surface elevation remaining close to 299 feet throughout January and into March. This event proved beneficial in that it was relatively easy to store additional water to meet the spawning flow target elevation of 302 feet, which was reached by 23 April. Flow augmentation was initiated earlier than normal (12 April) when striped bass were observed spawning in the first two weeks of April. The spawning target elevation was maintained by moderate releases until 12 May, when higher releases began to augment river flows for spawning. Spawning flows were maintained until 30 May, when the reservoir reached the top of power pool elevation 299.5. After 30 May, power operations resumed normal patterns of releases from Kerr Reservoir to meet power demands and conservation of power storage and daily rapid peaking changes from Roanoke Rapids. The last date for which striped bass eggs were found in the lower river was 2 June 1988 (R.A. Rulifson, personal communication).

In 1988, power operations from Roanoke Rapids showed a marked change between "normal" operating policy and operation during the spawning period. During January and February, it was not unusual for flows to fluctuate between 1,000 and 20,000 cfs.

The power operations show a curtailment of peaking in late March, which corresponds to a lower outflow from Kerr Reservoir (Figure 45). Lower Kerr outflow resulted in storage of water for spawning releases. When Kerr started releasing augmentation flows around 11 April, Roanoke Rapids also resumed peaking, although within the approximate limits set by flow regime guidelines. Throughout the rest of April and all of May, Roanoke Rapids operations limited flow fluctuations to within the limits of the proposed Committee flow regime guidelines and with a lower limit of 6,000 cfs (Figure 46). Kerr Reservoir throughout this period was the driving force by releasing water from storage (Figure 45). In early June, operations resumed normal patterns with Kerr attempting to maintain Rule Curve elevation and Roanoke Rapids resuming daily fluctuations between about 2,000 and 15,000 cfs.








Figure 46. Lower Roanoke River flows for March - June 1988 as monitored by gage at Roanoke Rapids Dam, and USGS gages at Roanoke Rapids, Scotland Neck, and Williamston, North Carolina.




Figure 46. (Continued)




Figure 46. (Continued)




Figure 46. (Continued)

Water Quality

In 1988, water quality was monitored at several locations downstream of the Roanoke Rapids Dam. The work was a cooperative effort between East Carolina University and Weyerhaeuser Company and was funded, in part, from funds provided by the Company and by the Albemarle/Pamlico Estuarine Study. One sampling location was just downstream of the primary striped bass spawning area near Caledonia Prison, and four additional stations were located in the river delta near Plymouth. Samples for the various water quality measurements were taken using the standard methods established by the U.S. Environmental Protection Agency.

Water quality of the Roanoke mainstem, Middle, and Cashie rivers was generally good during the 1988 striped bass spawning period. While there were some changes in water quality between Scotland Neck and the lower Roanoke, there were no obvious diel variations in water quality at either area. This could be attributed to the moderation of hydropower releases at the Roanoke Rapids powerhouse during this period (Figure 46).

Many aspects of water quality were better than in previous years when similar measurements were recorded (e.g., Rulifson et al. 1986). Average pH ranged from 7.3 to 7.6. Alkalinities averaged about 26 mg/L as CaCo₃ except for the Cashie River, which averaged about 22 mg/L. The Roanoke and Cashie rivers had an average conductivity of about 100 umhos except at the Hwy 45 bridge; this portion of the river is below Weyerhaeuser's pulp mill and the Plymouth wastewater treatment discharge. Below the bridge, river conductivity rose to 125 uhmos. The color of water in the Roanoke delta was 50 color units, more than twice that recorded at Scotland Neck; this difference could be due to swamp land drainage or color from pulpmill discharge.

Increased values of turbidity and total suspended solids are often associated with storm events and the subsequent runoff and increased river flow. In 1988, however, both turbidity and total dissolved solid values were quite low. Turbidity at Scotland Neck averaged 12 ntu, and was 22 ntu in the Cashie River. Heavy metal concentrations and nutrient input were quite low for the April - June period (Table 24).

Striped Bass Resource

EGG VIABILITY AND PRODUCTION. Striped bass spawning activity was monitored by an egg sampling project conducted just below the spawning grounds near Scotland Neck. The work was performed by East Carolina University and funded by the Albemarle/Pamlico Estuarine Study. Eggs were collected every four hours for 60 days in the manner described by Hassler et al. (1981).

Preliminary results of the study suggest that the manner in which the dams are operated may directly affect egg viability. Rulifson and colleagues collected 41,719 striped bass eggs in 310 trips. Approximately 77 percent of the total were examined for egg viability. Total egg viability for 1988 was about 89 percent, the best value since 1972 (Table 12). This high viability corresponds with good water quality (described above) and moderate river flows. Total egg production for 1988 was 2,082,147,979 during the period 10 April to 2 June.

Table 24. Summary of mean lower Roanoke River water quality analyses, 15 April through 15 June 1988 (from Rulifson et al., in preparation).

			Alknty					
Station	рН	Cond. umhos	CaCo3 mg/L	Color APHA	Turb. ntu	TOC mg/L	SOC mg/L	TSS mg/L
RR @ Scotland	7.6	101	27	22	12	5.6	3 3	13.82
Middle River	7.5	101	26	49	20	13.2	10.6	20.56
RR above Plymouth, NC	7.4	100	25	46	18	11.0	3.9	16.82
Cashie River	7.3	98	22	53	22	21.7	26.5	24.83
RR @ Hwy 45 Br.	7.4	125	26	57	17	7.4	8.1	15.54

Table 24. (Continued)

Station	VSS mg/L	BOD mg/L	TKN mg/L	NH3-N mg/L	NO2-N mg/L	NO2-NO3 mg/L	TPO4	OPO4	SO42-
RR @ Scotland Neck		1.3	0.33	0.062	0.006	0.146	0.15	0.05	10.5
Middle River	3.08	1.0	0.46	0.093	0.006	0.196	0.16	0.08	10.3
RR above Plymouth,NC	2.87	1.0	0.42	0.075	0.006	0.188	0.16	0.06	11.4
Cashie River	4.54	1.3	0.54	0.081	0.006	0.155	0.17	0.06	6.7
RR @ Hwy 45	3.13	1.3	0.63	0.146	0.007	0.176	0.18	0.09	14.4

Table 24. (Continued)

Station	Chl a ug/L	Ag ug/L	Al ug/L	B ug/L	Ba ug/L	Be ug/L	Bi ug/L	Ca ug/L	Cd ug/L
RR @ Scotland	2.1	10	494	47	23	5	10	6689	5
Middle River		10	990	42	29	5	10	6616	5
RR above Plymouth, NC		10	689	45	27	5	10	6561	5
Cashie River		10	755	62	31	5	10	6417	5
RR @ Hwy 45 Br.		10	635	64	28	5	10	6877	5

Table 24. (Continued)

Station	Co ug/L	Cr ug/L	Cu ug/L	Fe ug/L	K ug/L	Li ug/L	Mg ug/L	Mn ug/L	Mo ug/L
RR @ Scotland Neck	10	5	10	644	2218	27	2788	50	10
Middle River	10	5	10	1386	2329	26	2777	95	10
RR above Plymouth, NC	: 10	5	10	1117	2286	26	2738	81	10
Cashie River	10	5	11	1510	2344	27	2642	119	10
RR @ Hwy 45 Br.	10	5	10	1072	2493	27	2797	85	10

Table 24. (Continued)

Station	Na ug/L	Ni ug/L	P ug/L	Pb ug/L	Sb ug/L	Sn ug/L	Sr ug/L	V ug/L	Zn ug/L	As ug/L	Se ug/L
RR @ Scotland	8987	20	119	50	50	47	47	10	18	1	2
Middle River	9357	20	130	50	50	46	47	10	34	2	3
RR above Plymouth, NC	9429	20	117	51	51	46	47	10	17	1	2
Cashie River	9078	20	136	50	50	47	46	11	28	2	3
RR @ Hwy 45 Br.	13926	20	122	50	50	47	49	10	21	1	2

JUVENILE ABUNDANCE INDEX. Trawling for juvenile striped bass was conducted by NCDMF at all seven stations on eight different dates during 1988 resulting in the maximum number of 56 samples. The subsequent JAI was 4.09, which was the highest recorded since 1976 (Table 12). Monthly averages of young striped bass per tow for July (5.86 fish) and for October (5.43 fish) were particularly encouraging. Sampling the seven stations on 14 October yielded an average of 10.86 striped bass per tow, unquestionably the best daily index in many years. Also encouraging were the condition and growth of the fish, and the fact that additional sampling collected juvenile striped bass in the lower Pasquotank River and Currituck Sound, two areas where juveniles are rarely collected except in years of good abundance.

RECREATIONAL CATCH. Sport fishermen harvested an estimated 16,657 striped bass weighing a total of approximately 33,927 kilograms (74,796 pounds) from the Roanoke River during the spring of 1988 (Mullis 1989). An additional 8,898 striped bass were estimated to have been caught and released, presumably comprised of mostly sublegal sized fish or those over the legal limit of three fish per angler. Most of the fish harvested (53 percent) were caught in the vicinity of the spawning grounds. Approximately six percent were caught in the area immediately below the traditional spawning area, and the remaining 41 percent were caught in the lower portion of the Roanoke River from Scotland Neck to the river mouth. Over 60 percent of the striped bass were harvested during the two-week period from 9 May through 22 May, a period which coincides with historical peak spawning activity (Hassler et al. 1981). Almost 30 percent of the striped bass were harvested during the month preceeding that period. Very few stripers were caught after the third week in May. The sport harvest of striped bass from the Roanoke River, as estimated by Dr. W.W. Hassler and his colleagues utilizing methods different from those used in 1988, has ranged from 65,399 fish in 1971 to a low of 3,131 fish in 1985. They estimated the sport harvest to be 6,663 fish in 1986 and over 10,000 fish in 1987 (Table 13).

COMMITTEE RECOMMENDATIONS

Recommended flows presented in Table 17 were agreed upon by members of the Recommendation Subcommittee after consultation with Mr. Max Grimes, US Army Corps of Engineers, Wilmington District and Mr. J.D. Mitchell, Virginia Power Company. Preimpoundment USGS data for the years 1912-1950 were used to develop the recommended flows for the dates indicated.

Upper and Lower Flow Limits

At no time must flows (cfs) be greater than or less than those specified for the dates indicated. As an example, for May 1-15 the maximum, or upper flow limit is 9500 cfs, and the minimum, or lower flow limit is 4700 cfs. Flows must be within these values at all times during the indicated dates.

The Subcommittee recognizes the certainty of extremely wet (flood) and extremely dry (drought) years. Under these extreme conditions, where the US Army Corps of Engineers has very little control over watershed events, we merely expect the Corps to attempt to meet the flow regime as well as possible. However, the Subcommittee remains concerned that the flow regime does not adequately address low flow augmentation for striped bass during dry years, when the Kerr Reservoir level is below 299.5', nor any flood storage in Kerr above elevation 302' during wet, nondisastrous flood (20,000 cfs) periods. In other words, where does the priority status of the anadromous striped bass resource rank when flood control, hydropower, and above dam recreational interests are considered? Additional Committee discussion and action on this concern are needed.

It should be noted that the recommended flow regime is not consistent with the current Memorandum of Understanding between the North Carolina Wildlife Resources Commission, US Army Corps of Engineers, and Virginia Power Company. Specifically, minimum allowable flows recommended for 1 May - 15 June are lower than those in the 1971 Memorandum. However, the timeframe of 1 April - 15 June is consistent with the FERC license requirement and Memorandum of Understanding.

Variation of Flow

A maximum variation rate of 1500 cfs per hour is recommended. Flows may be increased or decreased as long as they do not fall outside the proposed upper and lower units for the dates indicated. The Subcommittee underscores the importance of moderate, sustained flows during the actual spawning period(s). Therefore, as little variation as possible in flow during this period of time is preferred.

Friendly Amendments to Negotiated, Recommended Flow Regime

1. The Ad Hoc Committee shall compile and issue a formal report of its findings and recommendations in Federal FY 1989, preferably by Spring 1989 (this document).

2. A standing committee on Roanoke River Water Flows should be formed. The committee should meet at least annually and issue a progress report. It is recommended that the standing committee compile and issue a formal report at approximately five year intervals.

The negotiated, recommended flow regime as adopted by the Ad Hoc Committee shall be evaluated over a four-year period. During the evaluation period, the following shall be studied and shall be subject to change:

- a. Flow augmentation period (i.e. dates).
- b. Upper and lower flow limits.
- c. Hourly variation in flow.
- d. Impacts on other resources and users.
- 3. The Ad Hoc Committee recommends that the Memorandum of Understanding (MOU) between the U.S. Army Corps of Engineers, Virginia Power Company, and North Carolina Wildlife Resources Commission be re-examined to incorporate the recommendations of the Ad Hoc Committee. The MOU should also be re-examined at the conclusion of the trial/evaluation period discussed above. We recommend that the N.C. Division of Marine Fisheries participate in these discussions.
- 4. Anadromous striped bass shall receive "high" priority status, at least equal to other resources and uses/users in the Roanoke River Basin.
- 5. At the conclusion of the four-year trial period, if the recommended or amended flow regime has proved to be beneficial to striped bass and in consideration with other resources and users, then the Rule Curve and FERC license should be re-examined to ensure a regularly maintained, new, recommended flow regime for the Roanoke River.

Additional Comments

If meaningful flow regime changes are to be accomplished, then the Corps may have to modify the operating rules of Kerr both in the flood and in normal power operation zones. These modifications may take the form of adjustments to the Rule Curve or to operations policy on such things as rates of drawdown in early spring (to retain storage for spring flows) or in hydropower operations during critical periods of spawning runs.

ACKNOWLEDGMENTS

The Committee is extremely grateful to those individuals who contributed to the preparation and completion of this document. Special thanks go to Sandy Bronson, John Cooper, Kay Evans, and Don Stanley of ECU's Institute for Coastal and Marine Resources, and to Herbert Gordy and Beverly Harvey of the National Marine Fisheries Service, Beaufort Laboratory.

LITERATURE CITED

- Auld, A.H., and J.R. Schubel. 1978. Effects of suspended sediment on fish eggs and larvae: a laboratory assessment. Estuarine, Coastal Marine Science 6:153-164.
- Baker, W.D. 1968. A reconnaissance of anadromous fish runs into the inland fishing waters of North Carolina. North Carolina Wildlife Resources Commission, Raleigh. Completion Report for Project AFS-3. 33 p.
- Barick, F.B., and T.S. Critcher. 1975. Wildlife and land use planning with particular reference to coastal counties. North Carolina Wildlife Resources Commission, Raleigh. 168 p.
- Bellrose, F.C. 1976. Ducks, geese and swans of North America. Stackhole Books, Harrisburg, PA. 544 p.
- Bryan, C.F., and J.V. Connor. 1981. Use of bottomland hardwood zones by fishes, p. 249-253. <u>In</u> Clark, J.R. and J. Benforado (eds.), Wetlands of bottomland hardwood forests. Elsevier, New York. 401 p.
- Carnes, W.C. 1965. Survey and classification of the Roanoke River watershed, North Carolina. North Carolina Wildlife Resources Commission, Raleigh. Final Report, Federal Aid in Fish Restoration, Project F-14-R, Job I-Q. 23 p. + Appendices.
- Cheek, R.P. 1961. Quantitative aspects of striped bass, *Roccus saxatilis* (Walbaum), spawning in the Roanoke River, North Carolina. M.S. Thesis, North Carolina State University, Raleigh. 99 p.
- Cooper, J.E., S.S. Robinson, and J.B. Funderburg. 1977. Endangered and threatened plants and animals of North Carolina. North Carolina State Museum of Natural History, Raleigh. 444 p.
- Cowardin, L., V. Carter, F. Golet, and E. LaRoe. 1979. Classification of wetlands and deep water habitats of the United States. U.S. Fish and Wildlife Service, Biological Services Program, FWS/OBS-79/31. 103 p.
- Cross, D. (ed.). 1984. Highlights of the wintering waterfowl ecology workshop, Atlanta, Georgia, July 17-18, 1984. U.S. Fish and Wildlife Service, Research and Development, Office of Information Transfer, Fort Collins, CO. 39 p. + Appendix.
- Dadswell, M.J., R.J. Klauda, C.M. Moffitt, R.L. Saunders, R.A. Rulifson, and J.E. Cooper. 1987. Common strategies of anadromous and catadromous fishes. American Fisheries Society Symposium 1, Bethesda, MD.
- Drobney, R.D. 1982. Body weight and composition changes and adaptations for breeding in wood ducks. Condor 84:300-305.
- Drobney, R.D. 1984. Effect of diet on visceral morphology of breeding wood ducks. The Auk 101:93-98.

- Federal Power Commission. 1967. Initial follow-up report for Gaston project. FPC N. 2009. Washington, DC. 29 p. + attachments.
- Fish, F. 1968. A catalog of the inland fishing water in North Carolina. North Carolina Wildlife Resources Commission, Raleigh. Final Report, Federal Aid in Fish Restoration Project, F-14-R. 312 p.
- Fish, F.F. 1959. Report of the steering committee for Roanoke River studies, 1955-58. U.S. Public Health Service, Raleigh, NC. 279 p.
- Frayer, W.E., T.J. Monahan, D.C. Bowen, and F.A. Graybill. 1983. Status and trends of wetlands and deepwater habitats in the conterminous United States: 1950's to 1970's. U.S. Fish and Wildlife Service, Washington, DC. 32 p.
- Fredrickson, L.H. 1980. Management of lowland hardwood wetlands for wildlife: problems and potential. Transactions of the North American Wildlife and Natural Resources Conference 45:376-386.
- Geise, G.L., H.B. Wilder, and G.G. Parker, Jr. 1979. Hydrology of major estuaries and sounds in North Carolina. U.S. Geological Survey, Water Resources Investigations 79-46. 175 p.
- Hall, L.W., Jr., W.S. Hall, and S.J. Bushong. 1986. In-situ investigations for assessing striped bass, *Morone saxatilis*, prolarval and yearling survival as related to contaminants and water quality parameters in the Potomac River contaminant and water quality evaluations in East Coast striped bass habitats. The Johns Hopkins University, Applied Physics Laboratory, Final Report. 61 p.
- Hassler, W.W., N.L. Hill, and J.T. Brown. 1981. The status and abundance of striped bass, *Morone saxatilis*, in the Roanoke River and Albemarle Sound, North Carolina, 1966-1980. North Carolina Division of Marine Fisheries, Morehead City, Special Scientific Report No. 38, Project AFS-14. 156 p.
- Hassler, W.W., L.G. Luempert, and J.W. Mabry. 1982. The status, abundance, and exploitation of striped bass in the Roanoke River and Albemarle Sound, North Carolina, 1981. Department of Zoology, North Carolina State University, Raleigh, Mimeo report, 55 p. + Appendices.
- Hassler, W.W., and S.D. Taylor. 1984. The status, abundance, and exploitation of striped bass in the Roanoke River and Albemarle Sound, North Carolina, 1982, 1983. Department of Zoology, North Carolina State University, Raleigh, Mimeo report. 67 p. + Appendices.
- Hassler, W.W., and S.D. Taylor. 1986. The status, abundance, and exploitation of striped bass in the Roanoke River and Albemarle Sound, North Carolina, 1985. Department of Zoology, North Carolina State University, Raleigh, Mimeo report. 47 p. + Appendices.
- Hassler, W.W., W.L. Trent, and W.E. Gray. 1963. The status and abundance of the striped bass in the Roanoke River, North Carolina, for 1963. Department of Zoology, North Carolina State University, Raleigh, Mimeo report. 43 p. + Appendices.
- Hefner, J.H., and J.D. Brown. 1984. Wetland trends in the southeastern United States. Wetlands 4:1-11.

- Heitmeyer, M.E., and L.H. Fredrickson. 1981. Do wetland conditions in the Mississippi Delta hardwoods influence mallard recruitment? Transactions of the North American Wildlife and Natural Resources Conference 46:44-57.
- Johnson, H.B., S.E. Winslow, D.W. Crocker, B.J. Holland, Jr., J.W. Gillikin, and D.L. Taylor. 1981. Biology and management of mid- Atlantic anadromous fishes under extended jurisdiction Part 1: North Carolina. North Carolina Division of Marine Fisheries, Morehead City, Special Scientific Report No. 36, Project AFCS-9. 191 p.
- Laney, R.W., D.L. Stewart, G.R. McCrain, C. Mayes, and V.C. Bruton. 1989. Final report on the North Carolina Department of Transportation Company Swamp Mitigation Bank, Bertie County, North Carolina. U.S. Fish and Wildlife Service, Raleigh Field Office, Raleigh, NC. 37 p + Appendices.
- Lynch, J.M. 1973. 353. Roanoke Rapids, NC. American Birds 27:284.
- Lynch, J.M. 1974. 362. Roanoke Rapids, NC. American Birds 28:295-296.
- Lynch, J.M. 1975. 383. Roanoke Rapids, NC. American Birds 29:321.
- Lynch, J.M. 1976. 395. Roanoke Rapids, NC. American Birds 30:332.
- Lynch, J.M. 1977. 406. Roanoke Rapids, NC. American Birds 31:582.
- Lynch, J.M. 1978. 423. Roanoke Rapids, NC. American Birds 32:____.
- Lynch, J.M. 1979. 435. Roanoke Rapids, NC. American Birds 33:461.
- Lynch, J.M. 1980. 451. Roanoke Rapids, NC. American Birds 34:462.
- Lynch, J.M. 1981. 459. Roanoke Rapids, NC. American Birds 35:499.
- Lynch, J.M. 1982. 503. Roanoke Rapids, NC. American Birds 36:____.
- Lynch, J.M. 1984. 526. Roanoke Rapids, NC. American Birds 38:____.
- Lynch, J.M. 1981. Roanoke River preserve design project. Report to North Carolina Natural Heritage Program and North Carolina Nature Conservancy, Raleigh, NC. 246 p.
- Lynch, J.M. 1981a. Status of the cerulean warbler on the Roanoke River basin of North Carolina. Chat 45:29-35.
- Lynch, J.M. 1981b. Status of the Mississippi kite in North Carolina. Chat 45:42-44.
- Lynch, J.M., and J. Crawford. 1980. Reconnaissance survey on the lower Roanoke River floodplain, N.C., with additional notes on the Chowan River floodplain. Report submitted to the Nature Conservancy and the North Carolina Natural Heritage Program, Raleigh, NC. 55 p.

- Maki, T.E., A.J. Weber, D.W. Hazel, S.C. Hunter, B.T. Hyberg, D.M. Flinchum, J.P. Lollois, J.B. Rongstad, and J.D. Gregory. 1980. Effects of stream channelizations on bottomland and swamp forest ecosystems. Water Resources Research Institute, University of North Carolina, Raleigh, Report No. 147. 135 p.
- McClanahan, R.D. 1979. Investigations into potentially detrimental impacts of high water upon wild turkey populations along the Roanoke River, Bertie and Martin Counties. North Carolina Wildlife Resources Commission, Raleigh, Field Report. 3 p.
- McCoy, E.G. 1959. Quantitative sampling of striped bass, *Roccus saxatilis* (Walbaum), eggs in the Roanoke River, North Carolina. M.S. Thesis, North Carolina State University, Raleigh. 136 p.
- Mehrle, P.M., D. Buckler, S. Finger, and L. Ludke. 1984. Impacts of contaminants on striped bass. Interim report. U.S. Fish and Wildlife Service, Columbia National Fisheries Research Laboratory, Columbia, MO.
- Moody, D.W., E.B. Chase, and D.A. Aronson. 1985. National water summary 1985 hydrologic events and surface-water resources. U.S. Geological Survey, Water Supply Paper No. 2300.
- Mullis, A.W. 1989. Age composition and sport harvest of striped bass from Roanoke River. Final report, Project F-22-13. North Carolina Wildlife Resources Commission, Raleigh.
- Mullis, A.W. 1989. Age composition and sport harvest of striped from Roanoke River. Final report, Project F-22-13. North Carolina Wildlife Resources Commission, Raleigh.
- Mullis, A.W., and C.R. Guier. 1982. Investigations of egg and larval mortalities in Roanoke River striped bass. North Carolina Wildlife Resources Commission, Raleigh, Final Report for Project F-22-R, Study VII. 38 p.
- North Carolina Natural Heritage Program. 1988. Letter of comment on draft environmental assessment for Roanoke River National Wildlife Refuge. North Carolina Department of Natural Resources and Community Development, Division of Parks and Recreation, Raleigh, NC. 2 p.
- Osborne, J.S. 1981. Population dynamics of white-tailed deer in northeastern North Carolina. North Carolina Wildlife Resources Commission, Raleigh, Report No. W-47-II-B4. 27 p.
- Phalen, P.S. 1988. Evaluation of juvenile striped bass surveys in Albemarle Sound, NC. North Carolina Division of Marine Fisheries, Mimeo report.
- Posner, G.S. 1959. Oceanography of the Albemarle Sound Complex. Report to Task Force 3 by the University of North Carolina, Institute of Fisheries, Morehead City, NC, Memeo report, 4 p.
- Potter, E.F., J.F. Parnell, and R.P. Teulings. 1980. Birds of the Carolinas. University of North Carolina Press, Chapel Hill, NC. 408 p.

- Rulifson, R.A., M.T. Huish, and R.W. Thoesen. 1982. Anadromous fish in the southeastern United States and recommendations for development of a management plan. U.S. Fish and Wildlife Service, Fishery Resources, Region 4, Atlanta, GA. 525 p.
- Rulifson, R.A., D.W. Stanley, and J.E. Cooper. 1986. Food and feeding of young striped bass in Roanoke River and western Albemarle Sound, North Carolina, 1984-1985. North Carolina Division of Marine Fisheries, Morehead City, Completion Report for Project AFS-24.129 p. + Appendices.
- Rulifson, R.A., J.E. Cooper, and D.W. Stanley. 1988. Larval striped bass and the food chain: cause for concern? American Water Resources Association, Technical Publication Series TPS-88-1:213-224.
- Rulifson, R.A., D.W. Stanley, and J.E. Cooper. 1988. Food and feeding of young striped bass in Roanoke River and western Albemarle Sound, North Carolina, 1986. North Carolina Wildlife Resources Commission, Raleigh, Progress Report for F-27-1. 76 p. + Appendices.
- Rulifson, R.A., M. White, and J.T. Bray (In preparation). Water quality of the lower Roanoke River, North Carolina, 1988. Completion Report to the Albemarle Pamlico Estuarine Study, Raleigh, NC.
- Rundle, W.D., and M.W. Sayre. 1983. Feeding ecology of migrant soras in southeastern Missouri. Journal of Wildlife Management 47:1153-1159.
- SAS Institute. 1985. SAS User's Guide: Statistics, Version 5 Edition. SAS Institute, Inc., Cary, NC. 584 p.
- Schafale, M.P., and A.S. Weakley. 1985. Classification of the natural communities of North Carolina. Second approximation. North Carolina Natural Heritage Program, Raleigh, NC. 202 p.
- Sneed, R.E.. 1982. Projected irrigation water requirements for North Carolina above Cape Lookout for the year 2020. North Carolina State University report to U.S. Army Corps of Engineers, Wilmington District.
- Sniffen, R.P. 1981. Benthic invertebrate production during seasonal inundation of a floodplain swamp. Ph.D. dissertation, University of North Carolina, Chapel Hill. 176 p.
- Soil Conservation Service. 1985. Hydric soils of the State of North Carolina 1985. U.S. Department of Agriculture, Soil Conservation Service in cooperation with the National Technical Committee for Hydric Soils, Washington, DC.
- Tiner, R.W., Jr. 1984. Wetlands of the United States: Current status and recent trends. U.S. Department of the Interior, Fish and Wildlire Service, Washington, DC. 59 p.
- Tinkle, D.W. 1959. Observations of reptiles and amphibians in a Louisiana sawmp. American Midland Naturalist 62:189-205.

- U.S. Army Corps of Engineers. 1968. Review report on Roanoke River, Virginia and North Carolina, at and below J.H. Kerr Dam and Reservoir, Volume II, Appendices A-D. South Atlantic Division, Wilmington District, Wilmington, NC.
- U.S. Army Corps of Engineers. 1984. Feasibility report and final environmental impact statement, water supply study, Hampton Roads, Virginia, Chowan River and tributaries, Virginia and North Carolina. North Atlantic Division, Norfolk District, Norfolk, VA.
- U.S. Department of the Interior. 1988. Final environmental assessment Roanoke River National Wildlife Refuge: a wildlife habitat preservation proposal. Fish and Wildlife Service, S.E. Region, Atlanta, GA. 42 pp. + Appendices.
- USDOI and USDOC (U.S. Department of the Interior and U.S. Department of Commerce). 1987. Emergency striped bass research study. Report for 1986. Washington, DC. 79 p.
- U.S. Fish and Wildlife Service. 1981. Significant wildlife resource areas of North Carolina. U.S. Fish and Wildlife Service, Asheville Area Office, Asheville, NC. 139 p.
- U.S. Fish and Wildlife Service. 1983. Distribution of waterfowl species harvested in states and counties during 1971-1980 hunting seasons. U.S. Fish and Wildlife Service, Special Scientific Report No. 254. 114 p.
- Van Deusen, R.D. 1953. A simplified technique for classifying streams useful in fishery and related resources management. Progressive Fish Culturist 15:14-19.
- Velz, C.J. 1954. Preliminary report lower Roanoke River hydrology. National Council for Stream Improvement, Stream Analysis Research, School of Public Health, University of Michigan. Mimeo report.
- Wharton, C.H., V.W. Lambou, J. Newson, P.V. Winger, L.L. Gaddy, and R. Mancke. 1981. The fauna of bottomland hardwoods in southeastern states, pp. 87-160. <u>In Clark, J.R. and J. Benforado (eds.)</u>. Wetlands of bottomland hardwood forests. Elsevier, New York. 401 p.
- Wharton, C.H., W.M. Kitchens, E.C. Pendleton, and T.W. Sipe. 1982. The ecology of bottomland hardwood swamps of the southeast, A community profile. U.S. Fish and Wildlife Service, Biological Services Program. FWS/OBS-81/37. 133 p.
- Winslow, S.E., and L.T. Henry. 1986. North Carolina striped bass. North Carolina Division of Marine Fisheries, Morehead City, Annual Progress Report for AFS-26-1, July 1985-June 1986. 26 p.
- Winslow, S.E., and L.T. Henry. 1988. North Carolina striped bass. North Carolina Division of Marine Fisheries, Morehead City, Annual Progress Report for AFS-26-2, July 1986-June 1987. 24 p.

APPENDIX A

Listing of Fauna and Flora of the Lower Roanoke Watershed

Appendix Table A-1. Scientific and common names for plant species of known or probable occurrence within Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

Common Name

Scientific Name

American elm American hornbeam

Angle-pod Arrow arum

Ash Aster

Baldcypress
Barnyard grass
Basswood
Blackberry
Bladder sedge
Bluntleaf bedstraw

Box elder

Bristlebract sedge broadleaf arrowhead Broomjute sida*

Carolina falsedandelion

Cattrail sedge Climbing dogbane Climbing hempweed

Cocklebur

Common greenbrier Common pokeberry Common ragweed Common trumpetcreeper

Creeping burhead Creeping cucumber

Dicliptera

Dogfennel joepyeweed

Duckweeds False nettle

Fowl mannagrass Frog's-bit

Gaping panicum
Giant cane
Grape
Grasses
Gray's sedge

Green ash
Green hawthorne
Groundcherry
Hawthorn

Hawthorn Horse nettle

Ulmus americana Carpinus caroliniana Matelea suberosa Peltandra virginica

Fraxinus sp.
Family Compositae

Taxodium distichum Enchinochloa crus-galli Tilia sp. possibly floridana?

Rubus sp.

Carex intumescens Galium obtsum Acer negundo Carex tribuloides Sagittaria latifolia Sida rhombifolia

Pyrrhopappus carolinianus

Smilax bona-nox Carex typhina

Trachelospermum difforme

Mikania scandens
Xanthium strumarium
Smilax rotundifolia
Phytolacca americana
Ambrosia artemisiifolia
Campsis radicans
Echinodorus cordifolius
Melothria pendula
Dicliptera brachiata
Eupatorium capillifolium

Lemna sp.

Boehmeria cylindrica Glyceria striata (flat grass)

Limnobium spongia Steinchisma hians Arundinaria gigantea

Vitis sp.

Family Poaceae Carex grayi

Fraxinus pennsylvanica Crataegus prob. viridis

Physalis sp. Crataegus sp. Solanum carolinense

Common Name

Scientific Name

Indian heliotrope

Ironwood (See American hornbeam)

Jump seed
Jungle rice
Lambsquarters
Laurel oak
Lizard's tail
Marsh dayflower
Marsh mermaid weed
Marsh purslane
Marsh yellow-cress
Minute duckweed

Mosses
Mustard
Nutgrass
Overcup oak
Parrot's feather
Paw-paw
Peppervine
Persimmon
Pinkweed
Poison ivy

Mistletoe

Primrose willows* Purple mecardonia

Rattan-vine Red maple Red mulberry River birch Sedge

Sharp-winged monkey-flower*

Silver maple Small beggarticks

Small-flowered thoroughwort Small-white morning-glory

Smartweed

Spotted touch-me-not

Stinkweed St. Johnswort

Subcordate waterplantain

Sugarberry

Swamp cottonwood Swamp rosemallow

Sweet gum

Swollen duckweed

Heliotropium indicum

Polygonum virginianum Echinocloa colona Chenopodium album Quercus laurifolia Saururus cernuus Murdannia keisak Proserpinaca palustris Ludwigia palustris Rorippa palustris Lemna perpusilla

Phoradendron flavescens

Order Bryophyta
Family Brassicaceae
Cyperus rotundus
Quercus lyrata

Myriophyllum brasiliense

Asimina sp.

Ampelopsis arborea
Diospyros virginiana
Polygonum pensylvanicum
Toxicodendron radicans
Ludwigia decurrans
Mecardonia acuminata
Berchemia scandens

Acer rubrum Morus rubra Betula nigra

Cyperus sp. or Carex sp.

Mimulus alatus Acer saccharinum Bidens discoidea

Eupatorium semiserratum

Ipomea lacunosa
Polygonum sp.
Impatiens capensis
Pluchea camphorata
Hypericum sp.
Alisma subcordatum
Celtis laevigata
Populus heterophylla
Hibiscus moscheutos
Liquidambar styraciflua

Lemna gibba

Appendix Table A-1 (Cont'd).

Common Name	Scientific Name
Sycamore	Platanus occidentalis
Three-seeded mercury	Acalypha rhomboidea
Violet	Viola sp.
Virginia bugleweed	Lycopos sp. probably virginicus
Virginia buttonweed	Diodia virginiana
Virginia creeper	Parthenocissus quinquefolia
Virginia dayflower	Commelina virginia
Water hickory	Carya aquatica
Watermeal	Wolffia papulifera
Water oak	Quercus nigra
Water tupelo gum	Nyssa aquatica
Whorled penneywort	Hydrocôtyle verticillata
Willow	Salix sp. probably nigra or caroliniana
Willow oak	Quercus phellos
Winged elm	Ũlmus alata
Winterberry	Ilex verticillata
Woolgrass	Scirpus cyperinus
Yerba de tajo	Ecilpta alba

Appendix Table A-2. Scientific and common names for mammals of known or probable occurrence within Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

Common Name	Scientific Name
Beaver	Castor canadensis
Black Bear	Ursus americana
Bobcat	Lynx rufus
Carolina short-tailed shrew	Blarina carolinensis
Cotton mouse	Peromyscus gossypinus
Eastern cottontail	Sylvilagus floridanus
Eastern mole	Scalopus aquaticus
Eastern pipistrelle	Pipistrellus subflavus
Evening bat	Nycticeius numeralis
Golden mouse	Ochrotomys nuttalli
Gray fox	Urocyon cinereoargenteus
Gray squirrel	Sciurus carolinensis
Hispid cotton rat	Sigmodon hispidus
Hoary bat	Lasiurus cinereus
House mouse	Mus musculus
Long-tailed weasel	Mustela frenata
Marsh rabbit	Sylvilagus palustris
Meadow vole	Microtus pennsylvanicus
Mink	Mustela vison
Muskrat	Ondatra zibethica
Norway rat	Rattus norvegicus
Opossum	Didelphis virginiana
Raccoon	Procyon lotor
Red bat	Lasiurus borealis
Rice bat	Oryzomys palustris
River otter	Lutra canadensis
Short-tailed shrew	Blarina brevicauda
Silver-haired bat	Lasionycteris noctivagans
Southeastern shrew	Sorex longirostris
Southern flying squirrel	Glaucomys volans
White-footed mouse	Peromyscus leucopus
White-tailed deer	Odocoileus virginianus
Woodchuck	Marmota monax

Appendix Table A-3. Scientific and common names for birds (Aves) of known or probable occurrence within Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

Common Name

Scientific Name

Acadian flycatcher
American goldfinch
American redstart
American robin
American wigeon
American woodcock
Anhinga (water turkey)

Barn swallow
Barred owl
Belted kingfisher
Black duck
Black vulture
Blue grosbeak
Blue jay

Blue-gray gnatcatcher Blue-winged teal

Bobwhite Brown creeper Brown Thrasher Brown-headed cowbird

Cardinal

Carolina chickadee
Carolina wren
Cerulean warbler
Chimney swift
Chuck-will's-widow
Common crow
Common flicker
Common grackle
Cooper's hawk
Dark-eyed junco
Downy woodpecker
Eastern kingbird
Eastern phoebe
Eastern wood pewee

Fish crow Gadwall

Golden-crowned kingled

Great blue heron

Great crested flycatcher

Great egret Great horned owl Green heron Green-winged teal Empidonax virescens Carduelis tristis Setophaga ruticilla Turdus migratorius Anas americana Scolopax minor Anhinga anhinga Hirundo rustica Strix varia

Megaceryle alcyon Anas rubripes Coragyps atratus Guiraca caerulea Cyanocitta cristata Polioptila caerulea

Anas discors

Colinus virginianus
Certhia familiaris
Toxostoma rufum
Molothrus ater
Cardinalis cardinalis
Parus carolinensis
Thryothorus ludovicianus

Dendroica cerulea Chaetura pelagica

Caprimulgus carolinensis Corvus brachyrhynchos Colaptes auratus

Quiscalus quiseula
Accipter cooperii
Junco hyemalis
Picoides pubescens
Tyrannus tyrannus
Sayornis phoebe
Contopus virens
Corvus ossifragus
Anas strepera
Regulus satrapa
Ardea herodias
Myiarchus crinitus
Casmerodius albus
Bubo virginianus
Butorides striatus

Anas crecca

Hairy woodpecker Hermit thrush Hooded merganser Hooded warbler Indigo bunting

Kentucky warbler Mallard Mockingbird Mourning dove Orchard oriole Osprey

Parula warbler Pileated woodpecker

Pintail

Prothonotary warbler Red-bellied woodpecker

Red-eyed vireo
Red-shouldered hawk
Red-tailed hawk
Ring-billed gull
Ring-necked duck
Ruby-crowned kinglet
Ruby-throated hummingbird

Rufous-sided towhee

Screech owl

Sharp-shinned hawk Song sparrow Spotted sandpiper

Starling

Summer tanager Swamp sparrow Tufted titmouse Turkey vulture Whip-poor-will

White-breasted nuthatch

White-eyed vireo

White-throated sparrow

Wild turkey Winter wren Wood duck Wood thrush

Yellow-bellied sapsucker Yellow-billed cuckoo Yellow-rumped warbler Yellow-throated vireo Yellow-throated warbler

Scientific Name

Picoides villosus
Catharus guttatus
Lophodytes cacullatus
Wilsonia citrina
Passerina cyanea
Oporornis formosus
Anas platyrhynchos
Mimus polyglottos
Zenaida macroura
Icterus spurius
Pandion haliaetus
Parula americana
Dryocopus pileatus

Anas acuta

Protonotaria citrea Melanerpes carolinus Vireo olivaceus

Nireo olivaceus
Buteo lineatus
Buteo jamaicensis
Larus delawarensis
Aythya collaris
Regulus calendula
Archilochus colubris
Pipilo erythrophthalmus

Otus asio

Accipter striatus
Melospiza melodia
Actitis macucaria
Sturnus vulgaris
Piranga rubra
Molospiza peorojana

Molospiza georgiana

Parus bicolor Cathartes aura Caprimulgus vociferus Sitta carolinensis

Vireo griseus

Zonotrichia albicollis Meleagris gallopavo Troglodytes troglodytes

Aix sponsa

Hylocichla mustelina Sphyrapicus varius Coccyeus americanus Dendroica coronata Vireo flavifrons Dendroica dominica Appendix Table A-4. Scientific and common names for reptiles of known or probable occurrence within Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

COMMON NAME

SCIENTIFIC NAME

Banded water snake Black racer Broadhead skink Brown snake Brown water snake Carolina anole Copperhead Cottonmouth Eastern box turtle Eastern fence lizard Eastern garter snake Eastern glass lizard Eastern hognose snake Eastern kingsnake Eastern mud turtle Eastern musk turtle Eastern ribbon snake Five-lined skink Florida cooter Ground skink

Northern water snake

Mud snake

Painted turtle Rat snake Redbelly snake Redbelly water snake Ringneck snake River cooter Rough earth snake Rough green snake Slender glass lizard Snapping turtle Southeastern five-lined skink

Spotted turtle

Timber (canebrake) rattlesnake

Worm snake

Yellowbelly slider

Nerodia fasciata Coluber constrictor Eumeces laticeps Storeria dekayi Nerodia taxispilota Anolis carolinensis Agkistrodon contortrix Agkistrodon piscivorus Terrapene carolina Sceloporus undulatus Thamnophis sirtalis Ophisaurus ventralis Heterodon platyrhinos Lampropeltis getulus Kinosternum subrubrum Sternotherus oboratus Thamnophis sauritus Eumeces fasciatus Chrysemys floridana Scincella lateralis Farancia abacura Nerodia sipeodon Chrysemys picta Elaphe obsoleta

Storeria occipitomaculata Nerodia erythrogaster Diadophis punctatus Chrysemys concinna Virginia striatula Opheodrys aestivus Ophisaurus atlenuatus Chelydra serpentina Eumeces inexpectatus Clemmys guttata Crotalus horridus Carphophis amoenus Chrysemys scripta

Appendix Table A-5. Scientific and common names for amphibians of known or probable occurrence within Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

Common Name	Scientific Name
American toad	Bufo americanus
Barking treefrog	Hyla gratiosa
Brimley's chorus frog	Pseudacris brimleyi
Bullfrog	Rana catesbeiana
Carpenter frog	Rana virgatipes
Dwarf mudpuppy	Necturus punctatus
Dwarf salamander	Eurycea quadridigitata
Eastern narrowmouth toad	Gastrophryne carolinensis
Eastern newt	Notophthalmus viridescens
Eastern spadefoot toad	Scaphoplis holbrooki
Fowler's toad	Bufo woodhousii
Gray treefrog	Hyla versicolor
Gray treefrog	Hyla chrysoscelis
Greater siren	Siren lacertina
Green frog	Rana clamitans
Green treefrog	Hyla cinerea
Lesser siren	Siren intermedia
Little grass frog	Limnaoedus ocularis
Mabee's salamander	Ambystoma mabeei
Many-lined salamander	Stereochilus marginatus
Marbled salamander	Ambystoma opacum
Mud salamander	Pseudotriton montanus
Northern cricket frog	Acris crepitans
Oak toad	Bufo quercicus
Pickerel frog	Rana palustris
Pine woods treefrog	Hyla femoralis
Redback salamander	Plethodon cinereus
Slimy salamander	Plethodon glutinosus
Southern cricket frog	Acris gryllus
Southern dusky salamander	Desmognathus auriculatus
Southern leopard frog	Rana sphenocephala
Southern toad	Bufo terrestris
Spotted salamander	Ambystoma maculatum
Spring peeper	Hyla crucifer
Squirrel treefrog	Hyla squirella
Three-lined salamander	Eurycea guttolineata
Figer salamander	Ambystoma tigrinum
Two-lined salamander	Eurycea bislineata
Fwo-toed amphiuma	Amphiuma means
Upland chorus frog	Pseudacris triseriata

Appendix Table A-6. Scientific and common names for fish of known or probable occurrence in the Roanoke River and Coniot Creek in the vicinity of Company Swamp, Bertie County, North Carolina (Laney et al. 1989).

Family	Common Name	Scientific Name
Acipenseridae	Atlantic sturgeon	Acipenser oxyrhynchus
•	Shortnose sturgeon	Acipenser brevirostrum
Lepisosteidae	Longnose gar	Lepiosteus osseus
Amiidae	Bowfin	Amia calva
Anguillidae	American eel	Anguilla rostrata
Clupeidae	Alewife	Alosa pseudoharengus
r	American shad	Alosa sapidissima
	Atlantic menhaden	Brevoortia tyrannus
	Blueback herring	Alosa aestivalis
	Gizzard shad	Dorosoma cepedianum
	Hickory shad	Alosa mediocris
Umbridae	Eastern mudminnow	Umbra pygmaea
Esocidae	Chain pickerel	Exos niger
Liocidae	Redfin pickerel	Esox americanus
Cyprinidae	Bluehead chub	Nocomis leptocephalus
Cyprimaac	Carp	Cyprinus carpio
	Creek chub	Semotilus atromaculatus
	Golden shiner	Notemigonus crysoleucas
	Ironcolor shiner	Notropis chalybeaus
	Satinfin shiner	Notropis analostanus
	Silvery minnow	Hybognathus regius
		Notropis hudsonius
	Spottail shiner Swallowtail shiner	Notropis procne
	White shiner	Notropis albeolus
	C. I. shuhavalaan	Erimyzon oblongus
Catostomidae	Creek chubsucker	Moxostoma macrolepidotum
	Shorthead redhorse	Moxostoma anisurum
	Silver redhorse	
	Suckermouth redhorse	Moxostoma papallosum
Ictaluridae	Brown bullhead	Ictalurus nebulosus
	Channel catfish	Ictalurus punctatus
	Margined madtom	Noturus insignis
	Tadpole madtom	Noturus gyrinus
	White catfish	Ictalurus catus
	Yellow bullhead	Ictalurus natalis


Appendix Table A-6 (Cont'd).

Family	Common Name	Scientific Name
Amblyopsidae	Swampfish	Chologaster cornuta
Aphredoderidae	Pirate perch	Aphredoderus sayanus
Cyprinodontidae	Lined topminnow	Fundulus lineolatus
Poeciliidae	Mosquitofish	Gambusia affinis
Percichthyidae	Striped bass	Morone saxatilis
1010101111111111	White perch	Morone americana
Centrarchidae	Banded sunfish Black crappie Blackbanded sunfish Bluegill Bluespotted sunfish Flier Green sunfish Largemouth bass Mud sunfish Pumpkinseed Redbreast sunfish Warmouth White crappie	Enneacanthus obesus Pomoxis nigromaculatus Enneacanthus chaetodon Lepomis macrochirus Enneacanthus gloriosus Centrarchus macropterus Lepomis cyanellus Micropterus salmoides Acantharchus pomotis Lepomis gibbosus Lepomis auritus Lepomis gulosus Pomoxis annularis
Elassomatidae	Banded pygmy sunfish	Elassoma zonatum
Percidae -	Glassy darter Johnny darter Sawcheek darter Swamp darter Tessellated darter Yellow perch	Etheostoma vitreum Etheostoma nigrum Etheostoma seriferum Etheostoma fusiforme Etheostoma olmstedi Perca flavescens

Roanoke River Flow Study

APPENDIX B

Listing of Data Bases Gathered for This Report



Appendix Figure B-1. Roanoke River flow (cfs) below Roanoke Rapids dam recorded hourly for the period 1 January to 15 June 1988, showing effects of hydropower operation.

148

Appendix Table B-1. Summary of water surface profiles for the lower Roanoke River, North Carolina from the Wilmington District, Army Corps of Engineers water surface model HEC2.

Cross-section location	River flow (cfs)	Channel Depth (ft.)	Computed water surface (ft msl)	Computed water surface width (ft.)	Total area (acres)	Channel velocity (ft/s)	Total energy (ft.)
Bachelor Bay	5000	29.0	1.0	22000	0	0.05	1
Bacheror Bay	15000	29.0	1.0	22000	0	0.15	1
	25000	29.0	1.0	22000	0	0.25	1
	35000	29.0	1.0	22000	0	0.35	1
Plymouth	5000	27.6	1.0	20500	13300	0.24	1.01
TTymouch	15000	27.7	1.1	20500	13300	0.73	1.07
	25000	27.8	1.2	20500	13400	1.2	1.18
	35000	27.9	1.3	20500	13400	. 1.66	1.35
US Hwy 17	5000	30.3	2.1	357	30300	0.95	2.11
	15000	34.7	6.5	2610	48700	2.27	6.56
	25000	36.4	8.2	3750	55100	3.28	8.39
	35000	37.5	9.3	4140	57800	4.16	9.52
NC Hwy 11	5000	24.6	9.6	423	31200	0.78	9.6
· •	15000	33.3	18.3	5570	72900	1.35	18.36
	25000	35.6	20.5	10500	85400	1.75	20.59
	35000	37.0	22.0	13500	91400	1.99	22
US Hwy 258	5000	20.2	20.3	297	32300	1.22	20.35
-	15000	30.7	30.8	689	89600	2.02	30.84
	25000	33.8	33.9	6390	115700	2.8	34.06
	35000	35.9	36.0	8380	131800	3.43	36.21
Near Halifax	5000	13.7	25.9	328	33000	1.47	25.9
	15000	24.8	37.0	426	93800	1.96	37.09
	25000	29.7	41.9	720	126300	2.56	42.04
	35000	33.0	45.2	4840	145000	3.07	45.29
Roanoke Rapids	5000	15.3	28.8	504	33400	0.97	28.84
railroad bridge	15000	26.3	39.8	646	94300	1.37	39.78
	25000	31.9	45.4	795	127500	1.7	45.44
	35000	35.8	49.3	1020	148000	1.96	49.34

Appendix Table B-2. Discharge (cfs) of the Roanoke River at Roanoke Rapids, NC for the period 1912-1987 as measured by the USGS gage.

Month = March

<u>Da</u>	1912	1913	1914	1915	<u>1916</u>	<u>1917</u>	1918	<u>1919</u>	<u>1920</u>	<u>1921</u>	1922	<u>1923</u>	1924	1925	<u>1926</u>	<u>1927</u>	<u>1928</u>	1929	<u>1930</u>	
1	22100	14200	11900	11900	6870	15900	6240	10900	6620	9500	11500	22000	12100	6900	11000	9040	6120	69000	5480	
2		21400		9960		31500		19900	5870	9000	17800	19200	11600	6900	8590	8590	6120	61300	5290	
3	10700	13000	10400	9060	9020	31500	4430	29000	5500	9000	36500	14100	10500	6500	8150	8150		54200	5100	
4	9500	9060	9060	8210		59600		27400	4430		55300		9040	6500	7300	7720		24700	4920	
5	8420	8210	8210	8210		64300		17200	5500		69400	8500	8150	6120	6900	9040		35400	5100	
6	9060	6620	8210	8210		77100		16600	7400		54200	7540	7720	7300		12100		58900	5100	
7	8840	5500		15900		77100		21400	16600 10400		34700 32200	10500 31300	8590 9520	8590 8150		16800 15600		51000 39000	5100 5480	
8	11900 21400	4780		13600 17900		64300 22800	10400	15900	9060		23500		9040	6900		13200			15200	
10	22800	4430		15300		14200		30700	8210		25000		8150	6500		12100		13200	31300	
11	20600	4080		12500		10900		47300		10500			9040	6500		12700		10500	16600	
12	15600	6620	9500	10900	6470	10400	8210	29000	6620	8500	48100	12000	13200	6500		11000	8150	9520	10300	
13	20200		11900	9500	6080	7280		22800	7010			15300		6120	9520	9040	8150	8590	8880	
14	29500		14700	9060	4290	9020		11900				28100		6120	9520	8150	7300	8150	8200	
15		57800		8630	5340	9020	5870		22800			25800		5740	9520 9040	7300	6900	9520	7320 6680	
16		76900 112000		7800 8630	5700 5340	8570 8130	5500 5140			10000		22800	8590	5380 6500	8590	7720 6900		15600 17400	6070	
17 18	151000			9960		29800	6240		10400		22000		7720	9040	7720	6500		14400	6270	
19		22800		8210		31500	5500	7010	7400		17200		7300	10500	6900	6120	28300	11600	6480	
20		13600		9060		23600	5140		28200			101000	6900	10500	6500	6120	22100	9520	7530	
21	14000			7400		15300	4780	7800	25100	6660	12500	52300	11600	10500	6120	5740	16800	8590	7320	
22	11900	10400	11900	8210	4630	11900	4430		22800	6280		23800		10500	5740	6900	12100	8150	6680	
23	10900		11900	6620		10900	7010		17200	6660		17800		8150	5740	7720	9040	8590	6270	
24	11700		12500	7800		11400	9060	7010	9500	6280		15300		7300	5740	8590		15600	5680	
25	25900		13000	7400		39700	7400 9960	6620 6240	8630	8500 12500		17200 14700	9520	6900 6500	5380 5380	6900 5740		19300 20600	5680 5680	
26 27	45400 49300	7800	10900 9960	6620 4780		34200 25100	9060	5500		10500		12000	8590	6120	6120	5380		14400	5680	
28	25100	9060	9060	6620		20600	9060	7010	7010	9000		10500	8150	6120	6500	4690		11000	5680	
29		13000	8210	4780		14200	8210	9960	9500	8000	9000	9520	9040	7300	5740	4690	6500	9520	5480	
30		16600	8210	4080		10900	7010	10900	8630	7080	14700	8590	15600	7720	5030	4690	6120	8590	5290	
31	58600	10900	8210	6620	7700	9960	6620	9060	9960	6660	14100	8150	22100	7300	5740	4690	6120	8590	4920	
Da	1931	1932	1933	1934	<u>1935</u>	1936	1937	<u>1938</u>	1939	1940	<u> 1941</u>	1942	1943	1944	<u>1945</u>	1946	1947	<u>1948</u>	1949	1950
1	3070	4260		11400		9500	9610		29700	8430	5000	3800		13700		9010	5470		10200	6500
2	3550	4050	7250	9090	10500	9500	9610		39800	7200	4880	3700		18100		8670	5470	9000	10600	6000
3	5300	4050	6950	8450	8520	9000			41400	7200	4880	4000		16500	9820	8340		11000	9850	5880
4	5560	3850		20900	7570	9000		7800	26300	7500	4530	5770	6040	11700	9460	8020		14000	8900	5750
5	5050	3850		46900	7420	8500	9950		18700	12900	4420	7900	5920	9460	14500	7440	5950	12000	8300	5500
6	4260			58200	7120	8500														
7	3750		6250				9610		15400	12900	4420	6800		10200		7720	5950	11300	8300	5380
8	3650 3650	64700			7270	8500	8940	9450	15400	12900 10900	4420 4760	6800 7070	19300	14600	16900	7440	5950 7540	11300 10200	8000	5250
10				25600	8740	8500 8000	8940 8620	9450 9800	15400 21300	12900 10900 8760	4420 4760 7240	6800 7070 7340	19300 29800	14600 35300	16900 17300	7440 7440	5950 7540 9460	11300 10200 20200	8000 7550	5250 5500
		66300	6530	25600 13500	8740 9500	8500 8000 8000	8940 8620 8620	9450 9800 9100	15400 21300 18300	12900 10900 8760 7500	4420 4760 7240 13700	6800 7070 7340 11500	19300 29800 24500	14600 35300 39200	16900 17300 13700	7440 7440 9010	5950 7540 9460 10900	11300 10200 20200 23800	8000 7550 7550	5250 5500 5500
11	4470	66300 37500	6530 8450	25600 13500 11100	8740 9500 9170	8500 8000 8000 7990	8940 8620 8620 8940	9450 9800 9100 9100	15400 21300 18300 14100	12900 10900 8760 7500 6900	4420 4760 7240 13700 14100	6800 7070 7340 11500 21400	19300 29800 24500 15300	14600 35300 39200 23500	16900 17300 13700 10900	7440 7440 9010 10800	5950 7540 9460 10900	11300 10200 20200 23800 25600	8000 7550	5250 5500
11 12		66300 37500 13400	6530	25600 13500	8740 9500 9170 8200	8500 8000 8000	8940 8620 8620 8940 8620	9450 9800 9100	15400 21300 18300 14100 12100	12900 10900 8760 7500 6900 6500	4420 4760 7240 13700 14100	6800 7070 7340 11500 21400 26500	19300 29800 24500 15300 10500	14600 35300 39200 23500	16900 17300 13700 10900	7440 7440 9010 10800 11200	5950 7540 9460 10900 11300	11300 10200 20200 23800 25600 21000	8000 7550 7550 7400	5250 5500 5500 5620
	4470 5050	66300 37500 13400	6530 8450 9090	25600 13500 11100 10700	8740 9500 9170 8200 7650	8500 8000 8000 7990 10400	8940 8620 8620 8940 8620 7990	9450 9800 9100 9100 17900	15400 21300 18300 14100 12100 13700	12900 10900 8760 7500 6900 6500 6000 5630	4420 4760 7240 13700 14100 12500 10900 10200	6800 7070 7340 11500 21400 26500 18400 10900	19300 29800 24500 15300 10500 8820 8200	14600 35300 39200 23500 14100 10500 18000	16900 17300 13700 10900 9460 8780 8140	7440 7440 9010 10800 11200 9710 8670	5950 7540 9460 10900 11300 12500 14900 16900	11300 10200 20200 23800 25600 21000 15700 12500	8000 7550 7550 7400 7700 8300 8300	5250 5500 5500 5620 5880 5500 5380
12	4470 5050 4700 4150 3750	66300 37500 13400 11100 9410 8150	6530 8450 9090 7250 6530 6110	25600 13500 11100 10700 9730 8450 7100	8740 9500 9170 8200 7650 15200 37400	8500 8000 8000 7990 10400 15400 15400	8940 8620 8620 8940 8620 7990 7390 7100	9450 9800 9100 9100 17900 20000 17500 12900	15400 21300 18300 14100 12100 13700 16200 20400	12900 10900 8760 7500 6900 6500 6000 5630 5630	4420 4760 7240 13700 14100 12500 10900 10200	6800 7070 7340 11500 21400 26500 18400 10900 8200	19300 29800 24500 15300 10500 8820 8200 8200	14600 35300 39200 23500 14100 10500 18000 32100	16900 17300 13700 10900 9460 8780 8140 7840	7440 7440 9010 10800 11200 9710 8670 7720	5950 7540 9460 10900 11300 12500 14900 16900 21000	11300 10200 20200 23800 25600 21000 15700 12500 10500	8000 7550 7550 7400 7700 8300 8300 8000	5250 5500 5500 5620 5880 5500 5380 5750
12 13 14 15	4470 5050 4700 4150 3750 3550	66300 37500 13400 11100 9410 8150 7550	6530 8450 9090 7250 6530 6110	25600 13500 11100 10700 9730 8450 7100 6670	8740 9500 9170 8200 7650 15200 37400 49800	8500 8000 7990 10400 15400 15400 13400	8940 8620 8620 8940 8620 7990 7390 7100 7390	9450 9800 9100 9100 17900 20000 17500 12900 10500	15400 21300 18300 14100 12100 13700 16200 20400 18700	12900 10900 8760 7500 6900 6500 6000 5630 8100	4420 4760 7240 13700 14100 12500 10900 10200 9100	6800 7070 7340 11500 21400 26500 18400 10900 8200 7070	19300 29800 24500 15300 10500 8820 8200 8200 8500	14600 35300 39200 23500 14100 10500 18000 32100 31700	16900 17300 13700 10900 9460 8780 8140 7840 7260	7440 7440 9010 10800 11200 9710 8670 7720 7720	5950 7540 9460 10900 11300 12500 14900 16900 21000 27100	11300 10200 20200 23800 25600 21000 15700 12500 10500 9460	8000 7550 7550 7400 7700 8300 8300 8000 7100	5250 5500 5500 5620 5880 5500 5380 5750 9200
12 13 14 15	4470 5050 4700 4150 3750 3550 3350	66300 37500 13400 11100 9410 8150 7550 7400	6530 8450 9090 7250 6530 6110 6110 9440	25600 13500 11100 10700 9730 8450 7100 6670 6110	8740 9500 9170 8200 7650 15200 37400 49800 39300	8500 8000 7990 10400 15400 15400 13400 10700	8940 8620 8620 8940 8620 7990 7100 7390 8620	9450 9800 9100 9100 17900 20000 17500 12900 10500 10200	15400 21300 18300 14100 12100 13700 16200 20400 18700 22100	12900 10900 8760 7500 6900 6500 6000 5630 8100 12500	4420 4760 7240 13700 14100 12500 10200 10200 9100 7800	6800 7070 7340 11500 21400 26500 18400 10900 8200 7070 6400	19300 29800 24500 15300 10500 8820 8200 8200 8500 8200	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300	16900 17300 13700 10900 9460 8780 8140 7840 7260	7440 7440 9010 10800 11200 9710 8670 7720 7720 7720	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200	11300 10200 20200 23800 25600 21000 15700 12500 10500 9460 8460	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200
12 13 14 15 16	4470 5050 4700 4150 3750 3550 3350 3350	66300 37500 13400 11100 9410 8150 7550 7400 6810	6530 8450 9090 7250 6530 6110 6110 9440 10000	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560	8740 9500 9170 8200 7650 15200 37400 49800 39300 18300	8500 8000 7990 10400 15400 15400 13400 10700 10900	8940 8620 8940 8620 7990 7390 7100 7390 8620 9950	9450 9800 9100 9100 17900 17500 12900 10500 10200	15400 21300 18300 14100 12100 13700 16200 20400 18700 22100 32400	12900 10900 8760 7500 6900 6500 6000 5630 8100 12500	4420 4760 7240 13700 14100 12500 10900 10200 9100 7800 7050	6800 7070 7340 11500 21400 26500 18400 10900 8200 7070 6400 5750	19300 29800 24500 15300 10500 8200 8200 8200 8200 8200	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100	16900 17300 13700 10900 9460 8780 8140 7840 7260 6980	7440 7440 9010 10800 11200 9710 8670 7720 7720 7720 9350	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800	11300 10200 20200 23800 25600 21000 15700 12500 10500 9460 8460 8780	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950 6650	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200 8600
12 13 14 15 16 17	4470 5050 4700 4150 3750 3550 3350 3350	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970	6530 8450 9090 7250 6530 6110 9440 10000 9410	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 5180	8740 9500 9170 8200 7650 15200 37400 49800 39300 18300 12500	8500 8000 7990 10400 15400 15400 13400 10700 10900 44300	8940 8620 8940 8620 7990 7390 7100 7390 8620 9950	9450 9800 9100 9100 17900 20000 17500 12900 10500 10200 9800	15400 21300 18300 14100 12100 13700 16200 20400 18700 22100 32400 24000	12900 10900 8760 7500 6900 6500 5630 5630 8100 12500 12500	4420 4760 7240 13700 14100 12500 10900 10200 9100 7800 7050 6460	6800 7070 7340 11500 21400 26500 18400 10900 8200 7070 6400 5750	19300 29800 24500 15300 10500 8820 8200 8500 8200 8200 8500	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100 10900	16900 17300 13700 10900 9460 8780 8140 7840 7260 7260 6980 6720	7440 7440 9010 10800 11200 9710 8670 7720 7720 7720 9350 12300	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800 16100	11300 10200 20200 23800 25600 21000 15700 12500 9460 8460 8780 16500	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950 6650 6650	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200 8600 7400
12 13 14 15 16 17 18	4470 5050 4700 4150 3750 3550 3350 3350 3450	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 5180 4700	8740 9500 9170 8200 7650 15200 37400 49800 39300 18300 12500 10900	8500 8000 7990 10400 15400 15400 13400 10700 10900 44300 70200	8940 8620 8940 8620 7990 7390 7100 7390 8620 9950 9270	9450 9800 9100 9100 17900 20000 17500 10500 10200 9800 10900	15400 21300 18300 14100 12100 13700 16200 20400 18700 22100 32400 24000 16600	12900 10900 8760 7500 6900 6500 5630 5630 12500 12500 10200 7800	4420 4760 7240 13700 14100 12500 10200 10200 9100 7800 7050 6460 5760	6800 7070 7340 11500 21400 26500 18400 7070 6400 5750 5500 5120	19300 29800 24500 15300 10500 8820 8200 8500 8200 8500 11300	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100 10900 9460	16900 17300 13700 10900 9460 8780 8140 7260 7260 6980 6720 6720	7440 7440 9010 10800 11200 9710 8670 7720 7720 9350 12300 10800	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800 16100 12100	11300 10200 20200 23800 25600 21000 15700 10500 9460 8780 16500 18100	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950 6650 8000	5250 5500 5500 5620 5880 5500 5380 9200 10200 8600 7400 7700
12 13 14 15 16 17 18 19	4470 5050 4700 4150 3750 3550 3350 3350 3450 3450	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970 5970 5830	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700 17300	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 5180 4700 5660	8740 9500 9170 8200 7650 15200 37400 49800 39300 18300 12500 10900 9840	8500 8000 7990 10400 15400 15400 10700 10900 44300 70200 90000	8940 8620 8940 8620 7990 7390 7100 7390 8620 9950 9950 9270 8940	9450 9800 9100 9100 17900 20000 17500 10500 10200 9800 10900	15400 21300 18300 14100 12100 13700 16200 20400 18700 22100 32400 24000 16600	12900 10900 8760 7500 6900 6500 5630 5630 8100 12500 12500	4420 4760 7240 13700 14100 12500 10900 10200 9100 7800 7050 6460	6800 7070 7340 11500 21400 26500 18400 10900 8200 7070 6400 57500 5500 5120 4880	19300 29800 24500 15300 10500 8820 8200 8500 8200 8200 8500	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100 10900 9460 11700	16900 17300 13700 10900 9460 8780 8140 7260 7260 6980 6720 6720 6720	7440 7440 9010 10800 11200 9710 8670 7720 7720 7720 9350 12300	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800 16100 12100 9820	11300 10200 20200 23800 25600 21000 15700 12500 9460 8460 8780 16500	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950 6650 6650	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200 8600 7400
12 13 14 15 16 17 18	4470 5050 4700 4150 3750 3550 3350 3350 3450 3450 3260	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970 5830 5830	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 5180 4700 5660 18100	8740 9500 9170 8200 7650 15200 37400 49800 39300 12500 10900 9840 9500	8500 8000 7990 10400 15400 15400 13400 10700 10900 44300 70200	8940 8620 8940 8620 7990 7390 7100 7390 8620 9950 9270	9450 9800 9100 9100 17900 17500 10500 10500 10200 9800 11700 9450 8430	15400 21300 18300 14100 12100 13700 20400 18700 22100 32400 24000 16600 12900 10900	12900 10900 8760 7500 6500 6500 5630 5630 8100 12500 12500 10200 7800 6460 5900	4420 4760 7240 13700 14100 12500 10200 9100 7800 7050 6460 5760 5760 5380	6800 7070 7340 21400 26500 18400 10900 8200 7070 6400 5750 5500 5120 4880 4760 4760	19300 29800 24500 15300 10500 88200 8200 8200 8200 8200 11300 21600 30300	14600 35300 39200 29500 14100 10500 32100 31700 19300 14100 10900 9460 11700 20900 26100	16900 17300 13700 10900 9460 8780 7840 7260 7260 6980 6720 6720 6720 6720 6720 6460	7440 7440 9010 10800 11200 9710 7720 7720 7720 9350 12300 11200 15900 15100	5950 7540 9460 10900 12500 14900 21000 27100 29200 22800 16100 9820 8780 8140	11300 10200 23800 23800 25600 21000 15700 12500 9460 8780 16500 18100 12900 9820	8000 7550 7550 7400 7700 8300 8300 8000 7100 6950 6650 8000 8600 8000	5250 5500 5500 5620 5880 5750 9200 10200 8600 7400 7400 8000 7700 9500
12 13 14 15 16 17 18 19 20 21	4470 5050 4700 4150 3750 3350 3350 3450 3450 3260 3350 5990	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970 5830 6630 7000	6530 8450 9090 7250 6530 6110 9440 10700 17300 20400 22700 25100	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 5180 4700 560 18100 21300	8740 9500 9170 8200 7650 15200 37400 49800 39300 18300 12500 9840 9500 9840	8500 8000 8000 10400 15400 15400 15400 10900 44300 70200 90000 100000 50000 26000	8940 8620 8940 7990 7390 7390 9950 9950 9270 8940 8620 7690	9450 9800 9100 17900 17900 12900 10500 10200 9800 10900 11700 9450 9450 8430 7800	15400 21300 18300 14100 12100 13700 16200 20400 32400 24100 16600 12900 10900 9450	12900 10900 8760 7500 6900 6500 5630 5630 12500 12500 10200 7800 7050 6460 5900	4420 4760 7240 13700 14100 10200 10200 9100 7800 7050 6460 5760 5250 5380 5000	6800 7070 7340 21400 26500 18400 10900 8200 7070 6400 5750 5500 5120 4880 4760 4530 4880	19300 29800 24500 15300 10500 8200 8200 8200 8200 8500 11300 15300 21600 26000	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 9460 11700 20900 20900 26100 27600	16900 17300 13700 10900 9460 8780 8140 7260 7260 6720 6720 6720 6720 6460 6460	7440 7440 9010 10800 9710 8670 7720 7720 7720 12300 10800 11200 15900 12300	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800 16100 12100 9820 8780 8780 7540	11300 10200 23800 25600 21000 15700 12500 10500 9460 8780 16500 12900 10500 9820	8000 7550 7550 7400 8300 8300 8000 7100 6650 6650 8600 8600 8600 8000 8300	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200 7400 7700 8000 7700 8000 7500 19800
12 13 14 15 16 17 18 19 20 21 22 23	4470 5050 4700 4150 3750 3350 3350 3450 3450 3250 3250 3450 3250 3250 3250 3250 3250 3250 3250 32	66300 37500 13400 11100 9410 7550 7400 6810 5970 5830 5830 7000 12000	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700 17300 20400 22700 225100 16900	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 18100 21300 18200 12900	8740 9500 9170 8200 7650 15200 37400 49800 39300 12500 10900 9840 9500 9840 9530	8500 8000 8000 10400 15400 15400 15400 10900 44300 70200 90000 100000 50000 26000 21800	8940 8620 8940 8620 7990 7390 7390 9950 9950 9270 8940 8620 8300 7690	9450 9800 9100 17900 17900 12900 10500 10200 9800 10900 11700 9450 8430 7200	15400 21300 18300 14100 12100 13700 16200 20400 22100 32400 24000 16600 12900 10200 9450 9100	12900 10900 8760 7500 6900 6500 5630 8100 12500 102500 7050 6460 5900 5630 5380	4420 4760 7240 13700 14100 10200 10200 9100 7800 7800 5760 5760 5250 5380 5000 5120	6800 7070 7340 11500 21400 26500 18400 7070 6400 5750 5500 4880 4760 4530 4880 5000	19300 29800 24500 15300 10500 8200 8200 8200 8200 8500 11300 15300 21600 20000 23000	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 9460 11700 20900 26100 26600	16900 17300 13700 10900 9460 8780 8140 7260 7260 6720 6720 6720 6460 6460 6460	7440 7440 9010 10800 11200 9710 8670 7720 7720 9350 12300 10800 11200 15900 15100 10400	5950 7540 9460 10900 11300 12500 14900 21000 27100 29200 22800 16100 9820 8780 8140 7540 6980	11300 10200 20200 23800 25600 21000 15700 12500 9460 8460 8780 16500 18100 12900 10500 9820 10500	8000 7550 7550 7400 7700 8300 8300 8000 7100 6650 6650 8600 8600 8000 8300	5250 5500 5500 5500 5880 5500 5380 5750 9200 10200 7400 7700 8000 7700 8000 7500 19800 25500
12 13 14 15 16 17 18 19 20 21 22 23 24 25	4470 5050 4700 4150 3750 3350 3350 3450 3450 3260 3350 5990 10400 13200	66300 37500 13400 13400 9410 8150 7550 7400 6810 5970 5830 6830 7000 12000	6530 8450 9090 7250 6530 6110 9440 10700 17300 20400 22700 25100 16900 12200	25600 13500 11100 10700 9730 8450 7100 6670 6110 5560 18100 21300 18200 12900 10400	8740 9500 9170 8200 7650 15200 37400 49800 39300 12500 10900 9840 9500 9840 9530 13500	8500 8000 7990 10400 15400 15400 15400 10700 10900 44300 70200 90000 100000 50000 26000 21800 17100	8940 8620 8940 8920 7990 7390 7390 8620 9950 9270 8940 8620 8300 7690 7690	9450 9800 9100 17900 17900 17500 10500 10200 9800 11700 9450 8430 7800 7200 6900	15400 21300 18300 14100 12100 13700 16200 20400 22100 32400 24000 16600 12900 10900 10900 9450 9450 8430	12900 10900 87600 6900 6500 6500 5630 8100 12500 10200 7050 6460 5900 56380 5120	4420 4760 7240 13700 14100 12500 10200 9100 7800 7050 6460 5760 5250 5380 5000 5120 7260	6800 7070 7340 11500 21400 26500 18400 7070 6400 5750 5500 5120 4880 4760 4530 4880 5120	19300 29800 24500 15300 10500 8200 8200 8200 8200 8200 15300 21600 30300 26000 19800	14600 35300 39200 23500 14100 10500 18000 32100 19300 14100 10900 9460 11700 20900 26600 26600	16900 17300 13700 10900 9460 8780 8140 7260 7260 6980 6720 6720 6720 6460 6460 6460 6460 6220	7440 7440 9010 10800 11200 9710 8670 7720 7720 9350 12300 11200 15900 12300 12300 10400 9710	5950 7540 9460 10900 11300 12500 14900 27100 22100 22200 16100 9820 8780 8140 7540 6980 6460	11300 10200 20200 23800 25600 21000 15700 10500 9460 8460 8780 16500 18100 12900 10500 9820 10500 10200 16500	8000 7550 7550 7400 8300 8300 8300 6050 6650 8000 8600 8600 8000 8300 19900 36000	5250 5500 5500 5620 5880 5500 5380 9200 10200 8600 7400 7700 9500 19800 19800
12 13 14 15 16 17 18 19 20 21 22 23 24 25	4470 5050 4700 4150 3750 3350 3350 3450 3450 3260 3350 5990 10400 13200 12200	66300 37500 13400 11100 9410 8150 7550 7400 6810 5970 5830 6530 7000 12000 15000	6530 8450 9090 7250 6530 6110 9440 10700 17300 20400 22700 25100 16900 10200 10400	25600 13500 10700 9730 8450 7100 6670 5180 4700 21300 18100 21300 12900 10400 12600	8740 9500 9170 8200 7650 15200 37400 49800 18300 12500 9840 9500 9840 9530 13500 24300	8500 8000 7990 10400 15400 15400 13400 10700 44300 70200 90000 50000 26800 21800 17100	8940 8620 8940 8940 7990 7390 7390 7400 7395 9950 9270 8620 8300 7690 7690 8620	9450 9800 9100 17900 17900 12900 10500 10200 9800 10900 11700 9450 8430 7800 7800 6900	15400 21300 18300 14100 12100 13700 16200 22400 22100 32400 24000 10900 10900 9450 9100 8430 7800	12900 10900 8760 6900 6500 5630 8100 12500 10200 7800 7900 5630 5900 5630 5120 5120 5000	4420 4760 73700 13700 14100 10200 10200 9100 7800 5760 5760 5250 5380 5000 5120 7260 8430	6800 7070 7070 11500 21400 26500 10900 7070 6400 55500 5120 4880 5000 5120 4880 5000 5120	19300 29800 24500 15300 10500 8200 8200 8200 8500 11300 21600 30300 23000 19800 15300	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100 9460 11700 20900 26100 27600 26600 26000 22000	16900 17300 13700 10900 9460 8780 8140 7260 6980 6720 6720 6720 6460 6460 6460 6420 5980	7440 7440 9010 10800 9710 8670 7720 7720 9350 12300 11200 15900 15900 12300 10400 9710 8670	5950 7540 9460 10900 11300 12500 14900 21000 22100 22800 16100 12100 9820 8780 8140 7540 6986 6460 6460	11300 10200 20200 23800 25600 21000 15700 10500 9460 8460 8780 16500 18100 10500 9820 10500 10500 10500 10500	8000 7550 7550 7400 7700 8300 8300 7100 6950 6650 8000 8600 8600 8000 8300 19900 36000 39500	5250 5500 5500 5620 5880 5500 5750 9200 10200 7400 7700 8000 7700 9500 19800 25500 19500 14500
12 13 14 15 16 17 18 19 20 21 22 23 24 25	4470 5050 4700 4150 3750 3350 3350 3450 3450 3260 5990 10400 12200 9410	66300 37500 13400 11100 9410 8150 7550 7400 5970 5970 5830 7000 12000 12000 15000 10000 8000	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700 20400 22700 25100 16900 12200 10400 9410	25600 13500 111000 9730 8450 7100 6670 6110 5560 5180 18100 21300 18200 12900 12600 15200	8740 9500 9170 7650 15200 37400 49800 18300 12500 10900 9840 9500 9840 9530 13500 24300 33800	8500 8000 7990 10400 15400 15400 15400 10700 109000 90000 100000 26000 21800 17100 15400	8940 8620 8940 8620 7990 7190 7390 8620 9950 9270 8940 8620 7690 7690 7690 8620 8300	9450 9800 9100 17900 17900 12900 10500 10200 10200 10200 10900 11700 9450 7800 7200 6900 7200	15400 21300 18300 14100 12100 13700 20400 22100 32400 24000 16600 12900 10200 9450 9100 8430 7500	12900 10900 8760 6900 6500 6500 5630 5630 12500 12500 10200 7050 6460 5900 5380 5120 5000 5120	4420 4760 73700 13700 14100 10200 10200 9100 7800 5760 5760 5250 5380 5000 5120 7260 8430 7200	6800 7070 7340 11500 21400 18400 10900 8200 7070 6400 5750 5500 4880 4760 4530 5000 5120 4880 4760 4530	19300 29800 24500 15300 10500 8200 8200 8500 8500 8500 11300 15300 26000 23000 19800 15300	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 14100 19900 26100 26600 26600 26600 22000 16100	16900 17300 13700 9460 8780 8140 7260 7260 6720 6720 6720 6460 6460 6460 6220 5980 5620	7440 7440 9010 10800 11200 9710 8670 7720 7720 7750 12300 11200 15100 15100 12300 10400 9710 8670	5950 7540 9460 10900 11300 14900 16900 27100 29200 29200 29200 16100 12100 9820 8780 8140 6980 6460 6460 6200	11300 10200 23800 25600 215000 15700 12500 10500 9460 8780 16500 18100 12900 10500 9820 10500 10500 10500 10500 10500	8000 7550 7550 7400 7700 8300 8000 7100 6950 6650 8600 8600 8000 8300 19900 36050 22200	5250 5500 5500 5620 5880 5750 9200 10200 8600 7700 8000 7700 9500 19800 25500 19500 14500
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	4470 5050 4700 4150 3750 3350 3350 3450 3450 3450 3260 10400 13200 12200 7100	66300 37500 13400 9410 8150 7550 7400 6810 5970 5970 5830 6530 7000 12000 15000 10000	6530 8450 9090 7250 6530 6110 9440 10000 9410 10700 17300 224700 225100 16900 12200 10400 9410 9410	25600 13500 11100 9730 8450 7100 6670 6110 5560 18100 21300 12900 10400 12500 21500	8740 9500 9170 8200 7650 15200 37400 49800 18300 10900 9500 9500 9530 13500 24300 42600	8500 8000 7990 10400 15400 15400 13400 10700 44300 70200 90000 26000 26000 21800 17100 15400 15400 20400	8940 8620 8620 7990 7390 7100 7390 8620 9950 9270 8620 8300 7690 7690 8620 8300 7690	9450 9800 9100 17900 17500 12900 10200 9800 10200 9450 8430 7800 6900 7200 7200	15400 21300 18300 14100 12100 13700 16200 20400 24000 24000 10900 10900 10900 9450 9450 9450 7500	12900 10900 8760 7500 6900 6500 5630 5630 12500 12500 12500 7050 6460 5930 5120 5000 5120 5120 5250	4420 4760 7240 13700 14100 10200 10200 9100 7800 7050 6460 5760 5250 5380 5000 5120 7260 8430 7260 6750	6800 7070 7340 11500 21400 18400 10900 8200 7070 6400 5750 5120 4880 4760 4530 4880 4530 4840 4640 4200	19300 29800 24500 15300 10500 8200 8200 8200 8200 8500 11300 21600 30300 26000 19800 19800 13300 13700	14600 35300 39200 23500 14100 10500 18000 32100 31700 19300 9460 11700 20900 26600 26600 22000 16100 13700	16900 17300 13700 10900 9460 8780 7840 7260 7260 6720 6720 6720 6460 6460 6460 6220 5980 5620	7440 7440 9010 10800 11200 9710 8670 7720 7720 7720 12300 11200 15900 15900 12300 9710 8670 8670 8340	5950 7540 9460 10900 11300 14900 21000 27100 29200 29200 12100 9820 8780 8140 7540 6980 6460 6460 6200 6330	11300 10200 20200 23800 25600 21000 15700 12500 10500 9460 8780 16500 18100 9820 10500 9820 10500 9820 10500 19700 16500 16100	8000 7550 7550 7400 7700 8300 8000 7100 6650 6650 8600 8600 8600 8900 19900 39500 17000	5250 5500 5500 5620 5880 5500 5380 5750 9200 10200 7400 7700 9500 19500 19500 14500 14500 12600 9200
12 13 14 15 16 17 18 19 20 21 22 23 24 25	4470 5050 4700 4150 3750 3350 3350 3450 3450 3450 3260 3350 10400 12200 9410 7100 6950	66300 37500 13400 9410 8150 7550 7400 6810 5970 5970 5970 10000 12000 12000 15000 10000	6530 8450 9090 6530 6110 6110 9440 10000 9410 17300 22700 22700 25100 12200 10400 9410 9090 8450	25600 13500 111000 9730 8450 7100 6670 6110 5560 5180 18100 21300 18200 12900 12600 15200	8740 9500 9170 8200 7650 15200 37400 49800 39300 12500 10900 9840 9500 9840 9530 13500 24300 24300 33800 42600 31000	8500 8000 7990 10400 15400 15400 13400 10700 44300 70200 90000 100000 26000 21800 15400 15400 15400 20400 29100	8940 8620 8940 8620 7990 7190 7390 8620 9950 9270 8940 8620 7690 7690 7690 8620 8300	9450 9800 9100 17900 17900 12900 10500 10200 10200 10200 10900 11700 9450 7800 7200 6900 7200	15400 21300 18300 14100 12100 13700 20400 22100 32400 24000 16600 12900 10200 9450 9100 8430 7500	12900 10900 8760 6900 6500 6500 5630 5630 12500 12500 10200 7050 6460 5900 5380 5120 5000 5120	4420 4760 73700 13700 14100 10200 10200 9100 7800 5760 5760 5250 5380 5000 5120 7260 8430 7200	6800 7070 7070 11500 21400 26500 18400 7070 6400 5750 5500 5120 4880 500 50120 4840 4200 5880	19300 29800 24500 15300 10500 8200 8200 8500 8500 8500 11300 15300 26000 23000 19800 15300	14600 35300 39200 29500 14100 10500 18000 32100 31700 19300 14100 29900 26600 26600 26600 22000 16100 13700	16900 17300 13700 9460 8780 8140 7260 7260 6720 6720 6720 6460 6460 6460 6220 5980 5620	7440 7440 9010 10800 11200 9710 8670 7720 7720 7750 12300 11200 15100 15100 12300 10400 9710 8670	5950 7540 9460 10900 11300 12500 14900 27100 22800 16100 12100 9820 8780 8140 7540 6980 6460 6460 6300 6590	11300 10200 23800 25600 215000 15700 12500 10500 9460 8780 16500 18100 12900 10500 9820 10500 10500 10500 10500 10500	8000 7550 7550 7400 7700 8300 8300 8000 7100 6650 6650 8000 8600 8000 8000 39500 22200 17000 13800	5250 5500 5500 5620 5880 5750 9200 10200 8600 7700 8000 7700 9500 19800 25500 19500 14500

Appendix Table B-2. (Continued)

Month = March

<u>Da</u>	<u>1951</u>	<u>1952</u>	1953	1954	<u>1955</u>	1956	<u>1957</u>	1958	<u>1959</u>	<u>1960</u>	<u>1961</u>	1962	<u>1963</u>	1964	<u>1965</u>	1966	<u>1967</u>	1968	<u>1969</u>	<u>1970</u>
1	6500	10600	2710	1130	5480	5820	19000	19500	689	24500	19400	18500	6610	1210	6580	10400	8470	6590	2530	3150
2		15800		10100	8370		20000			24500			1010	8920		14200	7990	1200		10400
3 4		16600 24000	6780 7390	10600	8540 9580		17200 13000			24500 24000	19400 14300	17200 4090	956 5660	9570 9990		14200 14300	2310 2410	1110 4200	10400 5630	8980 8530
5		30600	8040		10800		19000			24000		13700		8870		14200	1010	3540	9240	5140
6		30600	7110	9210	8440		14600		5780	24000	12300	18500	13400	8030	13800	14200	8150	5090	1580	5710
7		30600	8290		22200		17900					18000			13700		7940	4660	3330	1400
8 9		25000 16600	9020 6380		23100 17000	6320	16700 9400	5260 2050				16600 18500			13600 13700		9130 4110	5000 1180	7110 2060	1060 8120
10		10900	9260		14600	3630	1780	13200				18500			13700		6230		11800	2210
11	6650	9500	9460		16400	588		13800		19000			19300		15000		1320		12500	4150
12 13		15000 24500		3400	14000 4370	4090 3850		17400 13700	7650	18800 5500		11400 16500		4040	16800 8450	14200	1110 8070	6730	12900 6790	7450 5950
14		31200		2440	1690	4200		13000				15100		2090		13500	6610	6220	2550	1250
15		27600			15400	6540	8360	1470				18500			11000		5120	4280	3010	1150
16 17		19500 13000		16000		7300 4660	2820 1100	713 5550				18500 18500			11600 12600		5580 9390	1620 4730	1240 5120	9450 5090
18		10600				5120	5680	5800		18500		18500			13500		9340	9810	9090	3470
19		10200			12900	5470	8210	10600		19000		18500			11500	4790		10400	5020	4440
20		10200	9900 9790	13200 6220	6670 5280	5250 5400	7340 6990	4940 5000		14600 18500		18500 18500		4590 2550	6010 1380	1970		10600	1940 1310	5830 1360
21 22		15000 18000		5500	8170	5900	6980	1140				18500			12700	6200 6090	4490		1190	1440
23		14600	6400		12500	5110	1440	753	3870	19000	12300	18500	19400		14100	8090	4570	10500	1200	7140
24		13400			12000	609	1180	7770				18500			14100	4430	3530	8310	1890	6650
25 26		25000 31800			12000 12000	625 3910		11600 18700				11700 13400			14100 13900	3440 1150		10400	7120 11200	1910 1260
27		35400		7630	7500	15900		19506				16200			12600	1110	1310	10100	2170	1030
28		35900		7280	8380	14900		19500				18500			18400	2110	2970	9810	5320	1040
29		32500			12300	13600		19000				18500			18200	3960	5790	8700	1250	1040
30 31		27000 20500		7530	13200 9750	5250 2180		11500 19000				16000 1080			13900 14600	8240 6670	7850 2520	1270 1210	1180 4530	6250 4660
31	1230	20300	10000	7550	0730	2100	2100	10000	3300	10000	14700	1000	10000	0000	14000	0070	2320	1210	4300	4000
Da	1971	1979	1973	1974	1975	1978	1977	1978	1979	1980	1981	1982	1083	1984	1985	1986	1097			
<u>Da</u>	1971	<u>1972</u>	1973	<u>1974</u>	<u>1975</u>	<u>1976</u>	<u>1977</u>	<u>1978</u>		<u>1980</u>	<u>1981</u>		1983	<u>1984</u>	1985	<u>1986</u>	<u>1987</u>			
<u>Da</u> 1 2	9950	1972 13500 13900	1973 8010 5200	1974 5330 2300		1976 11800 3300	3500	11500	1979 25600 25200	10000	1130	1982 15500 15500	18000	20000	1985 9880 4490	1080	1987 19300 19700			
1	9950 13200	13500 13900 14200	8010 5200 5660	5330 2300 8550	5330 2300 13200	11800 3300 9380	3500 1560 2180	11500 14100 15100	25600 25200 25700	10000 13900 13800	1130 4230 2750	15500 15500 14000	18000 18100 18100	20000 20000 20000	9880 4490 5960	1080 1040 7290	19300 19700 20300			
1 2 3 4	9950 13200 14400 19600	13500 13900 14200 8200	8010 5200 5660 1050	5330 2300 8550 10200	5330 2300 13200 15000	11800 3300 9380 3860	3500 1560 2180 1290	11500 14100 15100 15100	25600 25200 25700 25600	10000 13900 13800 9910	1130 4230 2750 1550	15500 15500 14000 15700	18000 18100 18100 18100	20000 20000 20000 20000	9880 4490 5960 12000	1080 1040 7290 5730	19300 19700 20300 20200			
1 2 3 4 5	9950 13200 14400 19600 18900	13500 13900 14200 8200 4470	8010 5200 5660 1050 10200	5330 2300 8550 10200 11300	5330 2300 13200 15000 7450	11800 3300 9380 3860 2090	3500 1560 2180 1290 1170	11500 14100 15100 15100 13600	25600 25200 25700 25600 25700	10000 13900 13800 9910 9150	1130 4230 2750 1550 2770	15500 15500 14000 15700 15600	18000 18100 18100 18100 11600	20000 20000 20000 20000 20000	9880 4490 5960 12000 13100	1080 1040 7290 5730 9670	19300 19700 20300 20200 20400			
1 2 3 4	9950 13200 14400 19600	13500 13900 14200 8200 4470 10100	8010 5200 5660 1050	5330 2300 8550 10200 11300	5330 2300 13200 15000	11800 3300 9380 3860	3500 1560 2180 1290 1170	11500 14100 15100 15100 13600 18700	25600 25200 25700 25600 25700	10000 13900 13800 9910	1130 4230 2750 1550	15500 15500 14000 15700 15600 9070	18000 18100 18100 18100 11600	20000 20000 20000 20000 20000 20100	9880 4490 5960 12000	1080 1040 7290 5730 9670 10300	19300 19700 20300 20200 20400			
1 2 3 4 5 6 7 8	9950 13200 14400 19600 18900 12100 12700 19400	13500 13900 14200 8200 4470 10100 9710 7680	8010 5200 5660 1050 10200 12900 14100 13000	5330 2300 8550 10200 11300 13200 6300 2320	5330 2300 13200 15000 7450 9900 7730 6320	11800 3300 9380 3860 2090 1230 1200 1710	3500 1560 2180 1290 1170 1200 11400 5490	11500 14100 15100 15100 13600 18700 8180 13100	25600 25200 25700 25600 25700 25600 25600 25700	10000 13900 13800 9910 9150 9420 3620 1130	1130 4230 2750 1550 2770 2970 2180 1150	15500 15500 14000 15700 15600 9070 6720 13100	18000 18100 18100 18100 11600 9380 15300 18200	20000 20000 20000 20000 20000 20100 20100 20100	9880 4490 5960 12000 13100 14300 6680 2490	1080 1040 7290 5730 9670 10300 9420 11800	19300 19700 20300 20200 20400 22400 25200 25000			
1 2 3 4 5 6 7 8 9	9950 13200 14400 19600 18900 12100 12700 19400 19200	13500 13900 14200 8200 4470 10100 9710 7680 10200	8010 5200 5660 1050 10200 12900 14100 13000 10100	5330 2300 8550 10200 11300 13200 6300 2320 10400	5330 2300 13200 15000 7450 9900 7730 6320 6600	11800 3300 9380 3860 2090 1230 1200 1710 11500	3500 1560 2180 1290 1170 1200 11400 5490 2540	11500 14100 15100 15100 13600 18700 8180 13100 12000	25600 25200 25700 25600 25700 25600 25600 25700 25700	10000 13900 13800 9910 9150 9420 3620 1130 1120	1130 4230 2750 1550 2770 2970 2180 1150 2270	15500 15500 14000 15700 15600 9070 6720 13100 14000	18000 18100 18100 18100 11600 9380 15300 18200 18100	20000 20000 20000 20000 20000 20100 20100 20000 20000	9880 4490 5960 12000 13100 14300 6680 2490 4020	1080 1040 7290 5730 9670 10300 9420 11800 2050	19300 19700 20300 20200 20400 22400 25200 25000 25200			
1 2 3 4 5 6 7 8 9	9950 13200 14400 19600 18900 12100 12700 19400 19200 15600	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900	8010 5200 5660 1050 10200 12900 14100 13000 10100 12100	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970	11500 14100 15100 15100 13600 18700 8180 13100 12000 12500	25600 25200 25700 25600 25700 25600 25600 25700 25700 25700	10000 13900 13800 9910 9150 9420 3620 1130 1120 9900	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200	18000 18100 18100 18100 11600 9380 15300 18200 18100 18200	20000 20000 20000 20000 20000 20100 20100 20000 20000 20000	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320	19300 19700 20300 20200 20400 22400 25200 25200 25200 25600			
1 2 3 4 5 6 7 8 9	9950 13200 14400 19600 18900 12100 12700 19400 19200	13500 13900 14200 8200 4470 10100 9710 7680 10200	8010 5200 5660 1050 10200 12900 14100 13000 10100 12100	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500 12700	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500	11800 3300 9380 3860 2090 1230 1200 1710 11500	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140	11500 14100 15100 15100 13600 18700 8180 13100 12000	25600 25200 25700 25600 25700 25600 25700 25700 25700 25700 25800	10000 13900 13800 9910 9150 9420 3620 1130 1120	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780	15500 15500 14000 15700 15600 9070 6720 13100 14000	18000 18100 18100 18100 11600 9380 15300 18200 18100 18200 18100	20000 20000 20000 20000 20000 20100 20100 20000 20000 20000 20000	9880 4490 5960 12000 13100 14300 6680 2490 4020	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320	19300 19700 20300 20200 20400 22400 25200 25200 25200 25600 25200			
1 2 3 4 5 6 7 8 9 10 11 12 13	9950 13200 14400 19600 18900 12100 12700 19400 19500 15600 15800 1620	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900 6950 2660 5990	8010 5200 5660 1050 10200 12900 14100 13000 12100 5200 6960 13200	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500 12700 9260 8000	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12300 1250	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930 7540 12800 3160	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710	11500 14100 15100 15100 13600 18700 8180 13100 12000 12500 12300 18700 18600	25600 25200 25700 25700 25600 25700 25700 25700 25700 25700 25100 25700	10000 13900 13800 9910 9150 9420 3620 1130 1120 9900 4250 7910 13800	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780 1980 1200	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12600 17500 9310	18000 18100 18100 18100 18100 9380 15300 18200 18100 18100 18100	20000 20000 20000 20000 20000 20100 20100 20000 20000 20000 20000 20100	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530 5400 7910 3590	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 9690	19300 19700 20300 20200 20400 22400 25200 25200 25200 25200 25200 25100 25300			
1 2 3 4 5 6 7 8 9 10 11 12 13	9950 13200 14400 19600 18900 12100 12700 19400 19200 15600 19500 1620 5540	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900 6950 2660 5990 7080	8010 5200 5660 10500 12900 12900 14100 13000 12100 5200 13200 14500	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500 12700 9260 8000 10600	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12300 12300 1250 12900	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930 7540 12800 3160 9600	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710 8690	11500 14100 15100 15100 13600 18700 8180 13100 12000 12500 12500 18700 18600	25600 25200 25700 25700 25700 25700 25700 25700 25700 25800 25700 25800 25700	10000 13900 13900 9910 9915 9420 3620 1130 1120 9900 4250 7910 13800 10300	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780 1980 1200 1160	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12600 9310 12400	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 18100 13100 14900	20000 20000 20000 20000 20100 20100 20100 20000 20000 20000 20100 20100 20100	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530 5400 7910 3590 3110	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 9690 6850	19300 19700 20300 20200 20400 22400 25200 25200 25200 25200 25100 25300 25500			
1 2 3 4 5 6 7 8 9 10 11 12 13	9950 13200 14400 19600 18900 12100 12700 19400 19500 15600 15800 1620	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900 6950 2660 5990 7080 3490	8010 5200 5660 1050 10200 12900 14100 13000 12100 5200 6960 13200	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500 12700 9260 8000 10600 13800	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12300 12300 1250 12900	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930 7540 12800 3160	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710 8690 4020	11500 14100 15100 15100 13600 18700 8180 13100 12000 12500 12300 18700 18600	25600 25200 25700 25700 25700 25700 25700 25700 25700 25800 25700 25700 25800 25700	10000 13900 13800 9910 9150 9420 3620 1130 1120 9900 4250 7910 13800	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780 1200 1160 1130	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12600 17500 9310	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 18100	20000 20000 20000 20000 20000 20100 20100 20000 20000 20000 20100 20100 20100 20000	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530 5400 7910 3590	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 96890 6850 4270	19300 19700 20300 20200 20400 22400 25200 25200 25200 25200 25200 25100 25300			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	9950 13200 14400 19600 12100 12700 12700 19400 19500 15600 15800 1620 5540 13600 2820 12000	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 7080 3490 4010	8010 5200 5660 1050 10200 12900 14100 13000 10100 5200 6960 13200 14500 14400 19600	5330 2300 8550 10200 11300 13200 6300 2320 10400 12700 9260 8000 10600 13800 9290 2670	5330 2300 13200 15000 7450 9900 7730 6320 66200 12500 12500 1250 12900 18600 18800	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930 7540 12800 3160 9600 8540 1830 2070	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710 8690 4020 2320 2120	11500 14100 15100 15100 13600 18700 8180 13100 12500 12500 12500 18600 18600 18500 18500	25600 25200 25700 25700 25600 25700 25600 25700 25700 25700 25700 25800 25700 25600 25600 25500	10000 13900 13800 9910 9150 9420 3620 1130 1120 7910 13800 10300 1630 1130 1480	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780 1980 1160 1130 3950 4960	15500 15500 14000 15700 15700 9070 6720 13100 14000 17200 12600 17500 9310 12400 12500 17100 13900	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 18100 18100 18100	20000 20000 20000 20000 20100 20100 20100 20000 20000 20100 20100 20100 20100 19900	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530 5400 7910 3590 3110 3150 1150 1550	1080 1040 7290 5730 9670 10300 9420 11800 2050 6740 15800 9690 6850 4270 1680 4360	19300 19700 20300 20400 22400 25200 25200 25200 25200 25200 25300 25300 25300 25300 25300 25300 25300 25300			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	9950 13200 14400 19600 18900 12100 12700 19400 19500 15600 1620 5540 13600 2820 12000	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900 6950 2660 5990 7080 3490 4010 10100 1320	8010 5200 5660 1050 10200 14100 13000 10100 12100 5200 6960 13200 14500 14400 14800 19600 18300	5330 2300 8550 10200 11300 6300 2320 10400 1500 12700 9260 8000 10600 13800 9290 2670 6180	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12500 12500 18800 18800 18800 18900	11800 3300 9380 3860 2090 1230 1270 11500 8930 7540 12800 9600 8540 1830 2070 7470	3500 1560 2180 1290 1170 1290 11400 5490 2540 2970 2140 4380 1710 8690 4020 2320 8270	11500 14100 15100 15100 18700 18700 12000 12500 12500 18600 18500 18500 18600 18600	25600 25700 25700 25700 25600 25700 25700 25700 25700 25800 25700 25600 25600 25500 25500	10000 13900 13800 9910 9150 9420 3620 1130 1120 9900 4250 7910 13800 1630 1130 1480 9290	1130 4230 2750 1550 2770 2180 1150 2270 2250 1780 1980 1130 3950 4960 4520	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12600 17500 9310 12400 12500 17100 13900	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 18100 18100 18100 18100	20000 20000 20000 20000 20100 20100 20100 20000 20000 20100 20100 20100 20100 19900 19900	9880 4490 5960 12000 13100 6680 2490 4020 1530 5400 7910 3590 3110 3150 1150 8030	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 9690 6850 4270 1680 4360 6390	19300 19700 20300 20200 22400 25200 25200 25200 25100 25300 25500 25500 25500 25400 25400			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 1620 5540 13600 2820 12000 13200	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 7080 3490 4010 10100 1320 2800	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14400 14800 19600 13300	5330 2300 8550 10200 11300 13200 6300 2320 10400 1500 12700 9260 8000 10600 13800 9290 2670 6180 1050	5330 2300 13200 15000 7450 9900 6320 6600 12500 12500 12500 12900 18600 18800 19100	11800 3300 9380 3860 2090 1230 1270 11500 8930 7540 12800 3160 9600 8540 1830 2070 7470 1260	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710 8690 2320 2120 8270	11500 14100 15100 15100 13600 18700 8180 13100 12000 12300 18500 18600 18500 18600 18500 18600 18600 18500	25600 25200 25700 25600 25700 25600 25700 25700 25700 25700 25700 25600 25600 25600 25200 25400	10000 13900 13800 9910 9420 3620 1130 1120 9900 4250 7910 10300 1630 1130 1480 9290	1130 4230 2750 1550 2770 2970 2180 1150 2270 2250 1780 1980 1160 1130 3950 4960 2920	15500 14000 15700 15700 15700 6720 13100 14000 17200 12600 17500 9310 12400 12500 17100 13900 13700 4700	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 18100 14900 18100 17900 14300 14300	20000 20000 20000 20000 20100 20100 20100 20000 20000 20000 20100 20100 20100 20100 19900 19900	9880 4490 5960 12000 13100 14300 6680 2490 4020 1530 5400 7910 3590 3110 3150 1150 1550 8030 8630	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 9690 6850 4270 1680 4360 6390	19300 20300 20200 20400 22400 25200 25200 25500 25600 25500 25500 25500 25500 25500 25500 25400 25400 24700			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 1620 5540 13600 2820 12000 13200	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 7080 4010 10100 1320 2800	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14400 14800 19600 13300	5330 2300 8550 10200 11300 13200 2320 10400 15700 9260 8000 10600 9290 2670 6180 10500 4360	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12500 12500 18800 18800 18800 18900	11800 3300 9380 3860 2090 1230 1200 1710 11500 8930 7540 12800 9600 8540 1830 2070 7470	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 1710 8690 2320 2120 8270 1210 1170	11500 14100 15100 15100 13600 18700 8180 13100 12000 12300 18500 18600 18500 18600 18500 18600 18600 18500	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25700 25600 25600 25600 25600 25600 25600 25400	10000 13900 13800 9910 9420 3620 1130 1120 9900 4250 7910 10300 1630 1130 1480 9290	1130 4230 2750 1550 2770 2180 1150 2270 2250 1780 1980 1130 3950 4960 4520	15500 14000 15700 15700 9070 6720 13100 17200 17200 17500 9310 12500 175	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 18100 18100 18100 18100	20000 20000 20000 20000 20100 20100 20000 20000 20000 20000 20000 20100 20100 20000 19900 19900 19900	9880 4490 5960 12000 13100 6680 2490 4020 1530 5400 7910 3590 3110 3150 1150 8030	1080 1040 7290 5730 9670 10300 9420 11800 2320 6740 15800 9690 6850 4270 1680 4360 6390 1100 4130	19300 19700 20300 20200 22400 25200 25200 25200 25100 25300 25500 25500 25500 25400 25400			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 15800 1620 2820 12000 12700 3110 1030 5350	13500 13900 14200 8200 4470 10100 7680 10200 6950 2660 5990 7080 3490 4010 10100 1320 2800 11100 6570	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14400 14800 19600 18700 18700 19600	5330 2300 8550 10200 11300 6300 2320 10400 1500 12700 9260 8000 10600 13800 9290 2678 6180 1050 4360 5230 942	5330 2300 13200 15000 7450 9900 7730 6320 6320 12500 12500 12900 18800 19900 19100 22500 22800	11800 3300 9380 3860 2099 1230 1200 1710 11500 7540 12800 3160 8540 1830 2070 7470 1260 1240 1270	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 1710 2690 4020 2320 2120 8270 1210 1210 2880 8420	11500 14100 15100 15100 18700 8180 13100 12000 12500 12500 18500 18600 18500 18600 18600 18600 18600 18600 18600	25600 25200 25700 25600 25700 25600 25700 25700 25700 25700 25800 25600 25600 25600 25600 25400 25400 24900	10000 13900 13800 9910 9420 3620 1130 1120 4250 7910 13800 1630 1130 1480 9290 11000 10900 9990 13900	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1980 1160 1130 3950 4960 4520 2920 2760 4440 1280	15500 14000 15700 15700 15600 9070 6720 13100 14000 12600 17500 9310 12400 12500 17100 13700 4760 3480 2020	18000 18100 18100 18100 9380 15300 18200 18100 18100 18100 13100 14900 18100 17900 14300 15900 16300 17900	20000 20000 20000 20100 20100 20100 20000 20000 20000 20000 20100 20100 20100 20100 19900 19900 19900 19900 20100	9880 4490 5960 12000 14300 6680 2490 4020 5400 7910 3590 3110 3150 1150 1550 8630 2490 4510 4900	1080 1040 7290 5730 9670 10300 9420 11800 2050 6740 15800 9690 6850 4270 1680 4360 4360 4360 4300 1100 4130 8820 5040	19300 19700 20300 20400 22400 25400 25500 25500 25500 25500 25500 25500 25400 25400 25400 24700 20400 19900			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 1 22 23	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 1620 5540 13600 2820 12000 13200 12700 3110 1030 5670	13500 13900 14200 8200 4470 10100 9710 7680 10200 10900 2660 5990 7080 3490 4010 1320 2800 11100 6570 6270 12000	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14500 14500 14500 18700 18700 18700 19700	5330 2300 8550 10200 11300 6300 2320 10400 1500 12700 9260 8000 10600 13800 9290 2670 6180 4360 5230 4360 5230	5330 2300 13200 15000 7450 9900 6320 6600 12500 12500 12500 18600 18800 19100 22500 22800 22800 22800	11800 3300 9380 3860 2090 1230 1710 11500 8930 7540 12800 3160 9600 8540 1830 2070 7470 7470 1260 1240 1270 1290	3500 1560 2180 1290 1170 1200 11400 5490 2540 2970 2140 4380 1710 8690 2320 2120 8270 1210 1170 2880 8420 11500	11500 14100 15100 15100 18700 8180 13100 12500 12500 12500 18600 18600 18600 18600 18600 18600 18600 18600 18600 18600	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25700 25600 25600 25600 25400 25400 25400 25400 25400 25400 25400	10000 13900 13800 9910 9420 3620 1130 1120 9900 4250 7910 10300 1630 1130 1480 9290 11000 10900 9990 13900	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1980 1200 1130 3950 4960 4520 2920 2760 4440 1280 3670	15500 14000 15700 15700 15700 6720 13100 14000 17200 12600 12500 12400 12500 17100 4760 3480 2020 2240	18000 18100 18100 18100 9380 15300 18200 18100 18100 18100 18100 13100 14900 14900 16300 15900 16300 17900	20000 20000 20000 20100 20100 20100 20100 20000 20000 20100 20100 20100 20100 19900 19900 19900 19900 19900 20100 20100	9880 4490 5960 12000 14300 6680 2490 4020 1530 5400 7910 3150 1150 1150 1150 8030 2490 4510 4900 3380	1080 1040 7290 5730 9670 10300 9420 11800 2320 6740 15800 9690 6850 4270 1680 4360 6390 1100 4130 8820 5040 3190	19300 20300 20400 22400 25200 25200 25200 25500 25500 25500 25500 25500 25500 25500 25400 25400 24700 24700 24700 20400 19900 19900			
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22 32 4	9950 13200 14400 19600 12100 12700 19200 15600 15600 15800 15800 1200 13200 12000 1310 1030 5350 8670 13200	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 7080 3490 4010 10100 1320 2800 6500 6500 6270 12000 8560	8010 5200 5660 10200 12900 14100 13000 10100 12100 5200 14500 14500 14400 14800 19600 18700 18700 19700	5330 2300 8550 10200 113200 6300 2320 10400 1500 12700 9260 10600 10600 13800 9290 2670 6180 1050 4360 5230 942 1450	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12500 12500 12900 18600 18800 19100 22800 22800 22800 22600 25500	11800 3300 9380 3860 2099 1230 1200 1710 11500 8930 7540 12800 9600 8540 1830 2070 7470 1260 1270 1290 1290 1290	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 4020 2320 8270 1210 88270 1210 88420 1170 2880 8420 1500 6970	11500 14100 15100 15100 18700 8180 13600 12000 12500 12300 18500 18600 18500 18600 18600 18600 18600 18600 18600 18600	25600 25200 25700 25600 25600 25600 25700 25700 25700 25700 25600 25100 25600 25500 25500 25400 25500 25400 25400 25400 25400	10000 13900 13900 9910 9420 3620 1120 9900 4250 73800 10300 1630 1480 9290 110900 9990 13900 13900 15500	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1980 1980 4960 4520 2920 2760 4440 1280 3670 1520	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12500 17500 12400 12500 17100 13900 4700 4760 3480 2020 2240 6750	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 18100 14900 17900 14300 10800 17900 16300 17900 16300 20700	20000 20000 20000 20100 20100 20100 20100 20000 20000 20100 20100 20100 19900 19900 19900 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 131000 6680 2490 4020 1530 5400 7910 3150 1150 11550 8030 8630 2490 4510 4900 3380 6470	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 6850 4270 1680 4360 6390 1100 8820 5040 3190	19300 19700 20300 20400 22400 25200 25200 25200 25500 25500 25500 25500 25400 25400 25400 24700 24700 19900 19900 19900			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 1 22 23	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 1620 5540 13600 2820 12000 13200 12700 3110 1030 5670	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 3490 4010 10100 1320 2800 11100 6570 12000 8560 6070	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14500 14500 14500 18700 18700 18700 19700	5330 2300 8550 10200 11300 6300 2320 10400 1500 12700 9260 8000 13800 9290 2670 6180 1050 4360 5290 242 1450 1500 14000 6830	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12900 18800 19000 19000 22500 22800 22800 22800 22900 30900	11800 3300 9380 3860 2090 1230 1710 11500 8930 7540 12800 3160 9600 8540 1830 2070 7470 7470 1260 1240 1270 1290	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 4020 2320 8270 1210 1170 2880 8420 11500 6970 7790	11500 14100 15100 15100 15100 18700 8180 13100 12000 12500 12500 18500 18600 18500 18600 18600 18600 18600 18600 18600 18600 18600 18600 18500	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25700 25600 25600 25600 25400 25400 25400 25400 25400 25400 25400	10000 13900 13900 9910 9420 3620 1130 1120 4250 7910 13800 10300 1630 1480 9290 11000 10900 19900 13900 13900 17700	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1980 1200 1130 3950 4960 4520 2920 2760 4440 1280 3670	15500 14000 15700 15700 15700 6720 13100 14000 12600 12600 12500 12400 12500 17100 4760 3480 4760 3480 2240 6750 6770 6770	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 18100 13100 14900 18100 17900 16300 16300 16300 17900 19100 20700 20700 20700	20000 20000 20000 20100 20100 20100 20000 20000 20000 20100 20100 20100 20100 19900 19900 19900 20100 20100 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 14300 6680 2490 4020 1530 5400 7910 3150 1150 1150 1150 8030 2490 4510 4900 3380	1080 1040 7290 5730 9670 10300 9420 11800 2320 6740 15800 9690 6850 4270 1680 6390 1100 4130 5040 3190 1190 3760	19300 20300 20400 22400 25200 25200 25200 25500 25500 25500 25500 25500 25500 25500 25400 25400 24700 24700 24700 20400 19900 19900			
1 2 3 4 5 6 7 8 9 10 1 1 2 3 4 5 6 7 8 9 10 1 1 2 13 4 15 6 17 8 19 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9950 13200 14400 19600 12100 12700 19200 15600 15600 15800 2820 12000 13200 12700 3110 1030 5350 8670 13200 13200	13500 13900 14200 8200 4470 10100 9710 7680 10900 6950 2660 3490 4010 10100 1320 2800 6500 6270 11100 6500 6270 1200 8560 6070 974 7870	8010 5200 5660 10200 12900 14100 12100 5200 6960 13200 14500 14500 14800 18300 18300 18700 18700 19600 19700 19400 19400	5330 2300 8550 10200 113200 6300 2320 10400 1500 12700 9260 000 10600 13800 9290 2670 6180 1050 4360 5230 945 1450 1500 14000 6830 4900	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12500 12500 12500 12500 22800 22800 22800 22500 25500 29600 30900 33200	11800 3300 9380 3860 2099 1230 1200 1710 11500 8930 7540 12800 9600 8540 1830 2070 7470 1240 1270 1290 1280 5940 4590 1370	3500 1560 2180 1290 11700 1200 11400 5490 2540 2970 2140 4380 4380 2120 8270 1210 88270 1210 88270 1210 88270 1210 88270 1210 1170 2880 8420 1150 6970 7790 4019 4019 4019 4019 4019 4019 4019 40	11500 14100 15100 15100 18700 8180 13600 12000 12500 12500 18500 18600 18600 18600 18600 18600 18600 18600 18600 18600 18500 18600 18600 18500 18500 18500	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25100 25100 25600 25200 25400 25400 25400 24400 24600 19600 18800	10000 13900 13900 9910 9420 3620 1130 1120 9900 4250 7910 13800 10300 1630 11300 1480 9290 11000 9990 13900 13900 15500 17700	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1200 1160 1300 4520 2920 4440 1280 3670 1520 1520 1130 1150	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12500 17500 12400 12500 17700 4760 3480 2020 6750 6770 2120	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 17900 14300 17900 15900 17900 20700 20700 20600	20000 20000 20000 20100 20100 20100 20100 20000 20000 20100 20100 20100 19900 19900 19900 20100 20100 20100 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 131000 6680 2490 4020 1530 5400 7910 3150 1150 1550 8030 8630 2490 4510 4900 3380 6470 6250 3280 31550	1080 1040 7290 5730 9670 10300 9420 11800 2050 2320 6740 15800 6850 4270 4360 6390 1100 4130 8820 5040 3190 3760 7930 5470	19300 19700 20300 20400 22400 25200 25200 25200 25500 25500 25500 25500 25400 25400 25400 25400 20400 19900 19900 18400 18500			
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 32 4 25 5 27 28	9950 13200 14400 19600 12100 12700 19400 19200 15600 15600 15800 1620 5540 13600 2820 12000 12700 3110 1030 5350 8600 12000 13600 13600 12000 13600 12000 13600 12000 13600 13600 13600 13600 12000 13600 13	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 7080 3490 4010 11100 6500 6570 12000 8560 6070 994 7870 10300	8010 5200 5660 10200 12900 14100 13000 14100 5200 6960 13200 14500 14500 14500 14800 18300 18700 18700 19700 19400 19400 19100 19300	5330 2300 8550 10200 113200 6300 2320 10400 1500 12700 9260 8000 10600 13800 9290 2670 6180 1050 4360 5230 942 1450 1500 14000 6830 4900 2580	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12500 12500 12900 18800 18800 19100 22800 22800 22800 22800 22600 25500 29600 30900 33200	11800 3300 9380 3860 2099 1230 1200 1710 11500 8930 7540 12800 9600 8540 1830 2070 7470 1260 1270 1290 1290 1330 1270 1330 1270	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 4020 2320 8270 1210 8270 1170 2880 8420 1150 6970 7790 4010 1190 7160	11500 14100 15100 15100 18700 8180 13600 12000 12500 12300 18500 18600 18500 18600 18600 18600 18600 18600 18500 18600 18500 18600 18500 18500 18500 18500	25600 25200 25700 25600 25600 25600 25700 25700 25700 25700 25600 25600 25600 25400 25400 25400 25400 25400 24600 24600 24600 18600 18600	10000 13900 13900 9910 99420 3620 1120 9900 4250 7910 13800 10300 1630 11480 9290 11000 10900 9990 13900 17900 17800 17800 17900	1130 4230 2750 1550 2970 2180 1150 2250 1780 1290 1160 130 3950 4520 2760 2760 1280 3670 1280 1170 1170 1170 1170	15500 15500 14000 15700 15600 9070 6720 13100 14000 17200 12500 17500 9310 12400 12500 17100 4760 4760 4760 4760 4760 5750 9310 1390	18000 18100 18100 18100 9380 15300 18200 18200 18100 18100 14900 14900 14900 14900 15900 15900 16300 17900 20700 20700 20600 20600	20000 20000 20000 20100 20100 20100 20100 20000 20000 20100 20100 20100 19900 19900 19900 19900 20100 20100 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 14300 6680 2490 4020 1530 5400 7910 3150 1150 1150 8630 2490 3380 4510 4900 3380 1550 8630 2490 3380 1530 1530 1530 1530 1530 1530 1530 153	1080 1040 7290 5730 9870 10300 9420 11800 2050 6740 15800 6850 4270 1680 6390 11100 4130 8820 5040 3190 1190 3760 7830 5430	19300 19700 20300 20400 22400 25200 25200 25200 25200 25500 25500 25300 25500 25400 25400 24700 20400 19900 19900 18400 16500 174900			
1 2 3 4 5 6 7 8 9 10 1 1 2 3 4 5 6 7 8 9 10 1 1 2 13 4 15 6 17 8 19 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9950 13200 14400 19600 12100 12700 19400 19500 15600 15800 15800 1620 2820 12000 12700 3110 13200	13500 13900 14200 8200 4470 10100 9710 7680 10900 6950 2660 3490 4010 10100 1320 2800 6500 6270 11100 6500 6270 1200 8560 6070 974 7870	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14500 14800 18700 18700 18700 19700 19400 19400 19300 19300 19500	5330 2300 8550 10200 113200 6300 2320 10400 1500 12700 9260 8060 10600 13800 9290 2670 6180 1050 4360 5230 942 1450 1500 6830 4900 2580 9710	5330 2300 13200 15000 7450 9900 7730 6320 6320 12500 12500 12500 12900 18600 18900 19100 22500 22800 22800 22800 33200 33200 33900	11800 3300 9380 3860 2099 1230 1200 1710 11500 8930 7540 12800 9600 8540 1830 2070 7470 1240 1270 1290 1280 5940 4590 1370	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 1710 2020 2120 8270 1210 1170 2880 8420 11500 6970 4010 1190 7190 7160 7500	11500 14100 15100 15100 18700 8180 13100 12500 12500 12500 18500 18600 18500 18600 18600 18600 18600 18600 18600 18600 18500 18600 18500 18600 18500 18600	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25100 25100 25600 25200 25400 25400 25400 24400 24600 19600 18800	10000 13900 13900 9910 9420 3620 1130 1120 4250 7910 13800 1630 1130 1480 9290 11000 10900 9990 13900 15500 17700 17800 17900	1130 4230 2750 1550 2970 2180 1150 2270 2250 1780 1200 1160 1300 4520 2920 4440 1280 3670 1520 1520 1130 1150	15500 14000 15700 15700 15600 9070 6720 13100 12600 17200 12600 17500 9310 12400 12500 17100 13700 4700 4760 3480 2020 2240 6750 6770 2120 1530 1970 93660	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 13100 14900 17900 14300 17900 15900 17900 20700 20700 20600	20000 20000 20000 20100 20100 20100 20000 20000 20000 20100 20100 20100 19900 19900 19900 20100 20100 20100 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 131000 6680 2490 4020 1530 5400 7910 3150 1150 1550 8030 8630 2490 4510 4900 3380 6470 6250 3280 31550	1080 1040 7290 5730 9670 10300 9420 11800 2320 6740 15800 9690 6850 4270 1680 6390 1100 4130 8820 3190 1190 7930 5470 6830	19300 19700 20300 20400 22400 25200 25200 25200 25500 25500 25500 25500 25400 25400 25400 25400 20400 19900 19900 18400 18500			
1 2 3 4 4 5 6 7 8 9 10 11 12 3 14 15 6 17 18 19 22 12 23 4 25 26 27 8 29	9950 13200 14400 19600 12100 12100 12700 19200 15600 19500 15800 1620 2820 12000 12000 13200 13200 13200 13200 13600 13600 13600 12700 136	13500 13900 14200 8200 4470 10100 9710 7680 10200 6950 2660 5990 3490 4010 10100 6270 12000 8560 6270 12000 8560 6970 994 7870 10300 12700	8010 5200 5660 1050 12900 14100 13000 14100 5200 6960 13200 14500 14500 14500 18700 18700 18700 19700 19400 19400 19400 19500 19400	5330 2300 8550 10200 11300 6300 2320 10400 1500 12700 9260 8000 13800 9290 2670 6180 1050 4360 5290 242 1450 1500 14000 6830 4900 2580 9710 12100	5330 2300 13200 15000 7450 9900 7730 6320 6600 12500 12500 12900 18800 19000 19000 22500 22800 22800 22800 22800 33900 34800 35200	11800 3300 9380 3860 2099 1230 1200 1710 11500 3160 3600 8540 1280 2070 7470 1260 1270 1290 1280 5940 1290 1290 1290 1290 1290 1290 1290 129	3500 1560 2180 1290 11700 11400 5490 2540 2970 2140 4380 1710 8690 4020 2320 2120 1170 28420 11500 6970 7790 4010 1190 7160 5500 9170	11500 14100 15100 15100 18700 8180 13100 12500 12500 18500 18600 18500 18600 18600 18600 18600 18600 18600 18500 18600 18500 18700 18700 18700 18700	25600 25700 25700 25600 25700 25600 25700 25700 25700 25700 25800 25700 25600 25600 25600 25400 25400 24600 24600 24600 18600 18600 18700	10000 13900 13800 9910 9420 3620 1130 1120 4250 7910 10300 1630 1130 1480 1100 1990 9290 11000 15500 17700 17800 17900 17900 18000	1130 4230 2750 1550 2770 2180 1150 2270 2250 1780 1980 1290 1160 1130 3950 4960 4520 2920 2760 1280 3670 1280 1160 1170 1160 1130	15500 14000 15700 15700 15700 6720 13100 14000 12600 12600 12500 12400 12500 17100 4760 3480 4760 3480 2240 6750 6770 6770 6750 6770 3670 3670 3670	18000 18100 18100 18100 11600 9380 15300 18200 18100 18100 14900 14900 14900 14900 17900 17900 17900 17900 20700 20600 20600 20600	20000 20000 20000 20100 20100 20100 20100 20000 20000 20100 20100 20100 20100 19900 19900 19900 20100 20100 20100 20100 20100 20100 20100 20100 20100 20100 20100 20100	9880 4490 5960 12000 14300 6680 2490 4020 5400 7910 3590 3110 3150 1150 1550 8630 2490 4510 4900 3380 6470 6250 3280 1550 1380 1820	1080 1040 7290 5730 9670 10300 9420 11800 2320 6740 15800 9690 4270 1680 4360 6390 1100 4130 8820 3190 1190 3760 7930 5470 6830 1270	19300 20300 20400 22400 25200 25200 25500 25500 25500 25500 25500 25500 25400 25400 25400 25400 25400 2100 20400 19900 20100 19900 19900 19900 19600 1			

Month = April

<u>Da</u>	1912	<u>1913</u>	<u> 1914</u>	<u>1915</u>	<u>1916</u>	<u> 1917</u>	1918	<u>1919</u>	1920	<u>1921</u>	1922	1923	1924	1925	1926	1927	1928	1929	1930	
1	68700	19200	8210	5500	6870	8570	6240	7800	9060	8000	12500	7720	25900	6900	6500	6120	6500	8590	4740	
2	22100	14700	8630	5870	4980	7700		6240		11500			21400	6120		16200	8150	8590	5100	
3	16900			6620	4120	6470			14700			6500	18000	5740	10000	15600	6500	8150	4920	
4	16200	9060		8630	3960	6870			14700	8500			14400	5740	7720	12700	6120	7300	5480	
5 6	13900 11400	7400 6620	9500		3160	7280	6240		14200	7540			11600	5380	5380	9520	5740	6900	6070	
7	9960	5870	8630 7400		5340 9960		5870 5500		34200 31500	7080 6280	8500 8000	12700		5380	6120	8590	5380	6500	6070	
ģ	10200	4600	8210	10900					19200	6280	7540		11600 15000	5380 5030	5740 5740	7720 6900	5030 5030	6500		
9	10200	5870	7400		14700				11400	5200	8000		15000	5030	4690	9040	5030	6120 5740		
10	9730	4600	8210		14200				10400		7540		12100	5030	5380		5740	5740	9120	
11	9500	4600	9060	5870	12500	11900	49300	6240	8210	8000	7080		14400	5380	5740		7300	5740	7320	
12	8840	4430	8210		11400		47300	5500	7400	7540	7080		15600	5380	5740	16200	16800	8150	6270	
13	8420	8630	7010	9960			36000		8210	5920	6280		13800		11000			9040	5870	
14		45400 53300	5870 7400	9960 9060	8130		22800			5560	6280		12100		16800	9520		9040	5480	
16		22100		8210	8570 6470	9020 8130	17200 8630	10900 9500	22800 8210	5200 5200	5920 5560	24400	10000 9040		17400	8590		7300	5480	
17		14200		6620	5700	7280	7400		7400	5560	5560		8150		15600 12100	8150 8150		13100 45800	5680 5680	
18		13000		8210	4800	7280	7010	16600		19900		12100	8150	5030	9520	7720		54200	5480	
19	10200	10900	10400	7400	3800	6870	6240	9960		23500	5920			5030	8150	8150		34900	5480	
20	9960	9060	8210	4960	3310	6470	5870	7400	6620	13600	5920	9040	23600	5030	7300	8150	73,00	17400	5870	
21	8840		10900	4430	3630		22800	7010	7010	9500	12000	8150		5030	6900	7300	6900	11000	5680	
22	8000	6620		5140	3960		60800	6620	9060	8000	11500		15600	4690	6120	7300	6900	9520	5100	
23 24	10200 15000	7400 6620	10900 9060	4780 4430	4800		72300	7800	10900	6660	9000	6900		5030		10000		10000	5100	
25	13300	5870	8210	5500	4460 4800		70800 29000	7400 9060	9060 6240	8500 9500	7080 6280	6900 6500	9040 8150	5030 5740		16800		10000	5100	
26	9960	5870	7400	4780	4460		13000	9500	7010	7080	5920	6120	7720	5740		13200 10000	12700	9040 7720	4580 4580	
27	8210	5140	7010	4600	4800		15900	6620	9500	6660	5560	6120	7300	5030	4360	8150	9040	7720	4420	
28	7400	5140	6240	5320	3630		22800		11900	5920	5560	6500	6900	4690	4360		42700	8590	4420	
29	7800	5140	7400	4600	3960	5700	17200		13000	5920		11000	7300	5030	4360	6500			4100	
30	8000	5870	7010	4600	4460	4460	13600	5500	10400	7080	6280	17400	7300	6900	4360	6120	55300	22100	4420	
																	-			
Da	1931	1932	1933	1934	1935	<u>1936</u>	<u>1937</u>	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
1	14400	16000	7100	20400	19800	17000	6400	6320	14900	8890	7050	7070	10500	20000	6220	8020				
2	16400			17300			6400		12900		7770	5880		22100	5980	7720		13300 35000	10900 9850	7700 6950
3	21300	17000		14800			5990		12500		12100	5250		14500	5740	7440		50600	9200	6650
4	19000	13000	6670	11400	38800	24000	5990		10200		11300	4760		12100	5740	7020		57900	8600	6380
5	16100		6950				5990	6900	9100	6310	12400	4310	7630	10900	5860		14900		8300	6380
6	25600	8600	6810					6190	8110		25100	4200	7350	9820	5740	6480	12100	14500	9200	6380
7	33700	7600	8150		19200				13100	5760	36500	4000	6810	8780	5400	6220				6800
8	33700 26600	6950 6530	9090 10700		23600 45000			6460 10800	16600 12900	5500	25200	3800	6810	8140	5050	6220	8140	23800	12600	7250
10	18400	8180			43600		11800		10500	7130	14900 11700	3700 4000	6550 6550	7540 7260	4940 4830	6740 8670		25600 22000	11600 9850	6500 6000
11	13200							16200		27800	9800	4200	6550	6720	4720	7440		18100	8900	5750
12	10000	14800	8150	39800	20500	37600		12500		14900	9100	4880		16300	4830	7440		14500	8300	5500
13				24100			7690	9450	7500	13700	9100	5000	7080	40400	4830	7720	10200		8600	5500
14				14400			7390	8110		13300	8430	4640		36700	4720	7720	10900	12900	11000	5250
15				10400			7240	7350		10200	7050	4000		26600	4720		10200			5120
16	5830 5180			8450 13600			7100	6750	6310	8430	6750	3800		17700	4720		10900			5000
17 18	4810			22200			6960 6670	6460 6190	5900 7050	7500 6900	6460 6030	3600 3510		15700 15300	4940 6720		12800			4880
19	4580			20400			6260	6060	9450	6170	5760	3380		13300			26100 22000		13000 10900	4880 4880
20	4470		20400			11000	6260	5810		10100	5500			10500			14500		10200	4880
21	4260			13600			5990	6600		17700	5380		38300		10900		10900	9460	9500	5000
22	4930			11400			6400	7200	7050	19400	5000		48600	8140	7840	5480	8780	8780	8900	5120
23	4580		20400		17600	9500	6530	6190		18100	4880		37400	7840	6460	5240	8460		13800	5380
24	5430		15200		14500	9500	6260	5940		13300	4760		14900	7540	6720	5240	9120		17500	5120
25 26	11100 9090		12500 10700		13000	9500	8150	5690		12900	4880		11700		12100	5720	8460		15400	4750
26	7100	6530	9730	7100 6670	11400 9500		46300 75400	5570 5100		12900 12100	5500 7050	2800 2800	10200 8820		10900	8030	7540		11600	4750
28	6110	7100	8770	5970	8200		66400	5220	6900	9800	7050	2800				11200	6850 6330	6980 8460	9200 8600	4620 4620
29	5700	6250	8150	5300	7880		38000		10200	8110	5760	2630	8200	8460	9820	8670		12900	8300	4620
30	4930	5300	7550	5180	7420		15000	4760	9450	7500	5250	2720	7630	7540	8140	8340		10900	8300	4750

Month = April

Da	1951	1952	1953	1954	<u>1955</u>	<u>1956</u>	1957	1958	1959	1960	<u>1961</u>	1962	1963	1964	1965	1966	1967	<u> 1968</u>	<u>1969</u>	<u>1970</u>
1	7550	12000	13300	9510	6950	2180	4520	19000	2840	19000	5340	10800	19300	5950	14500	4550	1880	8430	3860	6490
2	12000			7880	6380	4240	3070	19000	10600	19000	18600	10500	19300	6290	13400	2020	1930	7850	3300	6870
3	15000		13500	7700	6250	5110		19000			18600			5340	4190	2030	4340	2830	2490 2080	6730 1920
4 5	21500		13300 12300	7290 6380	6380 6500	5630 4960		19000 19000			19000 19000			2280 2230	1840 8650	4620 8450	6530 7730	2770 5940	2090	1900
5 6	26000 25000		2000	6380	6710		19000				19000		2120	4110	9790	5420	2990	2610	2100	5200
7	17500		9590	6500	8000		19000				19000		2130	3530	9050	6140	1940	1970	2090	5200
8	15000		10100	6500	6250		18800				12700		7400	3820	6190	3980	1950	4620	2050	2090
9	15800	8300	9780	6500	6250		29300			20500		13300	7770	6610	8200	2040	1950	2690	2070	1860 1840
10	24500		11900 12900	6120 6250	6000 6000		30600 31600				10600 19000		5560 2310	4550 2250	2310 2220	2000 2050	2670 2480	3430 9320	2760 6360	1850
11 12	26500 27000		12300	6120	6250		29400				19000		2100	2250	5790	3020	2030	6120	2020	1870
13	27600		9320	6380	6950			26000					2090	8350	5910	5150	2470	1960	2010	1860
14	26500	6650	14100	6380	8000			24300						10600	6620	7210	2000	1800	3340	1930
15	24000		13500	6380	12400			27100						11400	5990	2050	1960 1970	7080 8670	4130 5600	1900 1880
16	19000 12600		13300					25600 25800					6200	10400 8490	3040 2430	1970 1980	2010	9040	4820	1900
17 18	11200	7550	9250					25000					6970	2700	2390	1970	2110	9210	8450	1980
19	10600	6120	4100					22600					5660	2070	2180	3090	2040	8940	1960	1980
20	9850	6120	6440		28200			14000					2100	9050	2120	5210	2010	2300	1890	3870
21	8600	6000	9440		13300			14000				15600 3290	2070 2090	9920 7100	2100 2490	2030 7400	2010 2020	2080 2870	830 0 9260	5710 7050
22 23	8300 7700	6250 5750	9490 9490		12500 12400	5750 5880		19700 17500					2300	4820	3800	3020	2010	3500		11100
24	8600	4200	9450	7450	6250	6000		19800					2140	6630	2430	2010	2000	7880	7700	9520
25	11200	4100	8270	5750	7240	5880		20000				14200	2140	2060	2250	6110	2000	8550	2060	1880
26	11600		4520		13600	7030		19900		7530		16300	4580	2060	6790	3410	3310	5540	4420	4090
27		18400		10600		7840		17900	9000	7840 9920	10700 9670	16000 9180	5880 5930	4440	9520 12000	3200 3290	2470 1930	5960 5 9 90	6010 6030	5200 5310
28 29		24000 27000	6660	11200	15600	6120 6120		14300			7150	5250	6980		11500	5520	1960	6010	6040	5340
30		28200	6390		11800	6250		20000		6000	5540	6650	6110	6180	9700	3200	1970	5960	6020	5080
										10.00										
										• •										
<u>Da</u>	<u>1971</u>	1972	1973	1974	<u> 1975</u>	1976	<u> 1977</u>	1978	1979	1980	1981	1982	1983	1984	<u>1985</u>	1986	<u>1987</u>			
1	3190	1550	19500	3800	35100	8120	0888	18700	18700	18200	2530	2150	20700	20100	2340	2740	19300			%
ż	1900		19300		35300	8130		18600			2640		20700		2840	3650	20000		* *	,
3	1860	1810	19400		35200	2360		16100			2580		20600		2510		19800			
4	1870		19500		35300	2310		16300			2280		20600		2580		18900 19300			
5	1840			14800		2730		18400 18500			2260 2240		20600 20600		2550 2540		19300			
6 7	8610 3040	10900		14800				18500					20600		2550	10300				
8		12300						17400			2250		20700		2500	8230				
9	1890			15800		5700	18100	2450	18700	15400	2290		20700		3360		11200			
10		17600				2370				18000	2260		20700		3620		12300 2830			
11 12		12500 13900					12800 13900			18100	2280 2260		20700 20800		2550 2490	5950 2540	2940			
13		13300			35300		13200		18800		9880		20800		2510	2480	7290			
14	9560			17600			10100		18800		3070	3500	20700	20300	2530	3880	4660			
15		12600					12000		18700		2280		21100		2970	2750	7060			
16	11000			17600		3670	9680		18700		2660		22300		2550		19400			
17		13500 13300				7100 8630	2540 3100			18000 18000	2280 2290		25300 25600		2550 2560	10900 2800				
18 19		14200				7680				18100	2260		25400		2540		25300			
20		14300					10500			18000	2460		25400		2530		26000			
21		11600			34900	3880	8670	7650	18700	18200	2250		25500		2580		31300			
22	10900		19600		35100	8780	4030			18200	2250		25800				34900			
23	11300			11200		9730	2880			18100	2240		25900 25700				35000 35600			
24 25	7910 2070				34300 24800		2420 2330			18100 18200	2250 2260		26100				35400			
26		11100						11300			2260		25500				34200			
27	5890		19500		6490		6260	19000	18700	18200	2250	6200	25600	20100	2070		34400			
28	8460			7160		8500		18900					25400				35000			
29	5790 5910			11600				20100 26100					25500 25500				35200 34900			
30		£ 77N	14500	14800	10200	6650	K2/0	26700	74511()	18100	n120	/840	Z3300	20100	2100	3 33 U	J⇔5UU			

Month = May

<u>Da</u>	1912	1913	<u>1914</u>	<u>1915</u>	<u>1916</u>	<u>1917</u>	<u>1918</u>	<u>1919</u>	1920	<u>1921</u>	1922	1923	<u>1924</u>	1925	1926	1927	1928	1929	<u>1930</u>	
1	12200	4960	5500	4260	4290	6470	11400	4780	8630	7080	6660	15600	15600	9520	4040	5740	30000	20000	4420	
2	11200	4260	4780	4430	3630	6470		9960	7010	6280	6280	11600			3890		20600		4100	
3	9280	4260	4960	4780	4290	5700	13000	10900	5500	5920	5920	8590		8150	3740			11000	4100	
4	8000	4080	4780	4080	4800	6470		14700		5200	5560	7720	8590		3890	6120		13200	4100	
5	7010	3910	5500	4430	4980	7280		10400	3740	5560	10500	7300	7300	6500	3740	5030		15600	3950	
6 7	6620 5870	5870 4080	5870 - 8210	4780	3630	9960	9060	8630	4080	6660	16600	5740	6900	5380	3740	5030	7720	11600	3570	
Ŕ	9280	3410	9500	4260 4780	3310 8570	9020 9020	7010 6620	11400 9960	3740 4430	8500 7080	22000	5740	6900	5380	3440	4690	6900	9040	3950	
9	14400	3580	7400	5140	7700	9960			9060	5920	15300		12700 13200	5030 4690	3440 3440	4690 4360	6500 7720	9040 9040	3770 3660	
10	12500	4080	6620	6240	6470	10400		13600	8210	5560	8000		10500	4690	3300	3740	10000	8590	3800	
11	8420	3740	5140	5870	5160	9020		13600	6240	5200	9000		53200	4360	3440	4360	8150	7720	3660	
12	11200	3580	4780	6240	3630	8130	6240	11400	4780	5920	10500	5740	63700	4360	3440	4040	7300	7300	3480	
13	29000	3410	5500	5140	3160	6870	8630	9500		19900	9500		42800		3440	3890	6120	6500	3230	
14	60800	3740	6240	5320	3310	6080		7010		32200	9000		25900		3440	3740	5740	7720	3310	
15 16	78000 35100	3410 3250	4960 7010	5870	3000	5340		6240		16600			20000		3,740	3590	5380	15000	3510	
17	35100	3580	7400	4780 4260	6470 51 6 0	5700 4800	14700 10400		4080	10500 9500	9500	5030	21400 16200		3740	3300	5380	10500	4100	
18	40600	3410	3740	4780	3310	3960	9060	15300	3740		14100	5740	13800	9520	4040 4690	3020 3590	5030 5030	7300 6500	4260 4100	
19	26600	5500	3250	3740	3160	3470	8210	9500	4780	7080	30500	7300	11600	7720	4360	3590	4690	5740	5870	
20	15300	6620	4430	3580	3310	3470	3740	7400	4430		46100	6500	10500	7300	3590	3440	4690	5740	7970	
21	11700	6620	3580	3740	2840	3160	5500	9500	3740	5560	42100	5030	33400	6500	3300	3440	5740	8590	8420	
22	10200	3910	3740	3580	2110	3310	5140	8630	4430		17800	5030	38000	6120	3070	3740	5740	10500	7750	
23	9280	4260	3580	2620	3310	3000	4780	9960	5870	5560	12000	5030	31700	5740	2790	3590	5740	9520	5480	
24	8630		3740	3580	3000	2520		10400	5140	5200	11000	5030		5030	2520	3160	5380	8590	3950	
25 26	8000 7400		3410 3410	3250 3580	27400 41600	2160 1820	9500 11900	10900 19900	4780	5920	9000	4690		5030	2270	3160	5030	7300	3800	
27			2930	3410	22800	3470	9960	14700	5500 4080	4520 4520	8000 8500	4690	13800 13800	4690 4690	2400 2520	3590 3440	6500	6500	3540	
28	6060		3250	3910	9020	3470		26600	4430	6680	9000		19300	4690	2270	3590	5740 4690	5740 5740	2920 3100	
29		17900	3090	3740	5700	3800		10400	4080	10500	8500		16800	4360	2270	3740	4360	6500	2840	
30	5870	23600	2930	6620	7700	5700	7010	8210	3740	9000	6660		13800	4360	2270	3740	5380	10000	2900	
31	5500	13000	3740	7400	12500	6470	4430	7010	3410	8500	6280		10500	4040	2160	3440	5030	9040	3150	
<u>Da</u>	1931	4000	4000																	
	1001	<u>1932</u>	<u>1933</u>	<u>1934</u>	<u>1935</u>	<u> 1936</u>	<u>1937</u>	<u>1938</u>	<u>1939</u>	<u>1940</u>	<u>1941</u>	1942	1943	1944	<u>1945</u>	<u>1946</u>	<u>1947</u>	<u>1948</u>	1949	1950
1	4150	1932 4810	7100	1934 4700	1935 8130		<u>1937</u> 13800	1938 4540	1939 8760	<u>1940</u> 6900	<u>1941</u> 5000									
1 2							13800 12200					1942 2720 2630	1943 7350 6810	1944 6720 6220	1945 6980 6460	8020	5470	8780	8300	10900
-	4150 4360 5180	4810 4810 5560	7100 6950 6390	4700 4470 4810	8130	8300	13800 12200 10300	4540 4320	8760	6900	5000	2720	7350	6720	6980 6460				8300	10900 10900
2 3 4	4150 4360 5180 5430	4810 4810 5560 7550	7100 6950 6390 6810	4700 4470 4810 4930	8130 8040 7880 6980	8300 7990 7990 7390	13800 12200 10300 9270	4540 4320 4220 4430	8760 9450 34000 25500	6900 6600 6310 6600	5000 4640 4420 4200	2720 2630 2630 8790	7350 6810 6810 6290	6720 6220 5740 5620	6980 6460 6220 5980	8020 9350 11200 10800	5470 5360	8780 7540 7540	8300	10900 10900 12400
2 3 4 5	4150 4360 5180 5430 4580	4810 4810 5560 7550 7550	7100 6950 6390 6810 7550	4700 4470 4810 4930 5180	8130 8040 7880 6980 6840	8300 7990 7990 7390 7540	13800 12200 10300 9270 8940	4540 4320 4220 4430 4320	8760 9450 34000 25500 17000	6900 6600 6310 6600 6170	5000 4640 4420 4200 4100	2720 2630 2630 8790 8550	7350 6810 6810 6290 6040	6720 6220 5740 5620 5400	6980 6460 6220 5980 6100	8020 9350 11200 10800 10700	5470 5360 5360 5360 5470	8780 7540 7540 6850 7540	8300 8900 23200 29400 26000	10900 10900 12400 17000 20000
2 3 4 5 6	4150 4360 5180 5430 4580	4810 4810 5560 7550 7550 5970	7100 6950 6390 6810 7550 10900	4700 4470 4810 4930 5180 5180	8130 8040 7880 6980 6840 7120	8300 7990 7990 7390 7540 7990	13800 12200 10300 9270 8940 8300	4540 4320 4220 4430 4320 4220	8760 9450 34000 25500 17000 12500	6900 6600 6310 6600 6170 5630	5000 4640 4420 4200 4100 4000	2720 2630 2630 8790 8550 5080	7350 6810 6810 6290 6040 5920	6720 6220 5740 5620 5400 5280	6980 6460 6220 5980 6100 5980	8020 9350 11200 10800 10700 19000	5470 5360 5360 5360 5470 5830	8780 7540 7540 6850 7540 7540	8300 8900 23200 29400 26000 16200	10900 10900 12400 17000 20000 17000
2 3 4 5 6 7	4150 4360 5180 5430 4580 4580 4470	4810 4810 5560 7550 7550 5970 4930	7100 6950 6390 6810 7550 10900 17300	4700 4470 4810 4930 5180 5180 4700	8130 8040 7880 6980 6840 7120 6980	8300 7990 7990 7390 7540 7990 7990	13800 12200 10300 9270 8940 8300 7990	4540 4320 4220 4430 4320 4220 4010	8760 9450 34000 25500 17000 12500 9100	6900 6600 6310 6600 6170 5630 5250	5000 4640 4420 4200 4100 4000 3800	2720 2630 2630 8790 8550 5080 3320	7350 6810 6810 6290 6040 5920 5670	6720 6220 5740 5620 5400 5280 6220	6980 6460 6220 5980 6100 5980 5860	8020 9350 11200 10800 10700 19000 18300	5470 5360 5360 5360 5470 5830 6330	8780 7540 7540 6850 7540 7540 8140	8300 8900 23200 29400 26000 16200 12300	10900 10900 12400 17000 20000 17000 11200
2 3 4 5 6 7 8	4150 4360 5180 5430 4580 4580 4470 9780	4810 4810 5560 7550 7550 5970 4930 4470	7100 6950 6390 6810 7550 10900 17300 19900	4700 4470 4810 4930 5180 5180 4700 3950	8130 8040 7880 6980 6840 7120 6980 6840	8300 7990 7990 7390 7540 7990 7990 7240	13800 12200 10300 9270 8940 8300 7990 8620	4540 4320 4220 4430 4320 4220 4010 4010	8760 9450 34000 25500 17000 12500 9100 6900	6900 6600 6310 6600 6170 5630 5250 5120	5000 4640 4420 4200 4100 4000 3800 4100	2720 2630 2630 8790 8550 5080 3320 3630	7350 6810 6810 6290 6040 5920 5670	6720 6220 5740 5620 5400 5280 6220 19800	6980 6460 8220 5980 6100 5980 5860 5400	8020 9350 11200 10800 10700 19000 18300 12900	5470 5360 5360 5360 5470 5830 6330 5470	8780 7540 7540 6850 7540 7540 8140 9120	8300 8900 23200 29400 26000 16200 12300 10200	10900 10900 12400 17000 20000 17000 11200 8600
2 3 4 5 6 7	4150 4360 5180 5430 4580 4580 4470	4810 4810 5560 7550 7550 5970 4930 4470	7100 6950 6390 6810 7550 10900 17300 19900 13200	4700 4470 4810 4930 5180 5180 4700	8130 8040 7880 6980 6840 7120 6980	8300 7990 7990 7390 7540 7990 7990	13800 12200 10300 9270 8940 8300 7990	4540 4320 4220 4430 4320 4220 4010	8760 9450 34000 25500 17000 12500 9100	6900 6600 6310 6600 6170 5630 5250 5120	5000 4640 4420 4200 4100 4000 3800 4100 4310	2720 2630 2630 8790 8550 5080 3320 3630 6270	7350 6810 6810 6290 6040 5920 5670 5670 5550	6720 6220 5740 5620 5400 5280 6220 19800 23800	6980 6460 6220 5980 6100 5980 5860 5400 5160	8020 9350 11200 10800 10700 19000 18300 12900 10100	5470 5360 5360 5360 5470 5830 6330 5470 5120	8780 7540 7540 6850 7540 7540 8140 9120 13400	8300 8900 23200 29400 26000 16200 12300 10200 9320	10900 10900 12400 17000 20000 17000 11200 8600 7700
2 3 4 5 6 7 8 9 10	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770	4700 4470 4810 4930 5180 5180 4700 3950 3650 3550 3450	8130 8040 7880 6980 6840 7120 6980 6840 7880 7420 6660	8300 7990 7990 7390 7540 7990 7240 6810 6400 6120	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530	4540 4320 4220 4430 4320 4220 4010 4010 4760	8760 9450 34000 25500 17000 12500 9100 6900 6460	6900 6600 6310 6600 6170 5630 5250 5120	5000 4640 4420 4200 4100 4000 3800 4100	2720 2630 2630 8790 8550 5080 3320 3630	7350 6810 6810 6290 6040 5920 5670	6720 6220 5740 5620 5400 5280 6220 19800	6980 6460 8220 5980 6100 5980 5860 5400	8020 9350 11200 10800 10700 19000 18300 12900	5470 5360 5360 5360 5470 5830 6330 5470	8780 7540 7540 6850 7540 7540 8140 9120	8300 8900 23200 29400 26000 16200 12300 10200 9320 9500	10900 10900 12400 17000 20000 17000 11200 8600
2 3 4 5 6 7 8 9 10 11	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17000 11100	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3850	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770 8450	4700 4470 4810 4930 5180 5180 4700 3950 3650 3550 3450 3160	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840	8300 7990 7990 7390 7540 7990 7240 6810 6400 6120 6260	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530 6400	4540 4320 4220 4430 4320 4220 4010 4760 4540 4010 3710	8760 9450 34000 25500 17000 12500 9100 6900 6460 6030 5500	6900 6600 6310 6600 6170 5630 5120 5120 5120 5250 5000 4760	5000 4840 4420 4200 4100 3800 4100 4310 4880 5120 4640	2720 2630 2630 8790 8550 5080 3320 3630 6270 4530 3800 3140	7350 6810 6810 6290 6040 5920 5670 5550 5550 5430 6160	6720 6220 5740 5620 5400 5280 6220 19800 23800 11700 8140 6980	6980 6460 8220 5980 6100 5980 5400 5160 5160 5050 4940	8020 9350 11200 10800 10700 19000 18300 12900 10100 8670 7720 7160	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120	8780 7540 7540 6850 7540 7540 8140 9120 13400 11300 8140 7540	8300 8900 23200 29400 26000 16200 12300 10200 9320 9500 21400 35400	10900 10900 12400 17000 20000 17000 11200 8600 7700 7400 7100 5750
2 3 4 5 6 7 8 9 10 11 12 13	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17000 11100 8150	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3650 3850	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770 8450 8770	4700 4470 4810 4930 5180 5180 4700 3950 3650 3550 3450 3450	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430	8300 7990 7990 7390 7540 7990 7240 6810 6400 6120 6260 5990	13800 12200 10300 9270 8940 8300 7990 8620 7540 6530 6400 6260	4540 4320 4220 4430 4320 4220 4010 4760 4760 4010 3710 3810	8760 9450 34000 25500 17000 12500 9100 6900 8460 6030 6030 5500 5380	6900 6600 6310 6600 6170 5630 5250 5120 5250 5250 5000 4760 4530	5000 4840 4420 4200 4100 3800 4100 4310 4310 4880 5120 4640 4000	2720 2630 2630 8790 8550 5080 3320 36270 4530 3800 3140 2630	7350 6810 6810 6290 6040 5920 5670 5550 5550 5430 6160 7080	6720 6220 5740 5620 5400 5280 6220 19800 23800 11700 8140 6980 6460	6980 6460 8220 5980 6100 5980 5406 5160 5160 5050 4940	8020 9350 11200 10800 10700 19000 18300 12900 10100 8670 7720 7160 10600	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120 4230	8780 7540 7540 6850 7540 8140 913400 13400 11300 8140 7540 6850	8300 8900 23200 29400 26000 16200 12300 9320 9320 9500 21400 35400	10900 10900 12400 17000 20000 17000 11200 8600 7700 7400 7400 7100 5750 6500
2 3 4 5 6 7 8 9 10 11 12 13 14	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 11100 8150 6390	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3850 4580 7250	7100 6950 6390 6810 7550 10900 17300 13200 13200 10000 8770 8450 8770 9090	4700 4470 4810 4930 5180 5180 4700 3950 3650 3450 3450 3450 4260	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430 6170	8300 7990 7990 7390 7540 7990 7240 6810 6400 6120 6260 5990 7990	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530 6400 5990	4540 4320 4220 4430 4320 4220 4010 4760 4540 4010 3710 3810 3910	8760 9450 34000 25500 17000 12500 9100 6900 6460 6030 5500 5380	6900 6600 6310 6600 5170 5630 5250 5120 5120 5250 5000 4760 4530 4200	5000 4840 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320	2720 2630 8790 8550 5080 3320 3630 6270 4530 3840 2630 2310	7350 6810 6810 6290 6040 5920 5670 5550 5550 5430 6160 7080	6720 6220 5740 5620 5400 5280 6220 19800 23800 81400 6980 6460 5860	6980 6460 8220 5980 6100 5980 5400 5160 5160 5050 4940 4940	8020 9350 11200 10800 10700 18000 18300 12900 10100 8670 7720 7760 10600 13500	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120 4230 4120	8780 7540 7540 6850 7540 8140 9120 13400 11300 8140 7540 6850 7120	8300 8900 23200 29400 26000 16200 12300 9320 9500 21400 35400 34200	10900 10900 12400 17000 17000 17000 11200 8600 7700 7400 7400 7550 6500 11000
2 3 4 5 6 7 8 9 10 11 12 13 14 15	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 111000 8150 6390 6530	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3650 3850 4580 7250 7100	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770 8450 8770 9090	4700 4470 4810 4930 5180 4700 3950 3650 3450 3160 3450 4260 3750	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430 6170 6040	8300 7990 7990 7390 7590 7990 7240 6810 6400 6120 6260 5990 8300	13800 12200 10300 9270 8940 8300 7990 8620 7540 6530 6400 6260 5990 6400	4540 4320 4220 4320 4320 4010 4010 4760 4540 4010 3710 3810 3910 4980	8760 9450 34000 25500 17000 12500 9100 6900 6460 6030 5380 5380 5250	6900 6600 6310 6600 6170 5630 5250 5120 5120 5250 5250 4760 4530 4200 4100	5000 4640 4420 4200 4100 3800 4100 4310 4880 5120 4640 3320 3320	2720 2630 2630 8790 8550 5080 3320 3630 6270 4530 3800 3140 2630 2310 2470	7350 6810 6810 6290 5920 5670 5550 5550 5430 6160 7080 7080	6720 6220 5740 5620 5400 5280 6220 19800 23800 11700 8140 6980 6460 5860	6980 6460 6220 5980 6100 5980 5400 5160 5160 5050 4940 4830 4720	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7720 710600 13500 13900	5470 5360 5360 5360 5470 5830 5470 5120 4670 4560 4120 4230 4120 4010	8780 7540 7540 6850 7540 8140 9120 13400 11300 8140 7540 6850 7120	8300 8900 23200 29400 26000 16200 12300 10200 9320 9500 21400 35400 34200 22000	10900 10900 12900 17000 20000 17000 11200 8600 7700 7400 7100 5750 6500 11000 16600
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17000 11100 8150 6390 6530 6670	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3850 7250 7100 6670	7100 6950 6390 6810 7550 10900 17300 13200 8770 8450 8770 9090	4700 4470 4810 4930 5180 5180 4700 3950 3650 3450 3450 4260 3750 6820	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430 6170 6040 6170	8300 7990 7990 7390 7590 7990 7240 6810 6400 6120 6260 5990 8300 6960	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530 6400 6260 5990 6400 20700	4540 4320 4220 4320 4320 4220 4010 4760 4540 4010 3310 3810 3910 4980 6060	8760 9450 34000 25500 17000 12500 9100 6400 6030 6030 5500 5380 5250 5250	6900 6600 6310 6600 6170 5630 5250 5120 5250 5250 4760 4200 4100 4000	5000 4640 4420 4200 4000 3800 4100 4310 4880 5120 4640 4000 3320 3320 3420	2720 2630 2630 8790 8550 5080 3320 36270 4530 3800 3140 2630 2310 2470 2470	7350 6810 6810 6290 6040 5920 5870 5550 5430 6160 7080 7080 6810	6720 6220 5740 5620 5400 5280 6220 19800 23800 8140 6980 6460 5860 58620 5510	6980 6460 6220 5980 6100 5980 5400 5160 5160 5050 4940 4840 4830 4720	8020 9350 11200 10700 19000 18300 12900 10100 8670 7720 7160 10600 13500 13900	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120 4230 4010 3900	8780 7540 7540 6850 7540 8140 9120 13400 11300 8140 7540 6850 7120 14400 13900	8300 8900 239200 29400 16200 12300 10200 9320 9500 21400 35400 34200 22000 14200	10900 10900 12400 17000 20000 17000 8600 7700 7400 5750 6500 11000 21000
2 3 4 5 6 7 8 9 10 11 12 13 14 15	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 111000 8150 6390 6530	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3650 3850 4580 7250 7100	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770 8450 8770 9090	4700 4470 4810 4930 5180 4700 3950 3650 3450 3160 3450 4260 3750	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430 6170 6040	8300 7990 7990 7390 7590 7990 7240 6810 6400 6120 6260 5990 8300	13800 12200 10300 9270 8940 8300 7990 8620 7540 6530 6400 6260 5990 6400	4540 4320 4220 4320 4320 4010 4010 4760 4540 4010 3710 3810 3910 4980	8760 9450 34000 25500 17000 12500 9100 6900 6460 6030 5380 5380 5250	6900 6600 6310 6600 6170 5630 5250 5120 5120 5250 5250 4760 4530 4200 4100	5000 4640 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320 3320 3320 3320	2720 2630 2630 8790 8550 5080 3320 3630 6270 3800 3140 2630 2470 8390	7350 6810 6810 6290 6040 5920 5670 5550 5430 6160 7080 7080 7080 6810 6040	6720 6220 57400 5620 5400 5280 6220 19800 23800 11700 8140 6980 6460 5860 5510	6980 6460 8220 5980 6100 5980 5400 5160 5160 5050 4940 4830 4720	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7760 10600 13500 13900 13100	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120 4230 4120 4010 3900 3800	8780 7540 7540 6850 7540 8140 9120 13400 11300 8140 7540 6850 7120 14400 13900 9120	8300 8900 23200 29400 16200 12300 10200 9320 21400 35400 34200 22000 14200 14200	10900 10900 12400 17000 20000 17000 11200 8600 7700 7400 5750 6500 11000 16600 21000 29400
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	4150 4360 5180 5430 4580 4470 9780 17600 17000 17100 8150 6390 6530 6670 5180	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3850 4580 7250 7100 6670 5430	7100 6950 6390 6810 7550 10900 17300 13200 10000 8770 8450 8770 9090 10400 9090	4700 4470 4810 5180 5180 4700 3950 3650 3450 3450 4260 3750 6820 16000	8130 8040 7880 6980 6840 7120 6980 7420 6660 6840 6430 6170 6040 6170 6300	8300 7990 7990 7390 7540 7990 7240 6810 6120 6260 5990 7990 8300 6960 6120	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530 6400 6260 5990 6400 20700 20500	4540 4320 4220 4320 4320 4010 4010 4760 3710 3810 3910 4980 6060 6060	8760 9450 34000 25500 17000 12500 9100 6460 6030 5380 5380 5250 5250 5250	6900 6610 6310 6600 6170 5630 5250 5120 5250 5250 4760 4530 4200 4100 4640	5000 4840 4420 4100 4100 3800 4310 4880 5120 4640 3320 3320 3420 3320 3230	2720 2630 2630 8790 8550 5080 3320 36270 4530 3800 3140 2630 2310 2470 2470	7350 6810 6810 6290 6040 5920 5870 5550 5430 6160 7080 7080 6810	6720 6220 5740 5400 5280 6220 19800 23800 11700 8140 6980 5620 5510 5510 5280	6980 6460 8220 5980 6100 5980 5400 5160 5160 5050 4940 4830 4720	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7760 10600 13500 13100 12000	5470 5360 5360 5360 5470 5830 6330 5470 4570 4560 4120 4010 3900 3800 3900	8780 7540 6850 7540 7540 9120 13400 11300 8140 7540 7120 14400 13900 9120 7540	8300 8900 23200 29400 16200 12300 9320 9500 21400 35400 34200 22000 14200 14200 19000	10900 10900 12400 17000 20000 17000 11200 8600 7700 7400 7400 7100 5750 6500 11000 16600 21000 29400 22000
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	4150 4360 5180 5430 4580 4580 4470 9780 17000 17000 11100 8150 6390 6530 6670 5180 4700 3950	4810 4810 5560 7550 7550 4930 4470 3850 3650 3850 4580 7250 6670 5430 4470 6370 6810	7100 6950 6390 6810 7550 10900 17300 19900 13200 10000 8770 8450 8770 9090 10400 9090 11100 9090 7100	4700 4470 4810 4930 5180 5180 3950 3650 3450 3450 3450 4260 3750 6820 15600 15600 15700 6530	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6840 6430 6170 6300 6170 5780 5780	8300 7990 7390 7540 7990 7540 7990 7240 6810 6400 6120 6260 5990 8300 6960 6120 5360 5730 4990	13800 12200 10300 9270 8940 8300 7990 8620 7540 6530 6400 20700 20700 12200	4540 4320 4430 4220 4430 4010 4760 4540 4010 3710 3810 3910 4980 6060 6060 5810	8760 9450 34000 25500 17000 12500 9100 6460 6030 5500 5380 5250 5250 5000	6900 6600 6310 6600 6170 5630 5120 5120 5250 4760 4760 4100 4000 4310	5000 4840 4420 4100 4100 4100 4310 4880 5120 4640 4040 3320 3320 3420 3230 3140	2720 2630 8790 8550 5080 3320 6270 4530 3840 2630 2310 2470 2470 8390 33200	7350 6810 6810 6290 6040 5920 5870 5550 5430 6160 7080 7080 7080 6040 6550	6720 6220 5740 5280 6220 19800 23800 11700 8140 6980 5620 5510 5510 5280 4940	6980 6460 5980 6100 5980 5400 5160 5160 5160 4940 4940 4830 4720 5980	8020 9350 11200 10800 10700 19900 12900 12900 7720 7160 10600 13500 13900 13100 12000 11200	5470 5360 5360 5360 5470 5830 6330 5470 5120 4670 4560 4120 4230 4120 4010 3900 3800	8780 7540 6850 7540 7540 8140 9120 13400 11300 8140 7540 14400 13900 9120 7540	8300 8900 23200 29400 16200 12300 10200 9320 21400 35400 34200 22000 14200 14200	10900 10900 12400 17000 20000 17000 8600 7700 7400 7400 7400 5750 6500 11000 21000 21000 229000 12700
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	4150 4360 5180 5430 4580 4580 4470 9780 17600 17000 17000 8150 6390 6530 6670 3950 3950 3950	4810 4810 5560 7550 7550 4930 4470 3850 3650 3650 7250 7100 6670 5430 4470 6370 6810	7100 6950 6390 6810 7550 10900 17300 13200 10000 8770 9090 10400 9090 71100 10700 9090 7100 6250	4700 4470 4810 4930 5180 4700 3950 3650 3450 3450 4260 3750 6820 16000 15600 10700 6530 4810	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6430 6170 6040 6170 5780 6230	8300 7990 7390 7390 7540 7990 7240 6810 6400 6120 5990 8300 6960 6120 5360 5730 4990 5110	13800 12200 10300 9270 8340 8390 8620 8620 6530 6400 6260 5990 6400 20700 12200 9270 7690 6810	4540 4320 4430 4220 4010 4010 4760 4540 4010 3710 3810 3910 4980 6060 6060 5810 4980 4430 4320	8760 9450 34000 25500 17000 12500 9100 6900 6030 5380 5380 5250 5250 5250 4760 4310	6900 6600 6310 6600 5630 5250 5120 5250 5250 5000 4760 4200 4100 4000 4310 3930 3930 3930 5130	5000 4840 4420 4100 3800 4100 4310 4880 5120 3320 3320 3320 3320 3140 2970	2720 2630 2630 8790 8550 5080 3320 3630 6270 2470 2470 2470 2470 2470 2470 2470 2	7350 6810 6810 6290 5920 5870 5550 5430 6160 7080 7080 7080 6810 6040 6550 6420 5570 5310	6720 6720 5740 5620 5480 6220 19800 23800 8140 6980 5620 5510 5510 5280 4940 4940	6980 6460 8220 5980 61900 5860 5400 5160 5050 4940 4830 4720 45980 13900 12600	8020 9350 11200 10800 10700 18300 12900 10100 7720 7160 10600 13500 13500 13100 12200 12300 12300 15900	5470 5360 5360 5360 5470 5830 5470 5120 4670 4560 4120 4010 3900 4120 4340 4340 4340 4340	8780 7540 6850 7540 8140 9120 13400 11300 8140 7540 6850 7120 14400 9120 7540 6590 5950	8300 23200 23200 29400 16200 10200 10200 9320 9500 21400 34200 14200 14200 14200 14200 24900	10900 10900 12400 17000 20000 17000 8600 7700 7400 7400 7400 5750 6500 11000 21000 21000 229000 12700
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	4150 4360 5180 5430 4580 4580 4580 17000 17000 17000 17000 17100 6390 6670 5180 3950 4700 3950 4510	4810 4810 5560 7550 5970 4930 4470 3850 3650 3650 37250 7100 6670 5430 64470 6370 64470	7100 6950 6390 6810 7550 109900 17300 19900 10000 8770 8450 8770 9090 10400 9090 11100 9090 7100 6250 6810	4700 4470 4810 4930 5180 5180 5180 3950 3450 3450 3450 3450 3750 6820 16000 10700 6530 4810 3850	8130 8040 7880 6980 6980 6980 6980 6980 6840 7420 6660 6840 6170 6040 6170 6300 5780 5660 6230 8040	8300 7990 7390 7390 7540 7590 7990 7240 6400 6120 6260 5990 8300 6960 6120 5360 5730 4990 5110	13800 12200 10300 9270 8940 8300 7990 8620 8620 6530 6400 20500 6400 20500 9270 7690 6810 6260	4540 4320 4220 4430 4320 4220 4010 4010 4760 4540 3710 3810 4980 6060 6060 6060 4320 4320 4320 4350	8760 9450 34000 25500 17000 12500 9100 6900 6030 5380 5250 5250 5000 4760 4530 4310 4200	6900 6600 6610 6600 6170 5630 5250 5120 5250 5250 4760 4200 4100 4000 4310 3930 3930 3930 3930 3430	5000 4840 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320 3320 3420 3320 3140 2970 2630	2720 2630 8790 8550 5080 3320 3630 6270 4530 3800 3140 26310 2470 2470 2470 83200 26400 11200 7070 8950	7350 6810 6810 6290 5920 5870 5570 5550 5430 6160 7080 7080 7080 6810 6550 6420 5670 5310	6720 6220 5740 5620 5280 6220 19800 23800 11700 8140 6980 6460 5860 5510 5510 4940 4940 4940	6980 6460 6220 5980 6100 5980 5400 5160 5050 4940 4940 4720 4720 4720 4720 13900 20400 7540	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7160 13500 13900 13100 12000 12200 12300 15900 11500 21100	5470 5360 5360 5360 5470 5830 5470 5120 4670 4560 4120 4010 3900 3900 4120 4230 4230	8780 7540 7540 6850 7540 7540 9120 13400 11300 8140 7540 6850 7120 14400 13900 9120 7540 7540 6590 5590	8300 8900 23200 29400 16200 12300 10200 9320 9500 21400 35400 34200 14200 14200 14200 14200 14200 14200 8600	10900 10900 12400 17000 20000 17000 8600 7700 7400 7100 5750 6500 11000 21000 22000 12700 10200 8600
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 22 1 22 23	4150 4360 5180 5430 4580 4580 4580 15600 17000 17000 11100 8150 6390 6530 6670 5180 4700 3950 3950 4510 14500 20600	4810 4810 5560 7550 7550 4930 4470 3850 3850 3850 4580 7250 6670 5430 4470 6370 6810 5560 4470	7100 6950 6390 6810 7550 10900 17300 13200 10000 8770 8450 8770 9090 10400 9090 11100 10700 7100 6810 7850	4700 4470 4810 4930 5180 5180 3150 3650 3450 3450 4260 3750 6820 15600 10700 6530 4810 3850 3450	8130 8040 7880 6980 6840 7120 6980 6840 7880 7420 6660 6840 6170 6040 6170 6370 5780 5660 6230 8040 9170	8300 7990 7390 7390 7540 7990 7240 6810 6420 6260 5990 7300 6960 6120 5360 5730 4990 5110 5110 5230	13800 12200 12200 10300 9270 8940 8300 7590 8620 7540 6400 6260 5990 6400 20700 20500 12200 12200 7690 6810 6260 5990	4540 4320 4430 4220 4430 4010 4010 4760 4540 4010 3710 3810 3910 4980 6060 5810 4980 4430 4320 4650 5570	8760 9450 34000 25500 17000 12500 9100 6900 6460 6030 5500 5380 5250 5250 5250 5000 4760 4530 4310 4200	6900 6600 6610 6600 6170 5630 5120 5120 5120 5000 4760 4530 4200 4000 4640 4310 3930 3900 5130 6170	5000 4840 4420 4100 4100 3800 4100 5120 4640 4000 3320 3320 3320 3140 2970 2630 2970	2720 2630 8790 8550 5080 3320 3630 6270 4530 3140 26310 2470 2470 8390 33200 26400 11200 7070 8950 23900	7350 6810 6810 6290 6040 5920 5570 5550 5430 6160 7080 7080 6810 6550 6420 5670 5310 5310	6720 6220 5740 5620 5400 6220 19800 23800 11700 8140 6980 6460 5860 5510 5280 4940 4940 4940 4940	6980 6460 8220 5980 6100 5980 5400 5160 5050 4940 4720 4720 4500 13900 12600 7540 6220	8020 9350 11200 10800 19000 19000 12900 10100 8670 7720 7160 10800 13900 13100 12000 11200 12300 15900 18500 21100	5470 5360 5360 5360 5470 5830 5470 5120 4560 4120 4230 4120 4010 3900 3800 3900 3400 4340 4230 4340 4230 4340 4230 4360 6360	8780 7540 7540 6850 7540 7540 9120 13400 8140 7540 6850 7120 14400 13900 9120 7540 6590 5590 5590	8300 8900 23200 29400 16200 112300 10200 9320 9320 9320 93400 35400 34200 22000 14200 14200 14200 15000 15000 8600	10900 12400 17000 20000 17000 8600 7700 7400 7100 5750 6500 1000 21000 22000 22000 12700 10900 10200 8600 86950
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 22 12 22 3 24	4150 4360 5180 5430 4580 4580 4470 9780 17000 17000 17000 17100 6530 6670 5180 4700 3950 3950 4510 14500 20800	4810 4810 7550 7550 7550 4930 4470 3850 3650 3650 3650 4580 7250 7100 6670 6470 6810 5560 4470 4150	7100 6950 6390 6810 7550 10900 17300 13200 8770 8450 8770 9090 11100 10700 9090 7100 6250 6810 7850 8450	4700 4470 4810 4930 5180 4700 3950 3650 3450 3450 4260 3750 6820 16000 15600 10700 4810 3850 3450	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6430 6170 6300 6170 5780 6230 8040 9170 8520	8300 7990 7990 7390 7540 7990 7240 6810 6120 6260 5990 8300 6960 6120 5360 5730 4990 5110 5110 5230	13800 12200 10300 9270 8300 7990 8620 8620 6530 6400 5990 6400 20700 20700 12200 9270 6810 6860 5990 6810 6860 5990	4540 4320 4430 4220 4430 4220 4010 4760 3710 3810 3810 3810 4980 6060 6060 5810 4430 4430 4430 4550 5570 5220	8760 9450 34000 25500 17000 12500 9100 6900 6460 5380 5380 5250 5250 5250 5000 4760 4310 4200 4200 4310	6900 6600 6310 6600 5170 5250 5120 5250 5000 4760 4200 4100 4000 4000 4000 4540 4310 3930 5130 8430 6170 4640	5000 4840 4420 4100 3800 4100 4310 4310 4310 3320 3320 3320 3320 3230 3140 2970 2630 2970 2800	2720 2630 2630 8790 8550 5080 3320 36270 2630 2470 2470 2470 8390 3200 7070 8950 2950 40700	7350 6810 6810 6290 5920 5870 5550 5430 6160 7080 7080 6810 6040 6550 6420 5310 8500 7910	6720 6220 5740 5620 5480 6220 19800 23800 8140 6980 5510 5510 5510 5280 4940 4940 4940 4940 4940 4940	6980 6460 6220 5980 6100 5860 5400 5160 5050 4940 4830 4720 4500 4720 5980 13900 12600 7540 6220 5510	8020 9350 11200 10800 10700 18300 12900 10100 7720 7160 10600 13500 13900 12000 11200 12300 15900 15900 16800 21100 16800	5470 5360 5360 5360 5470 6330 5470 4560 4120 4230 4120 4010 3900 3900 4120 4230 4230 6360 6380 9820	8780 7540 7540 6850 7540 8140 9120 13400 13400 6850 7120 14400 13900 9120 7540 6590 5950 5950 5240	8300 8900 23200 29400 16200 12300 10200 9320 21400 35400 35400 22000 14200 14200 14200 15000 10200 8600 8000 8300	10900 12400 17000 20000 17000 11200 8600 7700 7100 5750 11000 16600 21000 22000 12700 12900 10900 10900 6950 6380
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 22 1 22 23	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17100 6390 6530 6670 4700 3950 3950 3950 4700 4510 14500 20600 20800 18600	4810 4810 5560 7550 7550 4930 4470 3850 3650 3650 3650 7250 7100 6670 6810 6810 4470 4150 4050 3450	7100 6950 6390 6810 7550 10900 17300 19900 10000 8770 9090 10400 9090 7100 10700 9090 7100 6250 6810 7850 8450	4700 4470 4810 4930 5180 4700 3950 3650 3450 3450 3750 6820 16000 15600 15600 19700 6530 4810 3850 3450 3450 3450 3450 3450	8130 8040 7880 6980 6980 6980 6980 6980 6980 6660 6840 6170 6040 6170 6300 6170 5780 5660 6230 8040 9170 8520 7120	8300 7990 7390 7390 7540 7990 7240 6810 6400 6120 6260 5990 8300 6960 6120 5360 5730 4990 5110 5230 44750	13800 12200 10300 9270 8940 8390 8620 8620 6530 6400 6260 20700 20700 12200 9270 7690 6810 6260 5990 6810 6260 5990 5630	4540 4320 4220 4430 4220 4010 4010 4760 3710 3810 4980 6060 6060 6060 4980 4320 4650 5570 5220 5100	8760 9450 34000 25500 17000 12500 9100 6900 6030 5380 5380 5250 5250 5000 4760 4510 4200 4210 4310 4640	6900 6600 6600 6510 6600 5120 5250 5120 5250 5250 5250 4760 4310 4310 3930 3930 3930 3930 3930 4640 4640 4640 4640 4640 4640 4640 46	5000 4840 4420 4200 4100 3800 4100 4310 4540 4640 4000 3320 3320 3420 3320 3140 3140 2970 2630 2970 2630	2720 2630 8790 8550 5080 3320 3630 6270 2470 2470 2470 2470 2470 2470 2470 2	7350 6810 6810 6290 5920 5870 5870 5550 5430 6160 7080 7080 7080 6040 6550 6420 5670 5310 8500 7910 6420	6720 6220 5740 5620 5480 6220 19800 23800 11700 8140 6980 6460 5510 5510 5510 4940 4940 4940 4940 4940 6980	6980 6460 8220 5980 6100 5980 5406 5160 5050 4940 4720 4500 4720 5980 13900 20400 7540 6220 5510 5280	8020 9350 11200 10800 10700 18300 12900 10100 8670 7760 13500 13500 13500 12000 12200 12300 11200 12300 11200 11200 11200 1130	5470 5360 5360 5360 5470 5830 5470 4560 4120 4230 4210 4210 4210 4210 4210 4230 4230 4230 4230 4230 4230 4230 423	8780 7540 7540 6850 7540 8140 9120 11300 8140 7540 6850 7120 14400 13900 9120 7540 6590 5590 5240 5120	8300 8900 23200 29400 16200 12300 10200 9320 21400 35400 34200 14200 11600 14200 19000 24900 15000 8600 8300	10900 12400 17000 20000 17000 11200 8600 7700 7100 5750 11000 16600 21000 22000 12700 10900 8600 6950 6380 5380
2 3 4 5 6 7 8 9 10 112 13 14 15 16 7 18 20 21 22 32 4 25	4150 4360 5180 5430 4580 4580 4580 17000 17000 17000 17000 17000 17100 6390 6530 6670 5180 3950 4700 3950 4510 20600 20800 12200	4810 4810 7550 7550 7550 4930 4470 3650 3650 3650 3650 4580 7250 7100 6670 6470 6810 5560 4470 4150	7100 6950 6390 6810 7550 109900 17300 19900 100000 8770 8450 8770 9090 10400 9090 11100 9090 7100 6250 7850 8450 7100	4700 4470 4810 4930 5180 5180 5180 3950 3450 3450 3450 3450 6820 16000 10700 6530 4810 3850 3450 3450 3450 4260 10700 630 4310 4310 4310 4310 4310 4310 4310 43	8130 8040 7880 6980 6840 7120 6980 6840 7880 6660 6840 6170 6040 6170 5780 5660 6230 9170 8520 7120 6840	8300 7990 7390 7390 7540 7540 7990 7990 7240 6410 6260 5990 7360 6360 6360 5730 4990 5110 5230 4400 44750	13800 12200 10300 9270 8940 8300 7990 8620 8620 7540 6530 6400 20500 20700 20500 9270 7690 6810 5990 5600 5990 5530 5530	4540 4320 4430 4320 4430 4220 4010 4010 4540 4010 3710 3810 3910 4980 6060 6060 6080 5810 4980 4430 4320 5570 5220 5100 6750	8760 9450 34000 25500 17000 12500 8100 6900 6460 6030 5380 5250 5250 5250 5000 4760 4530 4310 4200 4200 4310 4640	6900 6600 6610 6600 6170 5630 5120 5120 5250 5250 4760 4200 4100 4000 4310 3930 3900 5130 6170 4640 5120 5900	5000 4840 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320 3320 3420 3320 3140 2970 2800 2970 2800 2550	2720 2630 2630 8790 8550 5080 3320 3630 6270 4530 2310 2470 2470 2470 2470 2470 2300 26400 11200 7070 40700 49100 21300	7350 6810 6810 6290 5920 5670 5570 5550 5430 6160 7080 7080 7080 6810 6550 6420 5670 5310 8500 7910 6420 5790	6720 6220 5740 5620 5400 5280 6220 19800 23800 11700 8140 6980 6460 5860 5510 5510 5280 4940 4940 4940 4940 4940 4940 4940 6980 6980	6980 6460 6220 5980 6100 5980 5160 5160 5050 4940 4720 4720 4720 4720 13900 20400 7540 6220 5510 5280 5270	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7160 10600 13500 13900 13100 12200 12200 12300 15900 18500 13100 9350 9350	5470 5360 5360 5360 5470 5830 5470 5120 4670 4120 4230 4010 3900 3900 4120 4230 4230 4230 6360 9820 7540 5590	8780 7540 7540 6850 7540 9120 13400 11300 8140 7540 6850 7120 14400 13900 9120 7540 6590 5590 5240 5120 5470	8300 8900 23200 29400 16200 112300 10200 9320 9500 21400 35400 14200 14200 14200 19000 24900 10200 8000 8300 8300 8300	10900 12400 17000 20000 17000 17000 17000 11200 8600 7700 7100 5750 6500 11000 21000 22400 12700 10200 10200 6950 6380 5750
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 22 12 22 22 22 25 26	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17100 6390 6530 6670 4700 3950 3950 3950 4700 4510 14500 20600 20800 18600	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3850 7100 6670 5430 4470 6370 6810 5560 4150 4470 4150 3450 3350	7100 6950 6390 6810 7590 10900 17300 19900 10000 8770 9090 11100 10700 9090 7100 6250 6810 7850 8450 7100 5430	4700 4470 4810 4930 5180 4700 3950 3650 3450 3450 3750 6820 16000 15600 15600 19700 6530 4810 3850 3450 3450 3450 3450 3450	8130 8040 7880 6980 6980 6980 6980 6980 6980 6660 6840 6170 6040 6170 6300 6170 5780 5660 6230 8040 9170 8520 7120	8300 7990 7390 7390 7540 7990 7240 6810 6400 6120 6260 5990 8300 6960 6120 5360 5730 4990 5110 5230 44750	13800 12200 10300 9270 8300 7990 8620 6530 6530 6400 20700 20500 12200 9270 6810 6260 5990 6810 6260 5990 6810 5990 5990 5990	4540 4320 4220 4430 4220 4010 4010 4760 3710 3810 4980 6060 6060 6060 4980 4320 4650 5570 5220 5100	8760 9450 34000 25500 17000 9100 6900 6030 6030 5380 5380 5250 5250 5250 4760 4760 4310 4200 4310 4420 4420	6900 6600 6600 6510 6600 5120 5250 5120 5250 5250 5250 4760 4310 4310 3930 3930 3930 3930 3930 4640 4640 4640 4640 4640 4640 4640 46	5000 4840 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320 3320 3420 3320 3140 2970 2800 2970 2800 2550	2720 2630 8790 8550 5080 3320 3630 6270 2470 2470 2470 2470 2470 2470 2470 2	7350 6810 6810 6290 5920 5870 5870 5550 5430 6160 7080 7080 7080 6040 6550 6420 5670 5310 8500 7910 6420	6720 6220 5740 5620 5400 6220 19800 23800 11700 8140 6980 6460 5860 5510 5280 4940 4940 4940 4940 5160 6980 10000 11700	6980 6460 8220 5980 61900 5400 5160 5160 504940 4720 4720 4720 4720 5980 13900 20400 12600 7540 6220 5270 16600	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7160 13500 13900 13900 12000 11200 12300 15900	5470 5360 5360 5360 5470 5830 6330 5470 4560 4120 4230 4120 3900 3900 4120 4230 4230 4230 4230 6360 5470 5570 5710	8780 7540 7540 6850 7540 8140 9120 13400 11300 8140 7540 7120 14400 13900 9120 7540 7540 75590 5590 5590 5120 5120 5470 11300	8300 8900 23200 29400 16200 12300 10200 9500 21400 35400 35400 14200 14200 14200 15000 16000 16000 8000 8300 7700 7400	10900 12400 17000 20000 17000 11200 8600 7100 5750 11000 21000 22000 12000 22000 10900 10900 10900 6380 5880 5850 6120
2 3 4 5 6 7 8 9 10 11 2 13 14 5 16 7 18 9 10 11 12 13 14 5 16 17 18 9 22 22 22 22 22 22 22 22 22 22 22 22 2	4150 4360 5180 5430 4580 4580 4470 9780 15600 17000 17000 17100 6390 6530 6670 3950 3950 3950 3950 4700 3950 3950 3950 3950 3950 3950 3950 5180 4500 4500 4500 4500 4500 4500 4500 45	4810 4810 5560 7550 7550 5970 4930 4470 3850 3650 3650 7250 7100 6670 6470 6370 6810 5560 4470 4150 4050 3260 3350 3260 3160 3650	7100 6950 6390 6810 7550 109900 17300 19900 8770 8450 8770 9090 11100 10700 9090 7100 6250 6810 7850 8450 8450 8450 5050 4930	4700 4470 4810 4930 5180 5180 4700 3950 3450 3450 3450 3750 6820 16000 15600 10700 6530 4810 3850 3450 3450 3450 3450 3450 3450 3450 34	8130 8040 7880 6980 6980 6980 6980 6980 6840 7420 6660 6840 6170 6040 6170 5780 5660 6230 8040 9170 8520 6840 7120 6840 7120 6980 6980 6980	8300 7990 7390 7390 7540 7990 7240 6810 6400 6120 6260 5990 8300 6960 6120 5360 5730 4990 5110 5230 44750 4290 4290 4290 4290	13800 12200 10300 9270 8940 8300 7990 8620 8620 6530 6400 20700 20500 12200 9270 7690 6810 6260 5990 5600 5330 5360 5990 5480 5480 5480 5480	4540 4320 4430 4220 4430 4220 4010 4010 4010 3710 3810 4980 6060 6060 6060 5810 4980 4320 4650 5570 5100 6750 8430 8760	8760 9450 34000 25500 17000 12500 8100 6900 6460 5380 5250 5250 5250 5000 4760 4200 4310 4200 4200 4420 4200 5380 5400 4200 4420 4200 5400 5400 5400 4400 4	6900 6600 6310 6600 5120 5120 5120 5120 5250 5000 4760 4200 4310 3930 4310 3930 5130 8430 4640 5120 5900 16500	5000 4840 4420 4200 4100 3800 41100 4310 5120 3220 3320 3230 3140 2970 2830 2830 2830 2550	2720 2630 2630 8790 8550 5080 3320 3630 6270 2470 2470 2470 8390 3200 26400 7070 8950 23900 40700 49100 21300	7350 6810 6810 6290 6040 5920 5570 5550 5430 6160 7080 7080 6420 5670 5310 5310 6420 5910 6420 5910 6420 5950	6720 6720 5740 5620 5490 6220 19800 23800 8140 6980 5620 5510 5510 5510 5280 4940 4940 4940 4940 4940 4940 6980 10000 11700 8460	6980 6460 8220 5980 6100 5860 5400 5160 5050 4940 4830 4720 4500 7540 6220 5280 5280 5270 16600 15700	8020 9350 11200 10800 10700 18300 12900 10100 8670 7720 7160 13500 13900 13900 12000 11200 12300 15900	5470 5360 5360 5360 5470 5830 5470 5120 4560 4120 4230 4120 4010 3900 3900 4120 4230 4230 4230 6360 5590 7540 5590 5710 9120	8780 7540 7540 6850 7540 9120 13400 11300 8140 7540 6850 7120 14400 13900 9120 7540 6590 5590 5240 5120 5470	8300 8900 23200 29400 16200 112300 10200 9320 9500 21400 35400 14200 14200 14200 19000 24900 10200 8000 8300 8300 8300	10900 12400 17000 20000 17000 17000 17000 11200 8600 7700 7100 5750 6500 11000 21000 22400 12700 10200 10200 6950 6380 5750
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 8 9 20 12 22 32 42 56 27 28	4150 4360 5180 5430 4580 4580 4470 9780 17600 17000 17000 17100 6390 6530 6670 3950 3950 3950 3950 14500 20800 18600 12200 8150 8390	4810 4810 5560 7550 7550 4930 4470 3850 3650 3850 7250 7100 6670 5430 4470 4150 3450 3450 3450 3450 3450 3450 3450 34	7100 6950 6390 6810 7550 109900 17300 19900 100000 8770 8450 8770 9090 10400 9090 11100 6250 7100 6250 7850 8450 7100 5430 5050 4930 5300	4700 4470 4810 4930 5180 5180 3160 3650 3450 3450 3450 3450 3450 3450 3450 34	8130 8040 7880 6980 6840 7120 6980 6840 7420 6660 6430 6170 6040 6170 5780 6230 8040 9170 6840 7120 6840 7120 6980	8300 7990 7990 7390 7540 7990 7240 6810 6120 6260 5990 8300 66120 5360 5730 4990 4990 4290 4290	13800 12200 10300 9270 8940 8390 8620 8620 6530 6400 5990 6400 20700 20700 12200 9270 6810 6260 5990 6810 6260 5990 5480 5990 5480	4540 4320 4420 4430 4220 44010 4010 4540 4010 3710 3810 4980 6060 5810 4980 44320 4650 5520 5100 6750 8430 10200	8760 9450 34000 25500 172500 9100 6900 6030 5380 5380 5250 5250 5250 4760 4310 4200 4200 4200 4200 4200 4200 4200 5380	6900 6600 6600 6510 5630 5250 5120 5250 5000 4760 4200 4100 4000 4100 4310 3930 3930 3930 3930 5130 8430 6170 5120 5950 12700	5000 4640 4420 4200 4100 3800 4100 4310 4880 5120 4640 4000 3320 3320 3320 3420 3230 3140 2970 2630 2970 2630 2550 2550 2470	2720 2630 2630 8790 8550 5080 3320 36270 2470 2470 2470 2470 2470 2470 2470 2	7350 6810 6810 6290 6040 5920 5870 5550 5430 6160 7080 7080 7080 6040 6550 6420 5570 5310 8500 7910 6420 5790 6420	6720 6220 5740 5620 5400 6220 19800 23800 11700 8140 6980 6460 5620 5510 5510 5280 4940 4940 4940 4940 4940 4940 6980 10000 11700 8460	6980 6460 8220 5980 6100 5860 5400 5160 5050 4940 4830 4720 4500 7540 6220 5510 5280 5270 16600 15700	8020 9350 11200 10800 10700 18300 12900 18300 12900 10600 13500 13500 13100 12000 12200 12300 11200 13500 11200 13500 11200 13500 11200 13500 11200 11	5470 5360 5360 5360 5470 5830 5470 5120 4670 4120 4230 4010 3900 3900 3900 4120 4230 4230 4230 6360 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 7540 9820 9820 9820 9820 9820 9820 9820 982	8780 7540 7540 6850 7540 8140 9120 13400 8140 7540 6850 7120 14400 5950 7540 6590 5590 5120 5120 5470 11300	8300 8900 23200 29400 16200 112300 10200 9320 9500 21400 35400 14200 14200 14200 14200 15000 8000 8300 8300 8300 7700 7400 7100 6250 6090	10900 12400 17000 20000 17000 11200 8600 7700 7100 5750 11000 16600 22000 12700 22000 12700 10900 10900 6380 5380 5380 5400 6120 6380

Month = May

<u>Da</u>	<u>1951</u>	<u>1952</u>	<u>1953</u>	<u>1954</u>	<u>1955</u>	<u>1958</u>	1957	<u>1958</u>	<u>1959</u>	<u>1960</u>	<u>1961</u>	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>	<u>1967</u>	<u>1968</u>	<u>1969</u>	<u>1970</u>	
1	7700	30000	7080	7110	9850	6000		19400	6880	6000	7280	5500	5970	6170	6760	3740	1970	5990	5970	5120	
2		29400	6590		10600	5880		19000	5750	7400	8000 9570	8540 6810	5930 5950	6120	6120 12500	3780 3750	5720 1950	6040 8400	8840 5930	5140 5120	
3 4		26000 20000	4370 2770	4060 9450	9640 8360	8360 14400		24400 21000		10000	8450	5620	5950		13700	3860	1990	5840	5990	5210	
5		15400	6860	9380	8370	8910		21000		11000	8000	5880	5920		13800	3800	2010	5910	7010	5220	
6		13000	7220	8900	8680	8600		32600		11000	6160	5620	5950	6200	9500	4010	2030	5960	6330	5180	
7	8000	8900	8160	8900	7660 7700	8600 8740		33900 21800	11300 8240	6600 9600	6040 8450	7150 7930	5940 6430	6210 6200	8600 8300	3990 3990	2010 7600	5940 5960	5830 9740	5670 8300	
8 9	7250 7100	7250 6500	6870 6820	5820 2480				23000		14600	8920	9090	5960	9200	8600	3980	5940	5960	6790	10400	
10	6250	6800	3270	2320	9220	11500	8000	22500		14600	9780	10400	5970	8490	8600	6440	6130	8550	5830	5020	
11	6250	6650	2570	7780				23500			15000 13600	9390 8900	5980 5980	8520 9690	8600 8600	6290 6230	6190 6170	5940 5910		13000 12900	
12 13	5750 6380	6120 6120	6790 6770	8980 9220	7980 8560	9280 8300		25000 26300			10700	8300	5920	7970	8270	6250	6530	5940	6470	13400	
14	8900	6800	6800	9500	9720	9200		24000		14600	5660	8300	6010	6500	6010	6290	6170	5910	8380	13900	
15	8300	9200	6790	7070	8000	8800		24500		14600		8000	6060	6010	6200	6260	6340	5860	6430	5050	
16	6380	9200	6440	2000	9390 8300	8600 8600		24000 24500	5750 5610		16100 17400	8900 8900	6020 6040	6170 6160	6210 6210	6250 6250	6220 6170	6330 5890	6000 5990	5100 5110	
17 18	5620 5120	8900 8900	2590 2540	1240 3530	9140	8300		26000	6870		16400	8600	6010	6170	6180	6320	6540	5840	6010	5180	
19	4500	7700	6260	4060	7670	2430		24500	8070		16000	8900	5980	6150	6160	6280	6240	5890	5990	5250	
20	4750	7400	5880	4630	8120	2250		23500	7660	9800	8110	8300	5940	6150	6110	6240	6190	5860 5960	6050 5930	5230 5260	
21 22	4750 5000	7700 4880	5100 4840	8590 7590	7490 3150	4930 5340		25500 22500	8100 7600	6000 6000	5660 7420	8000 8100	6000 5970	6180 6180	6150 6170	6160 6070	6180 6170	5940	5990	5240	
23	4750	4500	4750	3450	2880	4650		19500	5750	7400	8600	6000	5950	6110	6140	5450	6200	5890	5890	8980	
24	5000	7620	2430	2920	9140	4500		19500	5880	8600	8600	8580	5930	6090	6260	3920	6170	6200	5980	5020	
25	5000	8300		10800	12900	2890	5750	9760 15200	6000	9200 11500	8600 10400	6250 6250	5930 5950	6390 4660	6160 3890	3980 3930	6160 6160	5890 2420	5800 5920	5100 5120	
26 27	4750 4400	8000 8300		10200	10600	2480 2480		19000		11000	11300	5750	5970	7610	2740	3940	3720	2230	6050	5140	
28	4100	9850		10800		2800		17600		11000	5910	5750	5970	3600	3460	3940	2000	4910	5940	5140	
29	4000	9850	4490	10600	2720	2560		18000		15000	7700	5750	5910	2140	2430	3920	4840	6840	10100	5130	
30	3900 4000	9500 8900	4430 2250	3400 2720	2560 3460	2180 2860	3250 9080	14700 7420		15000 15000	8300 8300	5750 5750	5940 5940	2240 2130	2440 2210	3940 3950	2080 8030	2240 6090	6020 5900	5150 5150	
31	4000	6300	2230	2720	3400	2000	3000	,420	3000	13000	0000	3,30	0040	2,00			0000			0.00	
Da	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	<u> 1985</u>	<u> 1986</u>	1987				
	5000	44200	40400	44500	4.6700	64.40	6220	25200	45000	49400	6110	7100	25700	20000	2080	5980	35000				
1 2		11300 10300			6550	6140 6140		35300 34600			6160		25800		4620		35100				
3		11600			6210			34600			6160	9740	25800	19500	3320		35200				
4		13400		6950	6250			34700			6130		25800		2040		35300				
5		18300 15700		6740 14000	6260 6320	9020 6390	11900 9660			13900 13900	6110	11100	24200		2040 4880		35200 35200				
6 7		15300				6210	6210			13900	6080		20300		6110		34800				
8		16300	19800	15700	10300	6200	6260	34600	13700	13900	2350		20200		6040		35000				
9	5960					6250	6230		15400		2280		20200		6060 6030		34700 35100				
10 11	6120	19400 19400		6130	8660 7220	6340 6290		34700 34600		6220	2310 3100		20200		6040		34800				
12		15300			12900	7050	6240		6150	8660	8980		20200		6050		34900				
13	8170	7030	8360		13700	6290	6210		6250	9990	2290		19900		5930		34700				
14	13900	6610 14100		12000		7680 6200	6220 6240	34400 34500	6340 6170	9100 6170	2280 2870		19000		6170 2450		34800 32400				
15 16		14100		12300	11000	0200							19000		2320		29800				
17	7470	19500	14300	14800	15100	6240	6280	34300	6180	6160	2270	0030		12200	2320	0000	23000				
		19500 19600			15100 6450		6280 6230	34300 34700	6180 6890	6070	2270	8570	19100	12000	2130	6010	29800				
18	15500 15800	19600 19400	15200 9440	14800 13500	6450 6210	6310 6300	6230 11800	34700 34700	6890 10600	6070 6120	2270 2570	8570 7330	19100 19200	12000 8400	2130 2060	6010 6000	29800 26700				
19	15500 15800 19400	19600 19400 19400	15200 9440 5770	14800 13500 6200	6450 6210 6380	6310 6300 6320	6230 11800 6240	34700 34700 34700	6890 10600 6190	6070 6120 10800	2270 2570 7480	8570 7330 5980	19100 19200 19200	12000 8400 6930	2130 2060 2000	6010 6000 6100	29800 26700 24600				
	15500 15800 19400 19500	19600 19400	15200 9440	14800 13500 6200 6200	6450 6210	6310 6300 6320 6300	6230 11800 6240 6260	34700 34700	6890 10600 6190 6120	6070 6120 10800 6180	2270 2570	8570 7330 5980 6010	19100 19200	12000 8400 6930 6180	2130 2060 2000 1990 2030	6010 6000 6100 6010	29800 26700				
19 20 21 22	15500 15800 19400 19500 19500 19500	19600 19400 19400 19500 19500 19600	15200 9440 5770 5810 5780 9270	14800 13500 6200 6200 6200 8870	6450 6210 6380 6290 12300 13800	6310 6300 6320 6300 6280 6250	6230 11800 6240 6260 6340 6310	34700 34700 34700 34700 34600 34700	6890 10600 6190 6120 12100 12500	6070 6120 10800 6180 6870 10100	2270 2570 7480 3900 3690 2250	8570 7330 5980 6010 5990 6050	19100 19200 19200 19400 19200 19100	12000 8400 6930 6180 11900 13600	2130 2060 2000 1990 2030 2070	6010 6000 6100 6010 6520 6040	29800 26700 24600 24900 24800 24800				
19 20 21 22 23	15500 15800 19400 19500 19500 19500	19600 19400 19400 19500 19500 19600 19500	15200 9440 5770 5810 5780 9270 15300	14800 13500 6200 6200 6200 8870 14400	6450 6210 6380 6290 12300 13800	6310 6300 6320 6300 6280 6250 6240	6230 11800 6240 6260 6340 6310 6320	34700 34700 34700 34700 34600 34700 34100	6890 10600 6190 6120 12100 12500 12900	6070 6120 10800 6180 6870 10100 11000	2270 2570 7480 3900 3690 2250 2240	8570 7330 5980 6010 5990 6050 6030	19100 19200 19200 19400 19200 19100	12000 8400 6930 6180 11900 13600 8780	2130 2060 2000 1990 2030 2070 2210	6010 6000 6100 6010 6520 6040 6030	29800 26700 24600 24900 24800 24800 24000				
19 20 21 22 23 24	15500 15800 19400 19500 19500 19500 19500	19600 19400 19400 19500 19500 19600 19500 19400	15200 9440 5770 5810 5780 9270 15300 16200	14800 13500 6200 6200 6200 8870 14400 11600	6450 6210 6380 6290 12300 13800 13800 8900	6310 6300 6320 6300 6280 6250 6240 6290	6230 11800 6240 6260 6340 6310 6320 6270	34700 34700 34700 34700 34600 34700 34100 26300	6890 10600 6190 6120 12100 12500 12900 6390	6070 6120 10800 6180 6870 10100 11000 6160	2270 2570 7480 3900 3690 2250 2240 2250	8570 7330 5980 6010 5990 6050 6030 6020	19100 19200 19200 19400 19200 19100 19100	12000 8400 6930 6180 11900 13600 8780 7920	2130 2060 2000 1990 2030 2070 2210 2110	6010 6000 6100 6010 6520 6040 6030	29800 26700 24600 24900 24800 24800 24000 20200				
19 20 21 22 23 24 25	15500 15800 19400 19500 19500 19500 19500 19500	19600 19400 19400 19500 19500 19600 19500	15200 9440 5770 5810 5780 9270 15300 16200 14700	14800 13500 6200 6200 6200 8870 14400 11600 6530	6450 6210 6380 6290 12300 13800 13800 8900 6290	6310 6300 6320 6300 6280 6250 6240 6290 6300	6230 11800 6240 6260 6340 6310 6320 6270 6180 6150	34700 34700 34700 34700 34600 34700 34100 26300 25600 25600	6890 10600 6190 6120 12100 12500 12900 6390 8830 11000	6070 6120 10800 6180 6870 10100 11000 6160 8070	2270 2570 7480 3900 3690 2250 2240 2250 2260 4650	8570 7330 5980 6010 5990 6050 6030 6020 6360 5940	19100 19200 19200 19400 19200 19100 19100 17900 15300	12000 8400 6930 6180 11900 13600 8780 7920 8160 8070	2130 2060 2000 1990 2030 2070 2210 2110 4880 6190	6010 6000 6100 6010 6520 6040 6030 6030 6050 3920	29800 26700 24600 24900 24800 24800 24000 20200 20100 20200				
19 20 21 22 23 24 25 26 27	15500 15800 19400 19500 19500 19500 19500 19500 19500 19500	19600 19400 19400 19500 19500 19600 19500 19500 19500 19500	15200 9440 5770 5810 5780 9270 15300 16200 14700 11300 6070	14800 13500 6200 6200 8870 14400 11600 6530 5900	6450 6210 6380 6290 12300 13800 13800 6290 6290 6260	6310 6300 6320 6300 6280 6250 6240 6290 6310 5790	6230 11800 6240 6260 6340 6310 6320 6270 6180 6150	34700 34700 34700 34700 34600 34700 34100 26300 25600 25600 25700	6890 10600 6190 6120 12100 12500 12900 6390 8830 11000 6270	6070 6120 10800 6180 6870 10100 11000 6160 8070 8140 10200	2270 2570 7480 3900 3690 2250 2240 2250 2260 4650 2530	8570 7330 5980 6010 5990 6050 6030 6020 6360 5940 6010	19100 19200 19200 19400 19200 19100 19100 17900 15300 12600	12000 8400 6930 6180 11900 13600 8780 7920 8160 8070 6140	2130 2060 2000 1990 2030 2070 2210 2110 4880 6190 6190	6010 6000 6100 6010 6520 6040 6030 6030 6050 3920 2260	29800 26700 24600 24900 24800 24800 24000 20200 20100 20200 20100				
19 20 21 22 23 24 25 26 27 28	15500 15800 19400 19500 19500 19500 19500 19500 19500 19500 19500	19600 19400 19400 19500 19500 19600 19500 19500 19500 19500 19400 19300	15200 9440 5770 5810 5780 9270 15300 16200 14700 11300 6070 12500	14800 13500 6200 6200 8870 14400 11600 6530 5900 5950 8330	6450 6210 6380 6290 12300 13800 13800 6290 6290 6290 6230	6310 6300 6320 6300 6280 6250 6240 6390 6310 5790 2280	6230 11800 6240 6260 6340 6310 6320 6270 6180 6150 6100 2330	34700 34700 34700 34700 34600 34700 34100 26300 25600 25600 25700 25600	6890 10600 6190 6120 12100 12500 12900 6390 8830 11000 6270 6280	6070 6120 10800 6180 6870 10100 11000 6160 8070 8140 10200 11000	2270 2570 7480 3900 3690 2250 2240 2250 2260 4650 2530 3940	8570 7330 5980 6010 5990 6050 6030 6020 6360 5940 6010	19100 19200 19200 19400 19200 19100 19100 17900 15300 12600 9490	12000 8400 6930 6180 11900 13600 8780 7920 8160 8070 6140 6220	2130 2060 2000 1990 2030 2070 2210 2110 4880 6190 8110	6010 6000 6100 6010 6520 6040 6030 6050 3920 2260 2820	29800 26700 24600 24900 24800 24800 20200 20100 20200 20100 20100				
19 20 21 22 23 24 25 26 27 28 29	15500 15800 19400 19500 19500 19500 19500 19500 19500 19500 19400 15600	19600 19400 19400 19500 19500 19600 19500 19400 19500 19400 19300 6570	15200 9440 5770 5810 5780 9270 15300 16200 14700 11300 6070 12500 12800	14800 13500 6200 6200 8870 14400 11600 6530 5900 5950 8330	6450 6210 6380 6290 12300 13800 13800 6290 6290 6260 6230 6270	6310 6300 6320 6300 6280 6250 6240 6390 6310 5790 2280 2270	6230 11800 6240 6260 6340 6310 6320 6270 6180 6150 6100 2330 2270	34700 34700 34700 34600 34700 34100 26300 25600 25600 25700	6890 10600 6190 6120 12100 12500 12900 6390 8830 11000 6270 6280 12300	6070 6120 10800 6180 6870 10100 11000 6160 8070 8140 10200 11000	2270 2570 7480 3900 3690 2250 2240 2250 2260 4650 2530	8570 7330 5980 6010 5990 6050 6030 6020 6360 5940 6600 6400	19100 19200 19200 19400 19200 19100 19100 17900 15300 12600 9490	12000 8400 6930 6180 11900 13600 8780 7920 8160 8070 6140 6220 9450	2130 2060 2000 1990 2030 2070 2210 2110 4880 6190 6190	6010 6000 6100 6010 6520 6040 6030 6050 3920 2260 2820 4720	29800 26700 24600 24900 24800 24800 24000 20200 20100 20200 20100				
19 20 21 22 23 24 25 26 27 28 29	15500 15800 19400 19500 19500 19500 19500 19500 19500 19500 19500 19600 15000	19600 19400 19400 19500 19500 19600 19500 19500 19500 19500 19400 19300	15200 9440 5770 5810 5780 9270 15300 14700 11300 6070 12500 12800 7030	14800 13500 6200 6200 8870 14400 11600 6530 5900 5950 8330	6450 6210 6380 6290 12300 13800 13800 6290 6290 6290 6260 6270 6210	6310 6320 6320 6300 6280 6250 6240 6300 6310 5790 2280 2270	6230 11800 6240 6260 6340 6310 6320 6270 6180 6150 2330 2270 2290	34700 34700 34700 34700 34600 34700 26300 25600 25700 25600 22400	6890 10600 6190 6120 12100 12500 12900 6390 8830 11000 6270 6280 12300 13400	6070 6120 10800 6180 6870 10100 6160 8070 8140 10200 11400 11400	2270 2570 7480 3900 3690 2250 2240 2250 260 4650 2530 3940 4020	8570 7330 5980 6010 5990 6050 6030 6020 6360 6010 6600 6400 6050	19100 19200 19200 19400 19200 19100 19100 17900 15300 12800 9490 8120	12000 8400 6930 6180 11900 13600 8780 7920 8160 8070 6140 6220 9450 13300	2130 2060 2000 1990 2030 2070 2210 4880 6190 8110 6150 6140	6010 6000 6100 6010 6520 6040 6030 6050 3920 2260 2820 4720	29800 26700 24600 24800 24800 24800 20000 20100 20100 20100 20100 20100 19300				

Month = June

<u>Da</u>	1912	1913	1914	<u>1915</u>	1916	<u>1917</u>	<u>1918</u>	1919	1920	<u>1921</u>	1922	1923	1924	1925	<u>1926</u>	1927	1928	1929	<u>1930</u>	
1	5320	9060	4960	5140	11400	4460	3740	6240	3090	7080	5560	4690	8150	4040	2040	3590	4360	7720	3510	
2	5680	7400		11400	9020	3630	5500	5870	2770	5560	5560	5380	7300	3590	2160	3890	4040	7300	3570	
3	5320	7010		53300	6470	4290	5140	7010	2460	4520	7540	4360	6900	3740	3070	4360	3890	6120	3290	
4	5680	7010	2460	60800	3160	4120	3740	9500	3410	4180	16600	4040	7300	3740	2660	4040	4040	6120	3200	
5	4600	6620	1880	60800	3310	3470	3410	7400	4780	11500	26500	3890	6900	3440	2660	3740	6500	6120	2770	
6	4780	5140	3580	17900	3960	3310	4080	16600	16600	14100	16600	3440	6500	3300	2520	3440	8150	6500	2670	
7	4960	4780	3250	13000	6470	4460				10000	19900	3440	6500	3300	2400	3740	7300	6500	2920	
8	4960	5320	2620		16600	5160		22100	13600	7080	15900	3440	6120	3160	2160	6120	6500	5740	2770	
9	7400	9960	2930	4430	21400	9020		13600	9500	4520	12500	3300	6120	2890 3740	2400 2400	4690 3740	5030 4360	8590 15000	3510 4920	
10	6620	9960	3580	6620		14200	2770	9960 7400	7400 5140	4180 3860	9000 8000	3740 3740	10000 13800	4360	2290	3300		22800	6680	
11	4260	7400	2770	5870		25100 35100	3090 2460	7010	4430	4180	7540	3740	9520	3740	2040	3300		22100	6890	
12	4960	4960 6620	2160 2310	4780 4960		17900	3090	13000	4080	3860	6660	5380	6900	3300	1930	3590	4040	10000	6890	
13 14	5500 3910	8210	2020	4080	4980	15300	4430	22100	3740	3860	5920	7300	6500	3160	1930	4040	3890	7720	5480	
15	4080	6620	2930	3740	6470	10900	3410	11400	3410	3540	5560	10000	8150	2890	1820	4040	3890	7300	3800	
16	8210	5870	3250	5500	10900	8130	3090	7400	3090	3860	5560	9040	9040	2510	1820	5030	3740	9520	3200	
17	4960	4080	2460	4430	53300	5340	2770	6240	3090	3540	6280	6900	7300	2640	1720	6900	3740	18600	2840	
18	4960	4600	3410	4780	36900	4800	2160	5500	3410	2930	10000	5380	11000	3,440	1720	5740	3440	12700	3660	
19	6060	3740	2620	5870	13000	4290	1880	4780	3740	5920	13000	4690	13800	3740	1720	4360	3020	9520	4580	
20	6430	3580	2460	4430	11400	3800	2160	3740	4430	4180	12000	4360	8590	3740	1720	3740	3160	7720	7100	
21	6620	3580	2160	3740	8570	3470	4780	3410	4780	4180	17800	4040	6120	3300	1720	3160	3160	6120	6270	
22	5500	3410	2310	3740	9490	2390	3410	3740	8210	3860	16600	3890	5030	3020	1720	3440	3590	5380	4260	
23	4430	4430	2160	3580	6470	3160	4080	4430		3540	11000	3590	4360	2760	1720	3440	3590	5380	3400	
24	7010	9060	1880	3410	8130	3470	3740	6620	11400	3230	7540	3440	4690	2270	2270	3160	3440	5380	2820	
25	5500	13000	1930	2930	9020	5160	3090	6240	7800	3540	6280	3300	5030	2510	3660	3020	3160 3160	5740 9520	3370 3800	
26	7600	7800	2460	2770	7280	3800	4430	5140	10400	3540	4860	3160	5740	2390 2390	3220 2520	3160 3300	3440	13200	3260	
27	6820	8630	1930	2620	6080			23600	9060	3540	4180 4520	3300 3590	5740 5030	2510	2270	2760		16800	3020	
28	4960	9060	3740	2460	4460		13000 11900		8210 7010	3540 6280	5560	3160	5030	3300	2270	2510		13200	3660	
29		10400	7010	2310 1750	4980 5340		11400		6240	5560	6280	2890	6500	4690	1930	2760		11600	3230	
30	11200	9500	5870	1750	5340	3020	11400	23000	0240	3300	02.00	2000	0000	4000		2,00				
					4005	4000	4007	4000	4000	4040	4044	4040	4042	4044	1045	4046	1947	1948	1949	1950
<u>Da</u>	<u>1931</u>	1932	1933	<u>1934</u>	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946				15700
1	3850		20800		6160	3540	4990	4980		18600	2160	4800	6810 6040	5160 4500	6220 5620	7440 6610	4230	20600 14900		31200
2	3980		18900		6530	3640	4070	5220		36000	2160 3000	4580 4290	5670	4720	4940	6090	4010	12100	5380	33600
3	12500		11300		5180	3640	4520 6260	5940 6900		27800 13200	4780	6570	5190	4500	4500	5720	3490	10200		24200
4 5	10900 7400	2620 2540	6950 5300	8150 7400	4500 4220	3640 3640	6120	6320	6750	9100	7500	6070	4840	4830	4060	7440	3490	7260		13000
5 6	5050	2450	4810	7850	6780	3430	5990	5450	5900	7500	6900	6820	4610	4280	3860	8670	3590	6590		11200
7	4360	2290	4050		7570	3640	7690	5330	5120	7350	6460	5360	4390	3750	3750	7440	3390	6200	4750	9850
Ŕ	4050	2450		18600	6350	3850	8940	5100	4200	6750	4640	8210	4610	3450	3650	6090	3290	7980	4880	8000
9	3550	2290		14400	5420	4520	7100	4980	3900	6460	3510	7620	10800	3450	3750	5600	3010	12100	4400	6650
10	3260	2220	3850		7170	5730	7390	6060	4310	5380	3320	7340	21100	3550	3960	5360	2840	11300	4300	5880
11	3070	2140	4150	9950	11800	5480	7390	13800	5250	5380	3140	6820		3450	4280	4900	2680	7840	4200	5750
12	2800	2290	3950	6670	9080	4990	7690	18300	5380	6600	2880			3160	4280	4670	2760	6330	4100	7250
13	2890	5520	4700	5830	6150	4750	9950	13700	5900	7800		30100		4040	4280	5840	2610	5590	4200	6380
14	2620	11200	4260	5180	4950	5730	7240	12100	5380	8430		24800	8200	5280	4500	6160	2840	5120	4300	5880
15	2450	14800	3750	5050	4390	6810	5110	8430	5910	8110	4420		7350	4830	4390	9710	3390	5240	6500	5120
16	3450	12200	3350	4580	4280	7390	4290	6060	9810	8430	5250	10200	6420	4830	4060	10600	6660	6200	7700 6250	4620 4400
17	4360	8450	3350	4050	4400	4990	5860	5570	6310	7050	4530	7900		5050	4170 3960	5960 4900	19700 11300	6200 6980	7100	4300
18	3850	5970	2890	3750	4700	3850	5990	6320	4530	7130	4310	6320	12900 9480	5860 5400	4910	4670	7120	8140	8300	4200
19	3450	4360	2710	4050	4500	3850	11800	16200		17600 16200	3710 2880	5480 5130	8820	4390	4280	4560	5470	6850	10200	4200
20	2980	4580	2710	7950	4700			21700 38800		10800	2630	4910	6810	3650	5400	4560	4780	11700	8900	4880
21	2710	4470 3650	2620 2290	8450 8150	4300 4200	14600 7990		48600	4880	7350	2470	4510	5430	3350	4390	5480	4780	8460	6500	7250
22 23	2290 4950	3450	2290		4000	5480		55900	4760	5380	2390	5710	4960	3350	4830	6610	6590	6460	5620	8600
23	11400	3160	2220	4150	4000		5110		4000	4640	2720	5130	5070	3070	4060	5480	5830	9820	5380	11300
25	10400	3160	2220	3550	3440	5730	4870		3700	4530	3700	4580	5920	2980	3350	4670	4900	9460	5120	12200
26	7440	2800	2600	3550	3140			15000	4000	4000	2720	4480	5430	2980	2980	3990	4230	10500	4880	8300
27	4810	2450	6530	3350	3050	5230	6400		3700	4880	2470	4270	4840	3450	2810	3770	4120	8460	4400	6000
28	3750	2300	5560	3450	2960	4290	8150		2890	5500	2720	4170	4170	2980	2730	3770	3800	6080	4400	5250
29	2710	2710	5050	2980	2870		5360	31500	3140	4640	2550	6930	3960	2650	2810	5480	4120	6460	5250	5000
30	2450	2220	5050	2800	3050	3640	4870	25200	2970	4200	3590	6320	3350	2500	2650	6090	4230	6330	12800	5250

Month = June

									11117 -	vane										
<u>D</u> a	1951	1952	1953	<u>1954</u>	1955	<u>1956</u>	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970
1	4000				6070	3170	2180	5580		15000	8000				2100	3950	9420	1870	5900	5140
2	3900 3700			3660 3830	7180 7300	7360 2440		12100		15000	8000				5280	3820	9670	1860	6090	5180
4	3600			3920	7290	3280		11700 12400		15000 14500	7610 5780	5750 5750		3850 4370	2660 2470	3780 3800	2110 1960	9910	2000	5800
5	3800			2700	1700	5130		11200	6060	6000	7160	6960		3160	2270	3820	9250	4240 8460	2200 2380	5110 9660
6	5620	5620		1350	2040	4040			2220	4000	8000	6370		2190	2580	3760	6660	11300	4270	5170
7	8600	5120		2040	4030	5060		6840	2040	5600	8300	7820		2160	8070	3720	10100	9600	2190	5100
8 9	6800	4750		3460	4090	4460	3080	5620	5780	4600	8300	8230		5150	6870	6390	9930	9560	2430	3190
10	6500 7400	4300 4100	4330 3980	4470 3300	7900 6880	2920 1300	2040 11800	8560 7600	6930	4600	11100	5750			2570	5280	9840	2330	2500	2020
11	12000	3800	3890	2770	5730	4630	9640	10000	5230 6.810	5000 2900	6080 5910	5750 5750	5990 5630	13100 6600	2600 6220	3700 3680	3720 2030	8940 8820	2280	1960
12	12300	3500	3750	3080	3880		11600	8450	8040	2100	7160	7040	5850	2130	2560	3690	3950	6670	2370 9750	7790 5270
13	9500	3600	6470	1410	10500	4590	12300	9980	2280	6600		12700	5240	2130	2480	3680	5770	3440	11400	2390
14	7100	3500	5650	2280	11700	5390	11500	5750	2040	7640		15800	6160	2120	2580	3670	2190	2050	2750	2420
15 16	8550 15000	3410 3410	3130 4240	4120 3800	10300 9920	5760 2400	2190	5620 4090	3200	8270		18500	2280	12100	2700	3730	2720	2200	2760	2220
17	11600	3600	4110	3000	9830	1080	2040 7120	8260	4010 3590	8440 9180		18500 16100	2440 2440	6020 2410	5840 7820	2750 2060	4170 2580	2110	2840	2650
18	7700	4300	5860	3170	9070	3770	10300	10100	4200	2670		15300	7030	3150	4450	2350	2670	5590 8520		10800 10800
19	10100	4620	8240	2940	1900	3100	8820	8760	3460	2120		18500	7230		2420	2300	2270	9880	5380	5440
20	17500	4750	7720	1600	2320	3010	6840	7600	2520	6270		18500	5910	8160	2330	2350	2460	7990	5340	2390
21 22	15000 9200	4620 4750	2480 2390	2180 3560	3780 4870	5440	5280	2110	2110	7420		18500	4880	2440	2520	2360	7300	4970	2640	2270
23	6950	3800	7530	3560	5120	4880 2400	2110 2040	1970 6030	6800 3080	9700 9790	16700 18200	18500 8280	2390 2600	7480 6250	8040 12000	7020	5030	9140	2530	2080
24	5880	3500	6100	3570	5280	1160	5250	7060		10200	15300	2420	2630	7270	5150	7160 2680	6510 2810	5810 11000	8500 8030	2450 2230
25	5500	4100	5080	3580	2040	4490	13700	11900	5000	3800	2320	7050	2360	2490	2300	2570		10900	7520	2150
26	5120	5120	3810	3400	1900	4290	7080	12400	3930			9040	2410	2740	2500	2600	2640	10700	2700	2250
27 28	4880 4880	5000 4300	3800 2560	1220 1900	1970 2400	4250 3540	6040 5700	1090¢ 3710	2570	3110	19000		4600	2420	2300	2750	2700	6570	8870	2190
29	6250	3800	2320	2440	2720	4290		4140	2550 5390		16900 19000		5610 2940	3060 6680	4220 5910	2710 2900	2640 2470	1980 2010	9420	2090 2080
30	9200	3230	4250	3400	2720	2020	2180	9970	4540		19000		3170	9810	4850	2660	6130	2210	2840 4210	1970
																	0.00		4210	
																	•			
Da	1971	1972	1973	<u>1974</u>	<u>1975</u>	1976	1077	4070	4070	4000	4004	4000	4000	4004	4005	4000	400=			
<u>5 a</u>	7411	10/2	1013	1374	1973	1370	<u>1977</u>	<u>1978</u>	<u>1979</u>	<u>1980</u>	<u>1981</u>	<u>1982</u>	<u>1983</u>	<u>1984</u>	<u>1985</u>	<u>1986</u>	<u>1987</u>			
1	19500	17900	9340	5850	6200	8260	2290	18700	14200	13000	3220	8650	14900	13900	6110	2340	15100			
2		14400		5830	6300	4190	3020	18600		14000	4170		15200		6130		13300			
3		18300			14100	6050		18700		14000	3040		15100		7680		18700			
4 5	19400		11400			7900		18600		12000		11200		10000	7570		10100			
6	19500		12100 12200			5910 2370		18600 18600		8520 6210	4070	9850	6140 14300	9590	6650 6110	2390	8500 11300			
7	19400		12100			4920		18600		9420			14200		5960	4180	8430			
8	19300	6130	12100	7580	6240	7210		18700	13600	6160			11900		2250		18300			
9	19400	6120	8660		14200	8950		18600	9480	6210		13900	9660	11600	3840		13900			
10 11	19500 18800	6050 6030	6100 11400	14700 14600	14200 14200	5530		18600	11500	6140		15300	10300	8920	8620	2180	8960			
12	6250	3430	13200		14300	5550 2380		18600 16000	7710 6210	6130 4420		18100 18100	6390	12700 6970	8180 2480	2130	9630 10800			
13	9810	1840	9510	3140	9730	2340		12000	6270	2220	10300			9920	3860	2320	7950			
14	12700	1890	8790	2050	6080	4360	2330	14800	6280	2230	10600			10100	2070	2530	8060			
15	12300	9080	7820	2610	3720	3720		18600	2360	2220		18100	4500	4480	2090		10600			
16 17	15300 4820	10700 2240	4810 7540		11000	2470		18600	2520	8170		18100	3490	2030	2110	5590	5950			
18	10000	2050	2120		13900 13800	2470 2920	2290	18500 2850	2400 5770	6520 8730		18100 18200	10300 2520	2130 7200	4500	2630	8550			
19	7620	9020	2000	8720	9500	2400	2310		8070	8470		18100	2480	7150	2610 2170	2670 2410	8940 4450			
20	8190	4060	7190	14600	5660	2490	2300		6960	6120		18000	3830	3400	2070	2380	7970			
21	14600	4900		12800	2360	2440	2300		7670	3320	2200	18000	2350	2260	2080	2430	5240			
22	13600			10100	2400	6890	2280		7810	3010		18000	2250	2020	2410	2410	8140			
23 24	11900	19700	5180 11000	4950 2030	2360 6810	7360 8520	2340 2330		8470 2260	7700		18100	2370	2020	2180	2310	6740			
25	14200		10800		11600	7930	3070	2300	5980	3960 2980		18200 17500	2460 2260	2010 2610	3540 2270	2710 2980	9170 3010			
26	11800		8150	1890	2620	7960	2310	3280	8510	5760	2630		3490	2150	2270	4830	2410			
27	10100		8630	1960	2350	2680	2280			10200	2730		9060	2140	2230	5250	2350			
28	13000		9620	2140	2330	8260		11200		10300		14300	9540	2160	2160	3240	2230			
29 30		21900 23700		1930 1940	2330 2370	8470	2270		11900	8770		18200	2260	2040	2210	2160	2130			
50	0000	20700	, , , , ,	1940	23/0	8680	2340	3500	9770	2580	2430	14000	5530	2070	2340	2190	3390			

Appendix Table B-3. Group 1 flow data summary on a weekly schedule, 1 March-30 June, for "optimum flow" years in which the JAI was greater than 5.0 (n=13, years = 1956, 57, 59, 60, 61, 62, 65, 67, 68, 70, 74, 75, and 76).

Week	N	Mean	Max	Min	P5	Q1	Median	Q3	P95
1	91	9673.8	24500	588	1070.0	4090	7940	14600	2400
2	91	8818.3	24000	588	1090.0	4090	8070	12900	19000
3	91	8993.4	22800	602	1092.0	4360	6990	14000	19000
4	91	10042.2	33900	609	975.6	2910	9100	15800	27140
5	91	10360.3	35300	665	1246.0	2830	7820	16000	35200
6	91	11797.0	35500	1530	1884.0	2730	8620	19000	35340
7	91	13608.5	35600	1800	1892.0	2860	17400	19000	35100
8	91	11451.9	35100	1880	2006.0	3800	9520	17900	34940
9	91	7854.1	18300	1930	2270.0	5960	6880	9520	15160
10	91	8084.7	15700	1950	2022.0	6040	8300	9500	14160
11	91	9069.9	16100.	5020	5684.0	6220	8300	11600	14680
12	91	7344.5	17400	2250	5038.0	5890	6210	8110	14560
13	91	6110.4	15000	2000	2236.0	4500	6000	7180	11540
14	91	6934.8	18900	1860	2106.0	4040	5880	8460	15000
15	91	6836.4	17900	1300	2036.0	3720	6080	8950	14240
16	91	5857.8	18500	1080	2004.0	2420	3720	8440	17060
17	91	6186.9	19000	1160	2036.0	2400	4970	8520	17300
18	39	577 7.7	19000	1930	1940.0	2180	4110	7840	19000

Appendix Table B-4. Group 2 flow data summary on a weekly schedule, 1 March-30 June, for "high flow" years (>8,000 cfs) in which the JAI was less than 5.0 (n=9, years = 1958, 71, 72, 73, 78, 79, 80, 83, and 84). The year 1955 was overlooked in the calculation.

Week	N	Mean	Max	Min	P5	Q1	Median	Q3	P95
1	70	14669.1	25700	1050	4871.5	9860.0	14100	19500.0	25600
2	70	14060.9	25800	1120	1658.5	9402.5	13900	19250.0	25700
3	70	13424.5	25600	713	1234.5	6325.0	14550	18625.0	25500
4	70	15388.0	24900	753	1525.0	11900.0	18550	19600.0	22290
5	70	15205.0	20400	1550	1810.0	11575.0	18650	19400.0	20345
6	70	14553.1	20400	1840	1905.5	8457.5	18600	19500.0	20400
7	70	16855.1	31200	1900	3295.0	10737.5	18750	20325.0	29670
8	70	16071.0	31800	2070	2459.5	10700.0	18200	20000.0	25835
9	70	16902.4	35300	4710	5876.5	11300.0	18550	20000.0	25880
10	70	17919.4	34700	5960	6026.5	11110.0	19350	21000.0	34645
11	70	15930.9	34700	5990	6136.5	8267.5	14300	19900.0	34500
12	70	15899.1	34700	2880	5775.5	8330.0	15400	19500.0	34700
13	70	13608.3	26300	2560	6108.5	8415.0	12650	19075.0	25600
14	70	12405.6	19600	1700	4626.0	8245.0	12300	15800.0	19500
15	70	9998.4	19500	1840	3677.5	6137.5	9450	12800.0	19345
16	70	7237.1	18600	1890	2016.5	2872.5	7170	9852.5	18545
17	70	7768.7	23300	1900	1992.0	2397.5	7365	11475.0	19800
18	30	8490.3	23700	2040	2051.0	2720.0	8785	11325.0	23370

Appendix Table B-5. Group 3 flow data summary on a weekly schedule, 1 March-30 June, for "low flow" years (<8,000 cfs) in which the JAI was less than 5.0 (n=8, years = 1963, 66, 69, 77, 81, 82, 85, and 86). The year 1964 was overlooked in the calculation.

Week	N	Mean	Max	Min	P5	Q1	Median	Q3	P95
1	49	7707.76	15700	1130	1185.0	2390.0	8030	13550.0	15550.0
2	49	7311.43	17500	1110	1155.0	2260.0	6680	12750.0	15750.0
3	49	5513.06	17100	1130	1160.0	2405.0	4520	7125.0	14200.0
4	49	3874.29	11500	1090	1120.0	1450.0	3280	6225.0	9810.0
5	53	3568.87	9170	1090	1154.0	2100.0	2640	4980.0	8170.0
6	56	5140.71	18700	2000	2048.5	2260.0	3060	6640.0	14360.0
7	56	4724.11	13900	1970	1978.5	2332.5	2775	6807.5	12180.0
8	56	3786.07	10500	1890	2002.5	2262.5	2530	5112.5	9359.0
9	56	5087.14	12300	2060	2068.5	3320.0	5985	6195.0	7990.0
10	56	6470.18	14400	2040	2244.0	5855.0	6115	6327.5	12275.0
11	56	6005.36	10200	2270	2288.5	5977.5	6185	6345.0	9086.5
12	56	5442.50	11800	1990	2025.5	5560.0	6035	6237.5	7643.5
13	56	4873.21	10100	2110	2208.0	3920.0	5340	6130.0	7685.0
14	56	4388.21	11200	2000	2138.5	2352.5	3810	6080.0	9947.5
15	56	5692.50	18200	2130	2130.0	2350.0	3680	8510.0	18100.0
16	56	5382.14	18200	2060	2070.0	2330.0	2655	5537.5	18100.0
17	56	5297.50	18200	2080	2197.0	2372.5	2720	7125.0	18015.0
18	24	4983.33	18200	2160	2162.5	2287.5	2700	6062.5	17225.0

Appendix Table B-6. The number of days and percentage of time in which the average daily rate of Roanoke River flow (cfs as measured by the USGS gage near Weldon) was within the recommended Q1-Q3 bounds criteria established by the Committee.

		Mar-Jun	Apr-Jun			
Year	n	Percent Q1-Q3	n	Percent Q1-Q3		
1912	69	54.76	50	59.18		
1913	48	38.10	36	36.73		
1914	68	53.97	44	44.90		
1915	59	46.83	38	38.78		
1916	40	31.75	33	33.67		
1917	58	46.03	48	48.98		
1918	48	38.10	35	35.71		
1919	59	46.83	44	44.90		
1920	55	43.65	42	42.86		
1921	83	65.87	60	61.22		
1922	63	50.00	55	56.12		
1923	75	59.52	66	67.35		
1923	64	50.79	42	42.81		
1925	47	37.30	32	32.65		
1925	26	20.63	12	12.24		
	55	43.65	37	37.76		
1927	58	46.03	49	50.00		
1928	70	55.56	57	58.16		
1929	28	22.22	20	20.41		
1930	37	29.37	32	32.65		
1931		42.86	42	42.86		
1932	54 60	53.97	52	53.06		
1933	68 45		35	35.71		
1934	45	35.71	62	63.27		
1935	82	65.08	52	53.06		
1936	69	54.76		67.35		
1937	92	73.02	66	47.96		
1938	72	57.14	47			
1939	81	64.29	69	70.41		
1940	69	54.76	57 22	58.16		
1941	45	35.71	32	32.65		
1942	45	35.71	38	38.78		
1943	81	64.29	67 5.6	68.37		
1944	65	51.59	56	37.14		
1945	60	47.62	48	48.98		
1946	79	62.70	54	55.10		
1947	75	59.52	63	64.29		
1948	63	50.00	48	48.98		
1949	81	64.29	62	63.27		
1950	53	42.06	42	42.86		

Appendix Table B-6. (Continued)

		Mar-Jun	Apr-Jun			
Year	n	Percent Q1-Q3	n	Percent Q1-Q3		
1952	67	53.17	58	59.18		
1951	71	56.35	57	58.16		
1953	78	61.90	58	59.18		
1954	44	34.92	35	35.71		
1955	56	44.44	41	41.84		
1956	47	37.30	46	46.94		
1957	58	46.03	46	46.94		
1958	19	15.08	12	12.24		
1959	54	42.86	49	50.00		
1960	27	21.43	24	24.49		
1961	38	30.16	31	31.63		
1962	51	40.48	46	46.94		
1963	59	46.83	57	58.16		
1964	53	42.06	45	45.92		
1965	53	46.03	37	37.76		
1966	35	27.78	37	37.70		
1967	37	29.37	29	29.58		
1968			50			
	62 53	49.21		51.02		
1969	52	41.27	44	44.90		
1970	45	35.71	38	38.78		
1971	45	35.71	33	33.67		
1972	44	34.92	32	32.65		
1973	23	18.25	14	14.29		
1974	38	30.16	26	26.53		
1975	33	26.19	26	26.53		
1976	55	43.65	48	48.98		
1977	46	36.51	39	39.80		
1978	16	12.70	11	11.22		
1979	27	21.43	27	27.55		
1980	38	30.16	24	24.49		
1981	20	15.87	20	20.41		
1982	45	35.71	33	33.67		
1983	16	12.70	11	11.22		
1984	16	11.11	14	14.29		
1985	28	22.22	23	23.47		
1986	48	38.10	38	38.78		
1987	10	7.94	10	10.20		
1988	51	45.13	49	57.65		

Appendix Table B-7. The number of days (out of 76) and percentage of time that Roanoke River flows (cfs, USGS data) were within the negotiated flow regime Q1-Q3 bounds criteria established by the Committee for the period 1 April to 15 June. Number of days by visual inspection of the data.

	"n" days	PDAYS	
Year	within	within	JAI
1951	49	64.47	
1952	54	71.05	
1953	55	72.37	
1954	31	40.79	
1955	34	44.74	3.27
1956	39	51.32	19.14
1957	42	55.26	5.71
1958	9	11.84	0.15
1959	49	64.47	23.86
1960	25	32.89	5.93
1961	40	52.63	10.33
1962	47	61.84	7.86
1963	51	67.11	4.80
1964	44	57.89	3.14
1965	33	43.42	10.08
1966	26	34.21	3.48
1967	28	36.84	23.39
1968	47	61.84	6.59
1969	41	53.95	2.99
1970	42	55.26	12.45
1971	27	35.53	2.86
1972	26	34.21	2.52
1973	11	14.47	1.95
1974	24	31.58	5.52
1975	27	35.53	10.80
1976	49	64.47	10.52
1977	36	47.37	3.63
1978	11	14.47	0.59
1979	. 22	28.95	0.55
1980	22	28.95	0.46
1981	17	22.37	0.09
1982	35	46.05	3.80
1983	8	10.53	0.84
1984	14	18.42	0.36
1985	27	35.53	0.32
1986	36	47.37	0.11
1987	11	14.47	0.30

Appendix Table B-8. Estimated number of striped bass eggs produced in the Roanoke River, NC, for the period 1963-1985 (from the annual reports of W.W. Hassler). No data available for 1971 or 1978.

Mo Da	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>	<u>1967</u>	1968	1969	<u>1970</u>	<u>1972</u>	<u>1973</u>	<u>1974</u>
Apr 15	0										
Apr 16	0	•									
Apr 17	0	•	•	•	•		•	•	•	•	•
Apr 18	8614574	•	•	•	•	•		•	•	•	•
Apr 19	4271554 29911101	•	•	•		•	•	•		•	•
Apr 20 Apr 21	32117818	•	2762766	•	2908310	•	•	•	•	•	•
Apr 22	1855181	•	1656220	:	21154599	· ·			,		-
Apr 23	524089		13328648		150653541						
Apr 24	0	36535162	1258982	•	18378822	0	•		•		
Apr 25	0	12065023	1666300	:	9403330	0	•	•	•	•	•
Apr 26	0	3240027	874293	3710602	23259897	385718		•	•	•	•
Apr 27 Apr 28	220408	12881936 11226436	5308913 1843154	10064655 8190480	6759004 14326885	2449460 1262685	U	ō	•	•	•
Apr 29	221304 0	19080159	1080832	1053832	3186027	11753584	4982853		•	6453054	:
Apr 30	ŏ	22633903	1332011	4323893	7610052	4670576	15776771	35856299	•	6453054	
May 1	Ō	3679745	620337	5110757	47180502	760326	5838220	. 22730332		17736679	36489903
May 2	681779	7826908	1398869	39555072	34793416	6951555	20898894	14880364	19852699	38776643	58521364
May 3	904401	1785101	9563120	12955171	182248227	712086	70501548	37213716	35115216	27760551	44182651
May 4	2560150	1908016	53539132	3785174	3013071	12499716	118122127	75388845	184570485	24088521	7370392
May 5	2560150	1922416	9534937	42120321 6491574	5516377 3377188	65802377 113231229	263681626 128396716	3757403 23814712	166415924 98105997	2056337 2056337	30405235 257692612
May 6 May 7	1001798 528727	3570201 8238926	148652 44 6771656	74009622	21974480	1138638	42389273	100974053	299484454	4810360	11983779
May 8	1850543	9749396	51544201	830261547	29417388	2024245	61164458	235580820	934838696	38996965	17176462
May 9	80829384	32236726	43793902	11978843	3157741		1210124370		1130351194	82400367	10502620
May 10	64351584	250588831	21661895	17678513	6351481	11265008	134432886	15560461	11122518	16744459	18155875
May 11	62612352	461626704	51099854	4150680	1823981	885585780	10780341	117431539	16955512	36499984	99675470
May 12	60441790	25560213	176272898	4482037	6788628	9220191	16027848 20871637	150132308	16131822 5985061		1138623247
May 13	8751815 23417020	30089051 13342760	125250187 14719597	5519309 8749821	12024203 16808643	4879018 32898154	97778872	464095 27349428	39850007	12928428 28950516	31988014 15409568
May 14 May 15	56892967	96545605	36628042	59358632	8146354	6283287	582872269	83190007	126995170	129341364	26132101
May 16	48086286	115162388	14377080	897796	8662289	14618282	9923328		1664454739	15336128	73024448
May 17	3926079	5159357	55872466	4710176	11880099	30730113	10884999	71329349	4021307	14134438	22084022
May 18	970966	28376465	54085308	101411919	8309281	42656190	24306580	53212352	5671876	32676855	66240552
May 19	90961201	32406442	20009892	433531401	38108889	18536349	42782499	40484909	10530502	. 10409744	29314530
May 20	87372849	14829778	11146001	3330953	151046973	26981865	13545164	80172771	9918687	123141598	58934341 10045317
May 21 May 22	72073774 10455472	15516644 1647785	3778591 4535112	10253091 11448404	106065524 166484313	52578438 9754333	37210167 26745600	44912946 12242365	1853907 6785609	299410175 23926519	34766004
May 23	56695959	2608993	3000316	14698511	1018294	11128258	38062645	22621971	12234245	19927297	19131588
May 24	2575170	1716410	4238264	29083099	2199515	59226511	80261383	8728170	2333918	21800753	6197811
May 25	7739582	188208	2139446	20192312	1126912	5868460	7087996	12191817	13890574	14302405	8469738
May 26	9442291	317084	1427155	14040118	1588539	3384028	12822433	10641513	108944644	8691501	9564559
May 27	7035984	26585	536919	7830066	4512892	3768603	35658297	9324138	5136069	7678144	5214798
May 28	8907556	•	0	7863700	75844043 58286543	10876205 287282	13082252 27686339	12018822 11462370	449875	20453313 10437516	1902050 4110616
May 29 May 30	13565377 30254731	•	•	5168615 3375028	2403277	3782191	7283375	316282	•	18570395	3806566
May 31	8302461	:	:	00.0020	11583096	1475189	13826687			43848365	2568670
Jun 1	3109905				1860701	6157594	7400684			8434562	2249296
Jun 2	1785348				4651753	1944016	10130176	•	•	932305	1305268
Jun 3	1255726	•			4104343	0	4836897	•	•	3085637	•
Jun 4	4166567	•	•	•	15547810	0	1537316		•	•	•
Jun 5 Jun 6	4352086 288502	-	•	•	7749425 1395834	•	0	•	•	•	•
Jun 7	208075	•	•	:	2819646	•		:	•	:	:
Jun 8	0				946088						
Jun 9					4854640						
Jun 10		•	•		0	•	•	•			•
Jun 11	•	-	•	•	0	•		•	•	•	•
Jun 12	•	•	•	•	•	-	•		•	•	•
Jun 13 Jun 14	•	•	•	•	•	•		•	•	•	•
Jun 15	•	•	•	•	•		:	:	:	:	
Jun 16	:			•	•						•
Jun 17	•	-	•			•			•		•
Jun 18	•	•	•	•		•	•		•		•
Jun 19	•	•	•	•	•	•	•	•	•	•	•
Jun 20	•	•	•	•	•	•	•	•	•	•	•

Appendix Table B-8. (Continued)

Mo Da	<u>1975</u>	1976	<u>1977</u>	<u>1979</u>	1980	<u>1981</u>	<u>1982</u>	1983	1984	<u>1985</u>
Apr 15	•	•					•			
Apr 16	•	-	•	•	•	•	-	•	•	•
Apr 17	•	•	•	•	•	•	•	•	•	•
Apr 18 Apr 19	•	•			:	•	:			:
Apr 20	:									
Apr 21		-	•			-	•			
Apr 22	•		•		•	•	•	•		•
Apr 23	•	•	•	•	•	•	•	•	•	•
Apr 24 Apr 25	•	•	•	:	:	•	:		•	14636899
Apr 26										32579500
Apr 27							•	•	•	32866422
Apr 28		•		•		44007040	•	•	•	29589984 8604792
Apr 29	-	•	2463789 5779714	•	•	14807849 4466917	•	•	•	19839765
Apr 30 May 1	•	5331902	8879443		i	1450291		:	:	18465582
May 2	:	21438487	7530697		Ö	2049754				41106994
May 3		4380362	68871634		0	850841	9689224	•	•	82259811
May 4		25173981	43064716	•	1981431	2668548	15930133	•	•	40067922
May 5	•	77354359	2159941	•	8956067 11999671	4234870 3384028	12677068 24203403	i	•	15459557 50112418
May 6 Maγ 7	82596620	13881705 81509822	4400204 24232908	:	28009776	6136315	36862867	ŏ	:	50726171
May 8	316455493	475588983	616103292	· ·	26123463	3404646	52449125	2479392		52813880
May 9	17072885	65243524	72401103		26148931	231102640	195991599	31345564	2025531	18715939
May 10	16473737	6794799	78266967	0	547205	15980245	861737906	2778863	688681	4519169
May 11	44370473	121551413	20846694	7586415	823738 16381854	1624128 2643097	38727708 3368147	2274149 3921461	3362382 14065317	12669226 6794799
May 12 May 13	56276903 73530304	79457805 35642056	11393231 31295961	6753759 45912623	522546155	4567860	16831627	9761224	43624032	4676439
May 14	280246907	33359164	181985836	143738141	19530162	7747779	59829691	2159153	27501657	9494822
May 15	187269033	24715399	272427950	259433590	6781377	4107506	12813921	33880293	112312810	29721745
May 16	249083398	119165683	68501731	19195669	3492929	1996474	59403581	83007948	5363788	16397828 1316171
May 17	17100143	29187439	13659954	26920304 41458974	1424686 20725465	11995043 1068052	56412465 71883748	48137029 3562898	8205908 8427773	1734494
May 18 May 19	22823367 66838054	183082097 28498125	76195021 23617483	20625734	2619233	1097238	7889620	4151811	23981239	5078717
May 20	34431407	5601935	20974968	13459998	4096834	999523	17087491	1911615	119810027	- 111097
May 21	279541196	3938145	16672253	12048272	27211212	223840	37450084	1664998	64789122	•
May 22	245051468	10826381	17487341	23054335	6511158	1807590	14635665	729443	262107601	202502
May 23	6546500	19508624	27212822	738671533 35030740	112060000 459651	11015722 2840649	8746962 13016484	67953394 73328239	16621441 38770883	202302
May 24 May 25	8917789 137161449	9935507 6794799	25223610 1168621	5618001	1104180	2040043	6761628	181935230	42405833	
May 26	18519377	2385730	4753325	47193801	5008649	0	2192804	85173366	60284250	
May 27	6117171	2521626	8708113	5962514	9921749	92613	17243938	78739084	34104524	
May 28	15206527	1701914	7512080	1315636	657776	0	21834696 3412828	16695190 106866581	11072972 4377945	
May 29	5317759 2828595	1711660 485233	8898246 2201907	11868219 24580105	4643879 485601	•	2398124	343217551	8399590	:
May 30 May 31	2957682	465233	1065763	23805774	703001		12577924	96575021	2845567	
Jun 1	273859			10148999	0		3920536	2661682	287848	
Jun 2	0			7121291	•	•	907856	3076379	1105724	•
Jun 3	•			43000970	•	•	•	3727573 7794064	7266918 9168762	•
Jun 4	•		•	14819451 4446304	•	•	•	22418003	1262171	•
Jun 5 Jun 6	•	:	:	8078467	:		:	16157706	560833	
Jun 7				5032842				2134174	1382154	
Jun 8		•		2779804	•	•	•	1668459	2385123	•
Jun 9	•	•	•	1536956	•	•	•	3106877 6551900	1211153	•
Jun 10	•	•	•	2182160 0	•	•	•	1064888	•	•
Jun 11 Jun 12	•	•	•		:	:	:	0	•	
Jun 13	:	:	:		•			•		•
Jun 14				•	•	•	•	•	•	•
Jun 15	•	•	•	•	•	•		•	•	•
Jun 16	•	•	•	•	•	•	•	•	•	•
Jun 17 Jun 18	•	•	•	•	•	•	:	:	:	
Jun 19	•	•	:	:	:					
Jun 20							•	•		•

Appendix Table B-9. Estimated percent egg viability for striped bass in the Roanoke River, NC, for the period 1965-1985 (from the annual reports of W.W. Hassler). No data available for 1971 or 1978.

Mo	<u>Da</u>	1965	1966	<u>1967</u>	1968	1969	<u>1970</u>	1972	<u>1973</u>	<u>1974</u>	1975	1976	1977	<u>1979</u>	<u>1980</u>	1981	1982	1983	<u>1984</u>	<u>1985</u>
Apr	15							•												
Apr	16		-	•	•	•	•	•	•	•	•		•							
Apr Apr	17 18	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apr	19					:			:	:	:	:	:	:	:	:	:	:	:	·
Apr	20		•		•	•	•	•	•	•	•			•						
Apr Apr	21 22	89.47 100.00	•	92.31 96.37	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apr	23	88.31	:	98.41	:	:	:	:	:	Ċ	:	:	:	:	:	:	:	:	:	:
Apr	24	77.77		91.95	0.00			•		•	•			•	•					•
Apr Apr	25 26	100.00	76.92	95.98 94.24	0.00 50.00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	79.66
Apr	27	95.24	98.68	94.37	92.31	:	:		•	•	•	•	•	•	•	•	•	•	•	71.13 74.12
Apr		100.00	98.36		76.92	•		•								·	·	·		70.69
Apr		100.00	98.70		89.47	95.45		•	57.14	•	•	•	50.00	•		26.81				61.99
Apr May		100.00	94.73 68.00	96.26 96.78	98.18 88.89	94.62 95.35	88.39 94.37	•	78.57 72.73	94.74	•	76.92	56.00 52.56	•	•	51.35 41.66	•	•	•	81.95 76.84
May		100.00	90.67	94.48	92.68	90.10	94.62	76.00	89.94	90.36		69.70	53.45	:	÷	58.82	:	:	:	77.57
May	3	92.73	94.29		100.00	92.13	92.47	81.78	79.34	88.38	-	78.13	38.93		:-	57.14	62.50			64.33
May May	4 5	98.47 97.22	94.44 95.24	86.79 91.75	88.61 89.52	93.25 95.04	88.78 97.78	90.90 89.31	87.62 100.00	88.89 93.75	•	48.92 42.47	37.69 53.85	•	16.67 11.11	50.00 48.57	67.86	•	•	78.59
May	6	98.51	88.54		88.97	87.88	93.33	85.56	88.89	92.26	:	32.84	26.09	•	8.33	32.35	72.50 69.62	0.00	•	69.54 79.63
May	7	95.52	91.96	96.75	80.00	94.33	91.18	90.58	76.19	85.71	73.09	46.37	60.84	•	7.48	45.28	66.99	0.00		62.50
May May	8	96.51 95.13	96.20 93.24	98.57 96.97	100.00 85.54	91.41	92.92 93.98		86.47	89.36	61.94	46.83	58.03	•	2.92	46.51	79.86	0.00	0.00	62.57
May		95.13	86.38	90.38	86.44	85.35 88.46	92.03	86.70 56.86	94.15 91.78	91.80 96.12	58.43 41.07	34.35 35.19	51.61 46.45	•	24.49 33.33	84.73 45.91	89.41 84.09	51.61 14.29	0.00	74.52 81.58
May		96.60	90.20	86.67	83.01	92.13	84.54	74.67	82.39	92.73	55.07	51.66	48.02	21.05	25.00	43.75	79.13	0.00	0.00	73.00
May		94.09	83.93	89.29	89.56	93.48	87.64	83.54	71.82	88.05	49.12	64.89	40.00	54.84	52.67	29.41	65.22	0.00	2.86	53.70
May May		96.31 97.59	85.51 82.07	96.04 92.65	85.24 90.27	95.15 90.56	60.00 74.21	94.74 94.34	52.00 86.29	92.84 90.68	51.82 59.98	45.11	50.00	65.61	59.34	40.00	60.87	2.50	22.02	58.33
May		95.75	79.18	92.65	83.12	91.82	92.64	94.75	91.34	89.77	61.21	74.70 53.07	49.50 57.41	44.38 44.35	20.16 37.74	26.08 80.00	52.65 70.93	0.00 11.81	3.61 22.29	63.41 67.57
May	16	96.14	100.00	91.04	88.23	92.98	91.85	91.77	90.47	77.75	56.51	60.51	54.10	63.04	39.29	68.00	75.08	13.18	5.00	84.07
May		96.61	89.65	90.72	87.10	96.80	89.02	66.67	93.33	84.30	60.95	43.97	49.58	43.93	23.08	80.82	70.25	6.90	10.87	70.59
May May		98.60 97.92	89.25 95.29	95.71 93.82	88.18 88.55	92.47 95.66	86.77 91.41	84.00 91.30	85.71 90.36	79.08 57.50	57.99 69.45	59.73 40.63	42.20 32.05	30.88 28.72	52.17 27.78	30.76 12.50	59.86	0.00	5.17 17.92	56.00 84.42
May		97.87	95.12	94.04	85.04	95.36	86.78	81.39	89.71	68.84	58.22	27.27	48.57	37.50	3.57	37.50	76.27	0.00	19.36	50.00
May		93.48	94.44	96.72	91.61	94.77		75.00	92.93		49.68	64.52	51.39	36.84	28.07	50.00	68.73	33.33	18.48	0.00
May May		98.28 91.67	90.91 96.30	98.52 84.62	96.61 97.84	96.74 93.82	83.66 88.21	82.76 90.38	86.75 90.55	86.06	55.07 30.95	22.09	48.34	32.22	36.96	57.14	74.51	0.00	5.41	0.00
May		93.62		100.00	96.09	90.86	81.93	80.00	94.44	77.50 81.40	8.85	54.84 44.30	59.15 58.33	51.20 63.64	4.92 0.00	74.62 80.00	75.81 74.71	26.86 22.55	33.74	100.00
May			96.55	80.00	88.73	88.46	71.33	88.13	81.94	84.29	52.10	18.52	30.00	44.44	12.50	0.00	57.78	28.14	26.14	÷
May		90.00		100.00	92.86	92.91	95.49	89.03	90.38	79.66	55.04	52.63	22.50	28.15	10.81	0.00	53.33	36.71	32.62	•
May May		83.33 0.00	93.08 91.73	92.31 98.37	91.67 97.99	97.19 90.54	87.29 89.47	59.09 100 00	94.54 88.41	70.15 86.36	38.82 19.53	30.00 38.10	33.78 62.79	12.12	16.67 0.00	0.00 0.00	79.83 68.75	42.02 36.96	32.86 36.30	•
May	29	•	93.83		100.00	94.58	80.69		93.22	57.58	27.66	77.42	55.56	12.16	0.00	0.00	47.62	52.83	28.57	:
May	30	•	93.88	87.87	92.00	98.39	50.00		92.25	56.52	23.33	55.56	54.29	2.42	0.00		50.00	37.96	26.67	•
May Jun	31 1	•	•	96.58 88.89	88.23 87.21	91.45 92.94	•	•	94.39 90.36	66.67 47.06	18.52 50.00	•	29.41	19.00 13.89	0.00	•	61.18	54.55	8.33	•
Jun	2	:	:	96.30	93.88	83.18	:	:	85.71	38.46	0.00	:	•	7.89	0.00	•	76.00 40.00	7.69 0.00	0.00 25.00	•
Jun	3			100.00	0.00	73.68			80.95		•		•	27.18			•	28.57	10.00	÷
Jun	4 5	. •	•	97.56	0.00	94.12	•	•	•	•	•	•	•	24.39	•			31.71	12.50	
Jun Jun	6	•	•	100.00 90.00	•	•	•	•	•	•	•	•	•	10.53 10.81	•	•	•	49.69 42.35	0.00	•
Jun	7	:		94.74	:		:	•	:	÷	:		:	21.43	÷	:	:	11.11	0.00	:
Jun	8	•		80.00	•	•		•	•					0.00				0.00	14.29	
Jun Jun	9 10	•	•	92.31 0.00	•	•	•	•	•	•	•	•	•	16.67	•	•	•	40.00	25.00	•
Jun	11		:	0.00	:	:	:	:	•	:	:	:	•	0.00	•	•	•	20.00 57.14	0.00	•
Jun	12	•	•	•						•	•	•	•			•	•	0.00	•	•
Jun	13	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	. •	•	•
Jun Jun	14	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Jun	16	:	÷			:	:	:	:	:	:	:	· ·	:	:	:	:	:	:	:
Jun	17			•	•	•		•		•		•		•					•	•
Jun Jun	18 19	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•
Jun	20	:	:	•		:	:	•	•	•	•	•	•	•	•	•	•	•	•	•
									-	-	-							-		

Appendix Table B-10. Daily minimum temperature (F) of the Roanoke River near Halifax, NC, during the period 1963-1977 (from the annual reports of W.W. Hassler).

Мo	<u>Da</u>	1963	1964	1965	1966	1967	1968	1969	<u>1970</u>	<u>1971</u>	1972	1973	1974	1975	<u>1976</u>	1977
Apr	9	55.0														
Apr	10		•	•									:		:	:
Apr Apr	11 12		•	•	•	•	•	•	•		•	•		•	•	•
Apr	13	:	:	58.0		:		•	:	:	•	•	•	•	•	•
Apr	14			•					÷	:	:	:	· ·	:		:
Apr	15	•	•	•	•	•	•	•	•	•					٠.	
Apr Apr	16 17	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apr	18	57.0				:	÷	· ·	:		:	:	:	:	•	•
Apr	19	58.0		•	•	• '				•						
Apr Apr	20 21	60.0 60.0	60.0	57.0	•	62.0	59.0	•	•	•	•	•	•		•	
Apr	22	60.0	:	57.0	:	62.0	:	:	•	•	•	•	•	•	•	•
Apr	23	60.0		58.0	•	62.0	•						•		·	:
Apr Apr	24 25	60.0 60.0	61.0 59.0	60.0 56.0	•	60.0	60.0	•	•	•	•	•	•	• ,		•
Apr	26	60.0	58.0	59.0	62.0	60.0 59.0	60.0 59.0	•	•	•	•	•	•	•	•	•
Apr	27	60.0	59.0		61.0	59.0	60.0	61.0		:	:	:	÷	:	:	:
Apr	28	61.0	60.0	59.0	60.0	58.0	60.0	•••	62.0	•	•					
Apr Apr	29 30	59.0 60.0	62.0 5 9.0	58.5 58.0	60.0 60.0	59.0 61.0	59.0 60.0	63.0 63.0	63.0	•	•	45.0 50.0	•	•	•	61.7
May	1	59.0	50.0	62.0	61.0	63.0	60.0	63.0	61.0	:	:	54.0	65.0	:	65.0	61.3
May	2	59.0	59.0	61.0	60.0	64.0	60.0	61.0	62.0		63.5	63.0	64.0		65.0	61.7
May May	3 4	58.0 59.0	59.0 59.0	63.0 63.0	59.0	63.0	62.0	61.0	62.0	•	62.0	59.0	62.0		65.0	63.5
May	5	59.0	59.0	65.0	61.0 60.0	62.0 62.0	63.0 64.0	63.0 63.0	61.0 61.0	•	62.0 62.0	51.0 47.0	63.0 61.0	•	65.0 65.0	62.2 63.1
May	6	59.0	59.0	63.5	61.0	63.0	62.0	64.0	62.0	i.	63.0	45.0	61.0	:	66.0	63.5
May	7 8	59.0	59.5	63.5	64.0	63.0	62.0	63.0	62.0	•	64.0	55.0	62.0	61.0	67.0	65.3
May May	9	59.0 64.0	60.0 64.0	63.0 63.0	65.0 60.0	63.0 62.0	62.0 62.0	64.0 66.0	63.0 63.0	•	63.0 63.0	58.0 61.0	62.0 62.0	61.0 60.0	66.0	65.6
May	10	62.0	67.0	64.0	61.0	61.0	63.0	65.0	63.0	÷	63.5	59.0	63.0	61.0	66.0 66.0	65.3 63.8
May	11	66.0	65.0	65.0	61.0	62.0	64.0	64.0	66.0		63.0	63.0	63.0	60.0	67.0	63.3
May May	12 13	63.0 64.0	67.0 66.0	67.0 65.0	62.0 62.0	64.0 63.0	65.0	63.0	66.0	•	63.0	62.0	64.0	62.0	66.0	63.5
May	14	64.0	68.0	67.0	63.0	63.0	67.0 65.0	63.0 65.0	68.0 68.0	:	63.0 63.0	55.0 59.0	63.0 65.0	63.0 64.0	67.0 66.0	63.8 64.7
May	15	65.0	67.0	66.0	62.0	•	65.0	66.0	68.0	·	64.0	53.0	66.0	64.0	67.0	66.2
May	16	62.0	64.0	67.0	63.0	•	65.0	64.0	66.0	•	64.0	46.0	66.0	64.0	68.0	64.9
May May	17 18	62.0 63.0	67.0 70.0	69.0 70.0	63.0 66.0	•	66.0 67.0	65.0 65.0	67.0 67.0	•	64.0 64.5	45.0 45.0	67.0	64.0	68.0	65.6
May	19	65.0	68.0	70.0	66.0	:	68.0	65.0	67.0	:	64.5	50.0	69.0 69.0	63.0 64.0	70.0 69.0	69.1 68.9
May	20		69.0	69.0	67.0	•	68.0	67.0	68.0		63.5	57.0	69.0	64.0	67.0	68.0
May May	21 22	67.0 67.0	69.0 71.0	69.0 67.0	67.0 67.0	•	67.0 66.0	67.0 64.0	70.0	•	63.5	52.0	68.0	65.0	67.0	66.9
May	23	67.0	73.0	69.0	68.0	:	68.0	68.0	67.0 69.0	•	•	53.0 58.0	69.0 71.0	64.0 65.0	69.0 69.0	68.5 70.2
May	24	65.0	72.0		67.0		68.0	66.0	70.0			65.0	70.0	66.0	68.0	68.7
May	25 26	65.0 65.0	76.0 74.0	•	68.0	•	68.0	67.0	69.0	•	•	59.0	70.0	69.0	68.0	68.7
May May	27	65.0	71.0	•	67.0 67.0	•	67.0 65.0	68.0 66.0	70.0 70.0	•	•	54.0 60.0	71.0 69.0	68.0 69.0	68.0	68.5
May	28	64.0	70.0		67.0		63.0	67.0	72.0	•	÷	61.0	69.0	73.0	68.0 68.0	69.8 68.5
May	29	65.0	69.0	•	71.0		64.0	67.0	69.0	•		66.0	70.0	70.0	69.0	71.4
May May	30 31	68.0 65.0	66.0	•	67.0 66.0	•	65.0 67.0	69.0 69.0	70.0 70.0	•	•	67.0	70.0	71.0	69.0	70.2
Jun	1	65.0	•	:		:	66.0	68.0	68.0	:	•	67.0 68.0	70.0 71.0	72.0 72.0	•	70.0
Jun	2	65.0					69.0	70.0			•	70.0	72.0	73.0	. •	
Jun Jun	3 4	66.0 68.0	•	•	•	•	69.0 68.0	72.0	•	•	•	70.0	•	•		•
Jun	5	67.0	:	:	:	:		72.0 72.0	•	•	:	•	•	•	•	•
Jun	6					•		71.0	•			•	•	:	:	:
Jun	7	69.0	•	•	•	•	•	•	•		•		•			
Jun Jun	8 9	69.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Jun	10			•		÷		·	:		:	:	:	•	•	•
Jun	11	•	•	•	•	•			•		•		•			•
Jun Jun	12 13	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Jun	14	:	:	:	:			:	:	•			•	•	•	•
Jun	15				•		•				:	•	•	:	:	:
Jun Jun	16 17	•	•	•	•	•	•	•	•	•	•	•	•		•	
Jun	18	:	•	:	:	:	•	•	•	•	•	•	•	•	•.	•
Jun	19		•	•		•			:	:	÷.	•	•	:	:	:
Jun	20	•	•	•	•	•	•	•	•	•	•	•	•			

Appendix Table B-11. Daily maximum temperature (F) of the Roanoke River near Halifax, NC, during the period 1963-1977 (from the annual reports of W.W. Hassler).

Mo	<u>Da</u>	1963	1964	1965	<u>1966</u>	<u>1967</u>	1968	1969	<u>1970</u>	<u>1971</u>	<u>1972</u>	<u>1973</u>	<u>1974</u>	<u>1975</u>	<u>1976</u>	<u>1977</u>
Apr	9											•	•	•		•
Apr	10	•	•	•	•	•	•	•	•	•	•	•	•	•	:	:
Apr	11 12	•	•	•	•	•	•	:	:	:		:				
Apr Apr	13		:	:	•									•	•	•
Apr	14							•		-	•	•	•	•	•	•
Apr	15	•		•		•	•	•	•	•	•	•	•	•	•	•
Apr	16	•	•	•	•	•	•	•	•	•	:	:	:	· ·		
Apr Apr	17 18	59.0	•	•		:	:	:	:							
Apr	19	60.0	:	:				•				•		•	•	. •
Apr	20	62.0				•	60.0	•	•	•	•	•	•	•	•	•
Apr	21	63.0	•	61.0	•	er 0	•	•	•	•	•	:	•	:	:	:
Apr	22	66.0 67.0	•	61.0 63.0	•	65.0 63.0	•	:	•		:	:				
Apr Apr	23 24	64.0	62.0	61.0	•	64.0			•					• .		•
Apr	25	62.0	61.0	60.0		63.0	62.0	•			•		•	•	•	•
Apr	26	62.0	60.0			62.0	62.0		•	•	•	•	•	•	•	•
Apr	27	62.0	60.0	•••	63.0	60.0 61.0	61.0 62.0	64.0	•	•	•	:	• :		:	:
Apr	28	63.0 62.0	63.5 64.0	60.0	62.0 61.0	61.0	60.0	64.0	:	:		68.0	•			61.7
Apr Apr	29 30	62.0	54.0	:	62.0	64.0	62.0	63.0	64.0			75.0	•		:	
May		60.0	60.5		63.0	66.0	62.0	64.0	64.5			82.0	65.0	• ,	65.0	63.5 63.8
May		62.0	60.0		64.0	65.0	63.0	63.0	64.5	•	64.0 62.5	77.0 79.0	64.0 64.0	•	66.0 67.0	63.8
May		61.0	04 5	65.0	63.0 63.0	66.0 64.0	65.0 65.0	64.0 67.0	63.0 62.0	•	64.5	71.0	65.0	:	68.0	64.4
May		63.0 62 .0	61.5 62.0	65.0 67.0	63.0	64.0	65.0	67.0	65.0	:	64.0	68.0	64.0		66.0	65.3
May May	_	60.0	62.5	65.0	67.0	64.0	65.0	66.0	64.0		64.0	74.0	64.0		68.0	66.2
May	_	60.0	64.0		67.0	65.0	65.0	65.0	64.5	•	65.0	75.0	64.0	64.0	68.0	68.0 67.5
May	8	62.0	65.0	66.0	67.0	65.0	64.0	67.0	65.0	•	64.0 64.0	75.0 80.0	63.0 64.0	63.0 62.0	67.0 67.0	67.1
May		69.0	68.0	65.0	66.0	64.0 64.0	65.0 67.0	67.0 67.0	65.0 68.5	•	64.0	85.0	64.0	62.0	68.0	66.2
May		70.0 70.0	69.0 69.0	68.0 68.0	64.0 65.0	64.0	67.0	65.0	68.0	:	64.0	88.0	66.0	64.0	68.0	65.3
May May		65.0	68.0	69.0	64.0	65.0	67.0	65.0	69.0		64.0	78.0	65.0	64.0	68.0	65.3
May		65.0	69.0	69.5	66.0	64.0	68.0	66.0	70.0	•	64.0	77.0	67.0	65.0	68.0 69.0	65.6 67.1
May	14	67.0	70.0	69.0	65.0	66.0	67.0	67.0	69.5	•	64.5 64.0	79.0 72.0	67.0 68.0	66.0 66.0	69.0	67.5
May		67.0	70.0	68.0 70.0	65.0 65.0	•	66.0 67.0	68.0 68.0	69.0 68.0	•	64.5	70.0	68.0	66.0	69.0	67.5
May		64.0 64.0	67.0	71.0	68.0	:	70.0	69.0	68.0		65.0	75.0	70.0	64.0	71.0	69.8
May May		67.0	:	72.0	68.0		69.0	67.0	69.0		65.0	72.0	70.0	65.0	72.0	72.0
May		68.0	70.5	72.5	68.0	•	70.0	67.0	70.0	•	65.0	76.0	72.0	65.0 66.0	70.0 69.0	72.0 72.0
May		•	73.0	71.0	70.0	•	70.0	70.0 69.0	73.0 72.0	•	64.5 64.5	70.0 74.0	71.0 73.0	67.0	70.0	72.0
May		69.0	•	71.0 71.0	69.0 72.0	•	69.0 69.0	70.0	71.5	•	04.5	82.0	73.0	66.0	72.0	72.5
May May		71.0 68.0	•	, 1.0	70.0	:	69.0	70.0	74.0			79.0	72.0	67.0	72.0	72.1
Ma		68.0			69.0		71.0	69.0	74.0		•	81.0	72.0	70.0	69.0	72.0 70.0
Ma		67.0			68.0		70.0	70.0	73.0	•	•	68.0 65.0	73.0 72.0	71.0 70.0	70.0 69.0	70.0
Ma		66.0	•	•	70.0 68.0	•	68.0 68.0	72.0 69.0	73.0 77.0	•	:	77.0	71.0	74.0	69.0	71.1
May		66.0 67.0	•	•	70.0	:	66.0	71.0	75.0			67.0	72.0	74.0	69.0	72.0
Ma: Ma:		68.0	:	•	74.0		68.0	72.0	73.0			68.0	72.0	73.0	70.0	73.6
Ma		69.0			68.0	•	68.0	73.0	72.0	•	•	69.0	71.0	73.0 74.0	72.0	72.9 72.0
Ma		68.0	67.0	•	67.0	•	70.0	72.0	72.0 70.0	•	•	71.0 71.0	71.0 72.0	73.0	-	, 2.0
Jun		68.0	•	•	•	•	69.0 70.0	73.0 74.0	70.0	•	:	72.0	72.0	74.0		
Jun Jun		68.0 68.0	•	•	:	:	70.0	75.0	•		•	72.0				
Jun		69.0	:				71.0	75.0			•				•	•
Jun	5	69.0				•	•	74.0	•	•	•	•	•	•	•	•
Jun			•	•	•	•	•	73.0		•	•	•	•	•	:	:
Jur		70.0	•	•	•	•	•	•	•	•	:	:	:	:		
Jun Jur		•	•	•		•	:	:	:			•				
Jur		:	:	:								. •	•		•	•
Jur							-	•	•	•	•	•	•	•	•	•
Jur				•	•	•		•	•	•	•	•	•	•	•	:
Jur		•	•	•	•	•	•	•	•	•	•		:	•	:	
Jur Jur			•	•	•	•	:	:								
Jur			•	:	:							•		•		•
Jur			•							•	•	•	•	•	•	•
Jur	18		•	-	•	•	•	•	•	•	•	•	•	•	•	
Jur			•	•	•	•	•	•	•	•	•	:	:	:	:	
Jur	20		•	•	•	•	•	•	•	•	•	•				

APPENDIX C

Pertinent Correspondence

List of Pertinent Correspondence

06-24-88	Memo from Manooch to Roanoke River Water Flow Committee (RRWFC)
06-30-88	Memo from Rulifson (ECU) to Manooch
07-01-88	Memo from Zincone (ECU) to Manooch
07-04-88	Letter from Quay (Sierra Club) to Manooch
07-07-88	Memo from Cheek (NMFS) to Manooch
07-07-88	Memo from Mullis (NCWRC) to Manooch
07-08-88	Letter from Graham (Agriculture) to Manooch
07-12-88	Letter from Gantt (USFWS) to Manooch
07-15-88	Letter from Vithalani (USACOE) to Manooch
07-18-88	Letter from Ellis (Virginia Power) to Manooch
07-19-88	Memo from Hogarth (NCDMF) to Manooch
07-27-88	Letter from Crawford (NCDWR) to Manooch
08-01-88	Letter from Hassler (ABLTD) to Manooch
08-03-88	Memo from Rulifson to RRWFC
08-04-88	Memo from Rulifson to Interested parties
08-31-88	Letter from RRWFC Co-Chairs to Governor James G. Martin
09-12-88	Letter from Fullwood (NCWRC) to Manooch
09-13-88	Letter from Sanford (U.S. Senate) to Rulifson
09-20-88	Letter from Graham (Agriculture) to Manooch
09-22-88	Letter from Rhodes (NCDNRCD) to Manooch and Rulifson
09-23-88	Letter from Martin (Governor, NC) to Manooch and Rulifson
11-01-88	Letter from Jones (U.S. House of Representatives) to Rulifson
01-06-89	Letter from Bennett (NC Marine Fisheries Commission) to Jones
02-10-89	Letter from Manooch to Harris (NCWRC)
02-21-89	Letter from Fullwood (NCWRC) to Col. Woodbury (USACOE)



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL MARINE FISHERIES SERVICE
Southeast Fisheries Center
Beaufort Laboratory

Beaufort, North Carolina 28516-9722

June 24, 1988

MEMORANDUM FOR: Roanoke River Water Plow Committee

FROM: Charles S. Manooch, III,

for the Recommendation Subcommittee

SUBJECT: Flow Recommendation

The Recommendation Subcommittee (listed below) met at the National Marine Fisheries Service Beaufort Laboratory on June 23, 1988. Attached is a tentative negotiated recommended flow regime with guidelines and information for your review. Please submit your endorsement, rejection or other comments to me in writing by July 8, 1988. If you are a representative of a state or federal agency, I suggest that you share the enclosures with your colleagues and solicit their input to include in your response.

Enclosures as Stated

Subcommittee:

- M. Clemmons, NCWRC
- W. Cole, USFWS
- D. Crawford, NCDWR
- T. Ellis, NCDA
- L. Henry, NCDMF
- C. Manooch, NMFS
- R. Monroe, NCDMF
- T. Mullis, NCWRC
- R. Rulifson, ECU
- L. Zincone, ECU

Advisors:

- M. Grimes, COE
- J. Mitchell, Virginia Power Co.
- M. Shepherd, ECU



GREENVILLE, NORTH CAROLINA 27858-4353

2/1/88 Comes

INSTITUTE FOR COASTAL AND MARINE RESOURCES

(919) 757-6779

June 30, 1988

MEMORANDUM FOR:

Dr. Charles S. Manooch, III

Co-Chair, Roanoke River Optimum Flow Committee

FROM:

Roger A. Rulifson

SUBJECT:

Roanoke River recommended flow regime

I have reviewed the tentative negotiated recommended flow regime and guidelines concerning reservoir discharge from Roanoke Rapids dam during spring spawning activity of Roanoke/Albemarle striped bass. As requested in your memorandum of June 24, 1988, my comments and concerns are presented here for your consideration.

Duration. The dates of 1 April through 15 June for flow moderation is probably adequate for ensuring inclusion of striped bass spawning activity, egg and larval transport downstream, and maintenance of the zooplankton food base in the Roanoke River delta. Inclusion of dates prior to 1 April (e.g., 15 March et seq.) are not critical to the eggs or larvae but the prevailing flows may be important in attracting the adults upstream and providing the nutrients and initial zooplankton community to the Roanoke delta downstream. Inclusion of dates after 15 June is not necessary for striped bass.

Water Flow Regime. The average daily flows listed are reasonable because they represent pre-impoundment conditions (1912-1950). The limits of minimum and maximumn flows are also reasonable because they represent the majority of the flows for the same pre-impoundment period. We must keep in mind, however, that the upper and lower limits will represent only 50% of the years; in other years, flows will be above or below the limits listed because of extreme conditions caused by drought or flood.

Variation in Flow. A rate of change in flow of 1500 cfs per hour is more than I would like to see; however, Viriginia Power representative Jack Mitchell indicated that they cannot control the rate of discharge very precisely. A rate of 1500 cfs was reasonable for them, and so I will accept this rate of change for lack of better alternatives.

Criteria for Water Release and Storage. Use of the rule curve must be reexamined. Based on pre-impoundment records, our guidelines will is met in only 50% of the years. In order to maximize compliance to these guidelines, we must address the manner in which Kerr Reservoir is managed for flood control and hydropower generation. According to Corps of Engineers representative Max Grimes, reservoir discharge is reduced to 2000 cfs (during spawning activity) when the reservoir level drops to 299.5'.

Thus, no flow augmentation is released nor (at the moment) is it required. Also, all water storage below 299.5' is allocated, and none is allocated for flow augmentation. Therefore, under these conditions, Virginia Beach should be required to supply 60mgd for the City (using the proposed pipeline) and also supply the flow necessary for flow augmentation during striped bass spawning. The water is there and should be used, not only for striped bass but also for dilution of industrial and municipal wastes downstream.

Conversely, in times when Kerr lake level reaches 302.0', the Corps of Engineers releases water in anticipation that more runoff from the watershed will burden the reservoir system. The Corps should be required to use current technology in meteorology and reservoir management to release this water in a manner that will not cause downstream flooding (i.e., at rates below 20,000 cfs over a period of days, foregoing peak hydropower generation).

In conclusion, I recommend that the Subcommittee's guidelines be accepted, with the stipulation that the Corps of Engineers rule curve be scrutinized to optimize control of flooding downstream during the period in question.



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration NATIONAL MARINE FISHERIES SERVICE

Southeast Fisheries Center Beaufort Laboratory Beaufort, North Carolina 28516-9722

June 24, 1988

MEMORANDUM FOR:

Roanoke River Water Plow Committee

FROM:

les S. Manooch, III,

for the Recommendation Subcommittee

SUBJECT:

Flow Recommendation

The Recommendation Subcommittee (listed below) met at the National Marine Fisheries Service Beaufort Laboratory on June 23, 1988. Attached is a tentative negotiated recommended flow regime with guidelines and information for your review. Please submit your endorsement, rejection or other comments to me in writing by July 8, 1988. If you are a representative of a state or federal agency, I suggest that you share the enclosures with your colleagues and solicit their input to include in your response.

To manoveh I concer

Enclosures as Stated

Subcommittee:

M. Clemmons, NCWRC

W. Cole, USFWS

D. Crawford, NCDWR

T. Ellis, NCDA

L. Henry, NCDMF

C. Manooch, NMFS

R. Monroe, NCDMF

T. Mullis, NCWRC

R. Rulifson, ECU

L. Zincone, ECU

Advisors:

M. Grimes, COE

J. Mitchell, Virginia Power Co.
M. Shepherd, ECU

ceceive france C. H. Finance 2/1/88



3/2/88 Comm 7/4/88

Thomas L. Quay 2720 Vanderbilt Avenue Raleigh, NC 27607 Tel. (919) 828-9874

Dr. Charles S. Manooch, III
Chairman, Striped Bass/Roanoke River Optimum Water Flow Comm.
National Marine Fisheries Service
Southeast Fisheries Center
Beaufort Laboratory
Beaufort, N. C. 28516

Dear Dr. Manooch:

Thanks for sending to me, in your letter of June 24, 1988, the Report of the Recommendation Sub-committee on the Optimum Flow Regime, which you and your 40 members of the whole study committee have been working on so intensively and scientifically since February of this year. It has been a pleasure and profit for me to have been in attendance at the successive meetings of Feb., March, and April and now to see these fine, full, and objective results. If you do call the entire Committee into another session, please do let me know. I support your proceeding further as you deem necessary. I have been in attendance this whole year both as the Coastal Coordinator of The Sierra Club, N. C. Chapter, and as a member of the Pamlico Citizens Advisory Committee of the Albemarle-Pamlico Estuarine Study. It is a matter of great personal satisfaction to me to have been able to use my exactly 50 years of knowledge and experience in the N. C. Coastal Zone in this extraordinarily important practical and basic endeavor, which I think you have conducted in the most open, forthright, and efficient manner. Let me know if I can be of further assistance and keep me posted on further developments. We are certainly not done yet, for now we must get the committee's recommendation into practice.

As requested in your letter, I do give you my full and unqualified endorsement of the Recommended Flow Regime. I shall share this set of recommendations with members of the Executive Committee of Sierra Club. As I stated in some of the meetings we had, Sierra Club is interested and wants to continue to be seriously involved in the conservation, management, and wise use of all of the renewable natural resources of North Carolina and I am enjoined in particular to be involved in projects like yours in the Coastal Zone. We recognize that most of, or a significant amount of, the wildlife and fisheries and wetlands resources of N. C. are in the Coastal Zone and that the rapidly increasing pressure of population and development are critically threated ing to these same life-sustaining resources. We must continue to struggle to save and enhance these natural-resource bases of our economy and quality of life.

CC:Sierra Club, NC Chapter Executive Committee Sincerely yours,
Thomas L. Quay, Ph. D.
Professor Emeritus, Ecology, NCSU
Coastal Coordinator, Sierra Club, NC





UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL MARINE FISHERIES SERVICE

Habitat Conservation Division Pivers Island Beaufort, NC 28516

July 7, 1988

F/SER111/RPC 919/728-5090

MEMORANDUM FOR:

Charles S. Manooch, III

for the Recommendation Subcommittee

FROM:

Randall P. Cheek Mully
Member Roanoke River Water Flow Committee

SUBJECT:

Flow Recommendations for Roanoke River, North Carolina,

During Annual Striped Bass Spawning Seasons

(April 1 - June 15)

I have reviewed the proposed water flow regime in cfs, April 1 - June 15, that accompanied your June 24, 1988, memorandum to members of the Roanoke River Water Flow Committee.

I concur in and endorse the proposed regime as a management option necessary to enhance the reproductive success of striped bass in the Roanoke River.

The striped bass resource should receive equal priority when ranked with flood control, hydropower, and above dam recreation interests in the Roanoke Riyer Basin. After all, we are only asking for concessions for a short to day period each year to benefit striped bass. Hopefully, we can have several years in which the recommended flows will occur to evaluate the effects on striped bass reproduction. If the flows accomplish what we think will be beneficial to the survival of eggs and larvae, we should seek through the FERC license and the Memorandum of Understanding between the North Carolina Wildlife Resources Commission, U. S. Army Corps of Engineers, and Virginia Power Company requirements to maintain these flows even in flood and drought years.

In view of the cooperative efforts of the Corps of Engineers and Virginia Power Company in development of the proposed regime and the flows generated during the 1988 spawning season, I believe we should seek the above changes in regulations if the juvenile abundance indices show increases in response to recommended flows.





512 N. Salisbury Street, Raleigh, North Carolina 27611, 919-733-3391 Charles R. Fullwood, Executive Director

MEMORANDUM

TO:

Dr. Chuck Manooch

FROM:

Tony Mullis, Research Coordinator Jony Tank

DATE:

July 7, 1988

SUBJECT:

Roanoke River Flow Recommendations

Our staff in the Division of Boating and Inland Fisheries, including Fred Harris, Don Baker, and myself, have reviewed the Roanoke River flow regime suggested by the Recommendation Subcommittee.

The proposed flow regime appears to be suitable for striped bass spawning and reproduction. It is certainly preferable to the conditions which now exist during the period of April 1 to June 15 during most recent years. While the proposed flows are certainly not ideal, we probably cannot define exactly what conditions are ideal, and ideal conditions would probably be impossible to realize in combination with the other uses of the reservoirs and their water. Therefore we endorse the flow regime recommended by the subcommittee.

However, it should be specified in the recommendations that the proposed flow regime is to be utilized on a trial basis for a period of 3 to 5 years (to be specified). At the end of the trial period, the proposed flows will be reevaluated for their effectiveness in enhancing striped bass reproductive success and for their compatibility with other uses of the Roanoke River basin and its water. At that time the flow regime can be renegotiated to improve its suitability for striped bass reproduction or its compatibility with other uses.

Thank you for the opportunity to review and comment on the proposed flow regime for the Roanoke River.



recoeved 7/12/88 Com II

State of North Carolina

Department of Agriculture

Raleigh

July 8, 1988

Dr. Charles S. Manooch, III National Marine Fisheries Service Beaufort Laboratory Beaufort, North Carolina 28516-9722

Dear Chuck:

JAMES A. GRAHAM COMMISSIONER

I want to take this opportunity to thank you for providing the leadership necessary to organize a multi-disciplinary review of the flows of the Roanoke River. It is my opinion that the work done by this interagency group will enhance the protection of wildlife, fisheries, forestry and agriculture in the basin through strong water management.

Please consider this letter as an endorsement of the proposed flows by the North Carolina Department of Agriculture. As further needs arise to evaluate or seek adoption of these flows, please let me know how I can be of assistance.

Thank you again for your hard work and leadership.

With all good wishes.

** / ** / \

James A. Granam Commissioner

JAG:RF:ek

cc: Dr. Ford A. Cross



United States Department of the Interior FISH AND WILDLIFE SERVICE

Raleigh Field Office
P.O. Box 25039
Raleigh, North Carolina 27611-5039

2/13/88 CME

July 12, 1988

Dr. Charles S. Manooch, III National Marine Fisheries Service Southeast Fisheries Center Beaufort Laboratory Beaufort, North Carolina 28516-9722

Dear Dr. Manooch:

This responds to your memorandum dated June 24, 1988, requesting comments on the tentative recommended flow regime for the Roanoke River below Weldon, North Carolina. The recommendations were developed by the Recommendation Subcommittee of the Roanoke River Optimum Water Flow Work Group (Group) during their last meeting on June 23rd. This response has been fully coordinated with Mr. Bill Cole, the Service's N.C. Fishery Coordinator.

The Service endorses the flow regime proposed by the Recommendation Subcommittee for ensuring adequate flows are present for migration, reproduction and support of striped bass within the Roanoke River Also, we concur with the assessment of the Recommendation Subcommittee that additional action and discussion is needed by the full Group on a number of issues including: the assessment of the impact of the proposed flow regime on other user groups and resources within the Roanoke River; what steps should be recommended for action by the appropriate State and Federal management agencies; and, what priority are striped bass relative to flood control, hydropower, recreational uses and water supply. We recommend that the full Group be reconvened to work on the preparation of a final report which will: document fully the derivation of the recommended flow regime; contain other analytical information developed by members of the Group; outline the impact of the proposed flow regime on other affected user groups and fish and wildlife resources; and, make recommendations for actions to be undertaken by the appropriate State and Federal agencies involved in natural resouce and water management in the Roanoke basin.

After a final report and recommendation is completed and released, the Service recommends that the full Group continue to meet on at least an annual basis for a three to five year period to evaluate the effectiveness of the The flows received. Further, we suggest it would be appropriate to formalize this new flow regime either through the revision of the existing Memorandum of Understanding between the N.C.

Wildlife Resources Commission, U.S. Army Corps of Engineers, and Virginia Power Company, or through preparation of a new agreement.

We appreciate this opportunity to provide comments on the draft recommendation. Please contact me, Bill Cole or Wilson Laney if you have any questions regarding these comments or recommendations.

Sincerely,

I and

L.K. Mike Gantt Field Supervisor



DEPARTMENT OF THE ARMY

WILMINGTON DISTRICT, CORPS OF ENGINEERS P.O. BOX 1890 WILMINGTON, NORTH CAROLINA 28402-1890 const tante

IN REPLY REFER TO

July 15, 1988

Hydrology & Hydraulics Branch

Dr. Charles S. Manooch, III
National Marine Fisheries Service
Southeast Fisheries Center
Beaufort Laboratory
Beaufort, North Carolina 28516-9722

Dear Dr. Manooch:

We have reviewed your memorandum for the Roanoke River Water Flow Committee dated June 24, 1988, regarding Roanoke River flow recommendation during the striped bass spawning season.

As stated by Mr. Max Grimes of this office at previous committee meetings, before we can implement changes such as the proposed recommendations in the operation of John H. Kerr Reservoir, we must assess and document the impacts of the changes and consider alternatives to the changes under the National Environmental Policy Act of 1969, as amended (NEPA). We must also coordinate the assessment with other Federal agencies, state agencies, and the public. Areas of concern that we must consider in the NEPA process would include, at a minimum, impacts on project purposes (flood control, hydropower, water supply, recreation and fish and wildlife conservation) and on striped bass spawning in the Roanoke River. We will need substantial time prior to proposed implementation to consider any changes under NEPA.

We are aware of the concerns of the resource agencies and the public regarding the decline in striped bass in the Roanoke River. Because of this concern, any changes in the operation of John H. Kerr Reservoir which may affect the striped bass, whether the changes are perceived to be beneficial or not, must be very carefully considered. We believe that it would be necessary to demonstrate that there is a need for changes in spawning flows, and, at the very least, that the changes would not have significant adverse impacts on striped bass.

As. you know, before any changes could be implemented, a new memorandum of understanding must be developed among the Corps of Engineers, Virginia Power Company, and the North Carolina Wildlife Resources Commission.

If you have any questions, contact Mr. Grimes, Chief, Hydrology and Hydraulics Branch, at (919) 343-4759, or Mr. Frank Yelverton, Environmental Resources Branch, at (919) 343-4640.

Sincerely,

Jaman Vithalani, P.E. Chief, Engineering Division July 18, 1988

acceived

2/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/22/88

1/

Dr. Charles S. Manooch, III National Marine Fisheries Service Southeast Fisheries Center Beaufort, NC 28516-9722

Dear Dr. Manooch:

In reply to your memorandum of June 24, 1988 requesting comments on the recommendations of the flow subcommittee, there are concerns to Virginia Power which the Roanoke River Water Flow Committee should consider in formulating any binding recommendations concerning the operation of the Company's Roanoke Rapids and Gaston projects.

The proposed upper limit of flow will deny the Company full use of the Roanoke Rapids project and could impose restrictions on operation of the Gaston project as a peaking facility. Virginia Power can schedule operation to meet these guidelines to the greatest extent possible, but we will not abandon our right to operate within the full authorization of our license when power system demands cannot be satisfied within the proposed guidelines. The most likely time of difficulty in keeping within these restrictions will be late May and June.

The variation of flow rate of 1500 cfs per hour is considerably below the present license authorized rate of change which allows up to double the pervious 60 minute flow. The 1500 cfs value was selected by the flow subcommittee to prevent elevation changes in excess of one foot per hour when increasing output from minimum flow. Virginia Power will schedule generation changes to minimize drastic elevation changes during normal operation in the spawning season, however it must be recognized that these will be considered as guidelines which may be exceeded during times of unforeseen power requirements.

It is suggested that Virginia Power's System Operation Center be kept informed of significant events during the spawning season when flow variations may be harmful to the striped bass. Day to day constraints may be more practical than full season limitations.

We appreciate the opportunity to work with the Committee and we share your concern for the striped bass resource as well as for the entire Roanoke River Basin Resource. Mr. Mitchell will be available for further consultation if needed.

Sincerely,

Larry W. Ellis



re coited 2/19/88 consè

State of North Carolina Department of Natural Resources and Community Development

Division of Marine Fisheries
P.O. Box 769 • Morehead City, North Carolina 28557-0769

James G. Martin, Governor S. Thomas Rhodes, Secretary

William T. Hogarth, Director (919) 726-7021

July 19, 1988

MEMORANDUM

TO:

Dr. Charles S. Manooch

Co-Chairman, Roanoke River Water Flow Committee

FROM:

William T. Hogarth

Director, NC Division of Marine Fisheries

SUBJECT:

Flow Recommendation During The Striped Bass Spawning

Season

The North Carolina Division of Marine Fisheries staff supports and endorses the "flow recommendation" (submitted by the flow group on June 23, 1988) as an initial step to achieve improved spring flows for a variety of user interests.

Our interest in the spring Roanoke River flows deals, primarily, with the production of striped bass and other anadromous fishes, as well as the resident species which utilize the Roanoke system.

Points of major concern, which may require additional evaluation with respect to the benefits and feasibility of instituting water use changes in the Roanoke River lakes system are:

- Striped bass production should become a priority of water and flow management;
- The recommendation does not encompass the entire time period (March - June), which our staff deems as critical for maximum striped bass production, and revisions may be necessary to better provide for striped bass needs in the future;

- The recommendation does not address flood plain inundation (flows greater than 10,000 CFS) for a short time during April (recognized by the "Recruitment Subcommittee" as beneficial and consistently associated with striped bass juvenile adundance addices greater than 5.0);
- 4) Cooperative flow regulation should be considered after June 15 during years of late spawning, and for egg and larval transport;
- 5) The FERC license and the striped bass flow augmentation agreement, between the US Army Corps, Virginia Power, and the North Carolina Wildlife Resources Commission, should be renegotiated to require flows recommended by the "Flow Committee."

The efforts of the "Flow Committee" should be documented in a report containing history, methodology, participants and findings of the group.

The Division recommends that the evaluation of flows on the Roanoke River be a continuing process with an annual meeting during late fall or early winter to update concerned parties on recent developments. We plan to include the annual meeting of the "Flow Committee" as part of the North Carolina Striped Bass Management Plan being developed by the Division of Marine Fisheries and the Wildlife Resources Commission.

WTH: kbo

cc: Harrel Johnson Lynn Henry Bill Cole



received 7/29/88 Const

State of North Carolina Department of Natural Resources and Community Development

Division of Water Resources 512 North Salisbury Street • Raleigh, North Carolina 27611

James G. Martin, Governor S. Thomas Rhodes, Secretary John N. Morris Director

July 27, 1988

Dr. Charles Manooch Southeast Fisheries Center Beaufort Laboratory Beaufort, NC 28516-9722

RE: Flow Recommendation - Roanoke River

Dear Chuck:

I wish to endorse the flow recommendation as agreed in the June 23, 1988 meeting of the flow recommendation sub-committee.

However, as the sub-committee discussed, this flow regime is a compromise to reflect the many practical restraints and inadequacies of our Roanoke River knowledge. Particularly, the restrictions on the time frame (April 1 to June 15) reflects a need at this time to not change current agreements and hence possible amendments to FERC licenses. A larger time period, possibly March 1 to June 30 would appear necessary, based on discussions of the sub-committee.

The agreement of the Corps to provide the flow regime without more detailed analysis and discussion on the effects on Kerr , operation and possible rule curve changes requires the committees full attention. The Wilmington Corps have developed a new basin model which could evaluate the flow recommendation and what possibilities exist to modify rule curves to benefit the lower Roanoke River.

I would like to see the implementation of this flow regime for a multi-year trial period to determine possible impacts. Concurrent with this trial would be evaluations on the system operations and impacts and further work on the biological environment which effects the striped bass.

Letter to Dr. Charles Manooch, dated 7/27/88 Page Two

I am continuing my efforts on the flow regime, water surface profiles, and (time permitting) the analysis of peaking flows and the attenuation of these flows in the natural channel.

Sincerely,

David Crawford, Chief

Hydrology & Management Section

DC/bb

AB LTD

com 8/3/88

12 BAGWELL AVENUE RALEIGH, NC 27607 (919) 834-1445

August 1, 1988

Dr. Charles S. Manooch, III Southeast Fisheries Center Beaufort Laboratory Beaufort, North Carolina 28516-9722

Dear Dr. Manooch:

Your proposed flow recommendations for the Roanoke River receive my approval and endorsement for striped bass spawning requirements. I regret that you did not have the opportunity thirty years ago to submit these recommendations.

It may be necessary to alter or modify these flows to enhance the spawning conditions after you have had the opportunity to observe results under a variety of conditions and empirical situations.

Your recommendations are an excellent foundation to manage the Roanoke River striped bass.

Sincerely yours,

William W. Hassler

GREENVILLE, NORTH CAROLINA 27858-4353

INSTITUTE FOR COASTAL AND MARINE RESOURCES

(919) 757-6779

August 3, 1988

MEMORANDUM TO:

Roanoke River Water Flow Committee

FROM:

Roger A. Rulifson, Co-Chair

SUBJECT:

Adoption of Negotiated Flow Regime

Enclosed please find the agenda for our next meeting, which will be held in Raleigh at the Archdale Building on Thursday, August 11, 1988. At that time we will formally adopt the negotiated flow guidelines developed by the Recommendation Subcommittee. Unanimous written endorsement of these guidelines by all member agencies and university scientists has been received by Chuck Manooch. Copies of these endorsements will be sent to you under separate cover so that you will have an opportunity to review and prepare comments and suggestions regarding implementation of the recommended flows.

Also attached is a copy of the letter sent to the U.S. Army Corps of Engineers written on behalf of the Committee in response to the Supplement Environmental Assessment of the Lake Gaston Pipeline to the City of Virginia Beach. The letter, written by Crawford, Henry, Manooch, and Rulifson, describes the purpose, activities, and recommendations of our Committee for the record, and requests that the Corps consider this work in any water withdrawal projects.

If you have questions or suggestions, feel free to contact Chuck Manooch at 728-8716 or me at 757-6220.

Enclosures as stated

GREENVILLE, NORTH CAROLINA 27858-4353

INSTITUTE FOR COASTAL AND MARINE RESOURCES

(919) 757-6779

August 4, 1988

MEMORANDUM TO:

Parties interested in the recommendations of the

Roanoke River Water Flow Committee

CHIC

FROM:

Roger A. Rulifson, Co-Chair

SUBJECT:

Recommendations of the Committee

Your group or organization has indicated a written or verbal interest in the activities and findings of the Roanoke River Water Flow Committee with regard to the regulation of river flow below the Roanoke Rapids Dam. At your request, I am forwarding a copy of the agenda for our meeting on August 11, 1988, at which time the flow recommendations of the Committee will be adopted. A small block of time has been set aside for invited guests and interested parties to address the Committee. If you intend to present remarks on behalf of your group or organization, please extend the courtesy of advance notification in writing or by calling Chuck Manooch (919) 728-8716 or Roger Rulifson (919) 757-6220. Thank you.

GREENVILLE, NORTH CAROLINA 27858 4353

INSTITUTE FOR COASTAL AND MARINE RESOURCES

(919) 757-6779

Roanoke River Water Flow Committee c/o Institute for Coastal and Marine Resources East Carolina University Greenville, NC 27858

August 31, 1988

The Honorable James G. Martin Office of the Governor Administration Building 116 W. Jones St. Raleigh, NC 27611

RE: Activities and Recommendations of the Roanoke River Water Flow Committee

Dear Governor Martin:

The intent of this letter is to inform you of the objectives, activities and recommendations of an <u>ad hoc</u> committee formed to investigate the improvement of Roanoke River water flows below Roanoke Rapids Dam for striped bass and other downstream resources. The Committee is comprised of 20 representatives of State and Federal agencies and university scientists. A list of Committee members and the affiliation of each is attached.

The Committee has a combined record of experience on the ecology and fisheries of the Roanoke watershed and Albemarle Sound totaling over 190 years and is committed to the protection and recovery of the striped bass population. The purpose of the Committee is to gather information on all resources of the lower watershed and recommend a flow regime that will be mutually beneficial to these resources and their downstream users. Striped bass as a resource has received the most attention because of its great social and economic importance to this region and to our State; however, other resources such as wildlife, timber, and agriculture have been considered as well.

The Committee's policy is to examine Roanoke River flows in context with protection of wildlife and fishery resources irrespective of proposed or pending water use projects. This includes such projects as the wildlife refuge proposed by the US Fish and Wildlife Service and the proposed water withdrawal from Lake Gaston by the City of Virginia Beach.

A Recommendations Subcommittee selected from the full Committee met on two occasions (May 3 and June 23 1988). One member from each agency or university was selected for representation on the Subcommittee to provide a balance of local expertise in biology, statistics, and hydrology. The Department of Agriculture has one member on the Subcommittee because of its role as steward of the agricultural and timber resources. In addition, two advisors — one from the Corps of Engineers, and the other representing Virginia Power Company — provided the Subcommittee with expertise pertaining to dam operations and power generation.

Significant work was accomplished by the Subcommittee; meetings were designed to present findings of assignments and direct future studies. All of the work was summarized and endorsed by the full Committee. Detailed findings will be presented to you in a formal report developed by the full Committee. The U.S. Army Corps of Engineers, Wilmington District, has participated in all meetings and has endorsed the recommendations of the Subcommittee. Since the work accomplished to date by the Committee will be presented to you at a later date, we have summarized key findings below:

Status of Striped Bass

The juvenile abundance index (JAI) is a measure of the relative abundance of the Roanoke/Albemarle striped bass stock. The JAI is determined in the same manner each year using the methodology developed by Dr. W.W. Hassler in the mid-1950s. The change in this index is depicted in Figure 1. Please note that after 1977, the index has had a value less than 1.0 with the exception of 1982, when the JAI was 3.8. This dramatic decline in abundance was manifested in the commercial and recreational catches; stocks have not recovered since the mid-1970s.

Significance of River Flows

The Committee studied the flow regime of the Roanoke River for the entire length of record (flow data from USGS records date to 1912). Most of our analyses subdivided the data into pre-impoundment and post-impoundment data bases. Analyses of these data bases in concert with JAI information led the Committee to the conclusion that river flow has a major impact upon the success of the striped bass in spawning and in subsequent life history stages. Control of low flows and high flows, as well as moderation of hydropower peaking activity at Roanoke Rapids, is necessary. These analyses are extensive and too cumbersome to include here. Our recommendation is to control the flow of the Roanoke River between historical 25% and 75% quartiles between March 1 and June 30 each year; that is, between the 25% low flow value (Q1) and 75% high flow value (Q3).

Letter to Governor Martin August 31, 1988 Page 3

To show the significance of this flow regime, a simple diagram was constructed to depict the percentage of time that flows stayed within the Q1-Q3 range over a number of years. Figure 2 shows the expected variation of about 50% for the pre-impoundment years. For post-impoundment years, Figure 2 shows a definite trend away from the expected 50% deviation.

Flow Recommendations

The striped bass is affected by many phenomena, both environmental and maninduced. However, the Committee contends that the flow regime, particularly flow quantity, is an extremely important effect. Initially, a flow regime based on the Q1 and Q3 historic values was proposed. After lengthy discussion, the Subcommittee constructed a negotiated flow regimen that was unanimously endorsed by the full Committee. This negotiated flow regimen is presented in Table 1. The full Committee met to discuss and formalize this recommendation on 11 August 1988. The negotiated flow regimen was adopted unanimously by the full Committee, and several friendly amendments were added. The entire set of recommendations is appended for your file.

This negotiated flow regime represents a compromise from the original Committee objectives. The Corps of Engineers and Virginia Power Company indicated that the values presented in Table 1 were reasonable and workable within the present FERC license guidelines. However, this scheme was curtailed both in time (April 1 to June 15) and in magnitude of low and high flows. Further analysis and field studies may indicate that the regime should be broadened to the period March 1 to June 30, and may require changing flow limits and variability in flows.

1988 Conditions

Striped bass spawning began in the spring of 1988 prior to the development of the negotiated flow regime. However, the Corps and Virginia Power did try to maintain flows within the Q1 and Q3 values discussed at that time. These efforts resulted in a percentage of time within Q1-Q3 values of over 45%, the best percentage since 1968 (see Figure 2). Early field results indicate that 1988 may produce the best JAI in many years. These flows minimized downstream flooding and improved conditions necessary for fawning of deer, nesting of turkeys, access to timberlands, production and harvest of agricultural row crops, and boating by recreational fishermen.

Letter to Governor Martin August 31, 1988 Page 4

Summary

The Committee will continue to investigate flow effects on downstream resources. Our goal is to continue to make recommendations to State and Federal agencies for water and natural resource management in the Roanoke River basin. It is hoped that these recommendations will start the restoration process of a number of these resources, and encourage proper utilization of all downstream resources.

The Committee concludes that the quantity of water passing through the Roanoke River system between March and June of each year has a significant effect on striped bass and other natural resources downstream. Changes within the basin and water withdrawal projects may cumulatively have an adverse impact upon the ability of the reservoir system to meet a stringent flow regime requirement. Therefore, the Committee's recommendations on flow should be considered whenever potential impacts of water withdrawal on striped bass and other natural resources of the watershed are considered.

Recommendations

A Standing Committee on Roanoke River Water Flows should be formed. The committee should meet at least annually and issue a progress report. We further recommend that the standing committee compile and issue formal reports at approximately five-year intervals.

The negotiated, recommended flow regime as adopted by the <u>ad hoc</u> Committee should be evaluated over a four-year period. During the trial period, the following aspects should be evaluated but are subject to change: a) the flow augmentation period (i.e., dates); b) upper and lower flow limits; c) hourly variation in flow; and d) impacts on other resources and users.

The <u>ad hoc</u> Committee recommends that the Memorandum of Understanding (MOU) between the U.S. Army Corps of Engineers, Virginia Power Company, and North Carolina Wildlife Resources Commission be re-examined to incorporate the recommendations of the <u>ad hoc</u> Committee. The MOU should also be re-examined at the conclusion of the trial/evaluation period discussed above. We recommend that the NC Division of Marine Fisheries participate in these discussions.

Anadromous striped bass should receive "high" priority status, at least equal to other resources and uses/users in the Roanoke River Basin.

At the conclusion of the four-year trial period, if the recommended or amended flow regime has proved to be beneficial to striped bass and in consideration with other resources and users, then the rule curve and FERC license should be re-examined to ensure a regularly maintained, new, recommended flow regime for the Roanoke River.

Sincerely,

Charles S. Manooch, III, Ph.D.

Flow Committee Co-Chair

Roger A. Rulifson, Ph.D. Flow Committee Co-Chair

Enclosures as stated

ROANOKE RIVER WATER FLOW COMMITTEE

Randall P. Cheek, National Marine Fisheries Service - Beaufort Lab

Micky Clemmons, N.C. Wildlife Resources Commission

Willard J. Cole, U.S. Fish and Wildlife Service

David P. Crawford, N.C. Division of Water Resources

Tom Ellis, N.C. Department of Agriculture

L.K. (Mike) Gantt, U.S. Fish and Wildlife Service

Fred Harris, N.C. Wildlife Resources Commission

Dr. William W. Hassler, Professor Emeritus, N.C. State University

Lynn T. Henry, N.C. Division of Marine Fisheries

Dr. William T. Hogarth, N.C. Division of Marine Fisheries

Harrel B. Johnson, N.C. Division of Marine Fisheries

James W. (Pete) Kornegay, N.C. Wildlife Resources Commission

Dr. R. Wilson Laney, U.S. Fish and Wildlife Service

Dr. Charles S. Manooch, III, National Marine Fisheries Service - Beaufort

Dr. Robert J. Monroe, Professor Emeritus, N.C. State University

Anthony W. Mullis, N.C. Wildlife Resources Commission

Dr. Thomas L. Quay, Professor Emeritus, N.C. State University

Dr. Roger A. Rulifson, East Carolina University

Sara E. Winslow, N.C. Division of Marine Fisheries

Dr. L.H. Zincone, Jr., East Carolina University


Advisors:


Max Grimes, U.S. Army Corps of Engineers, Wilmington District

Jack D. Mitchell, Virginia Power Company

Marsha E. Shepherd, East Carolina University

FIGURE 1
JUVENILE ABUNDANCE INDEX





Water Flow Regime in OFS, April 1 - June 15

Dates	Expected Average Daily Flow	Lower Limit	Upper Limit
April 1-15	8500	6600	13700
April 16-30	7800	5800	11000
May 1-15	6500	4700	9500
May 16-31	5900	4400	9500
June 1-15	5300	4000	9500

Information/Guidelines

Recommended flows presented on the previous page were agreed upon by members of the Recommendation Subcommittee after consultation with Mr. Max Grimes, US Army Corps of Engineers, Wilmington District and Mr. J. D. Mitchell, Virginia Power Company. Preimpoundment, USGS data for the years 1912-1950 were used to negotiate the recommended flows for the dates indicated, yearly.

Upper and Lower Flow Limits:

At no time must flows (cfs) be greater than or less than those specified for the dates indicated. As an example, for May 1-15 the maximum, or upper limit flow = 9500, and the minimum, or lower limit flow = 4700. Flows must be within these values at all times during the indicated dates.

The Subcommittee recognizes the certainty of extremely wet (flood) and extremely dry (drought) years. Under these extreme conditions, where the US Army Corps of Engineers has very little control over watershed events, we merely expect the Corps to attempt to meet the flow regime as best possible. However, the Subcommittee remains concerned that the flow regime does not adequately address low flow augmentation for striped bass during dry years, when the Kerr Reservoir level is below 299.5', nor any flood storage in Kerr above elevation 302' during wet, nondisastrous flood (20000 cfs) periods. In other words, where does the priority status of the anadromous striped bass resource rank when flood control, hydropower and above dam recreational interests are considered? Additional Committee discussion and action on this concern is needed.

It should be noted that the recommended flow regime is not consistant with the current Memorandum of Understanding between the North Carolina Wildlife Resources Commission, US Army Corps of Engineers and Virginia Power Company. Specifically, minimum allowable flows recommended for May 1 - June 15 are lower than those in the 1971 Memorandum. However, the timeframe of April 1 - June 15 is consistant with the FERC license requirement.

Variation in Flow:

A maximum variation rate of 1500 cfs per hour is recommended. Flows may be increased or decreased as long as they do not fall outside the proposed upper and lower limits for the dates indicated. The Subcommittee underscores the importance of moderite, sustained flows during the actual spawning periods(s). Therefore as little variation as possible in flow during this period of time is preferred.

Proposed Water Flow Regime in CFS, April 1 - June 15

TABLE 1

Dates	Expected Average Daily Flow	Lower Limit	Upper Limit
April 1-15	8500	6600	13700
April 16-30	7800	5800	11000
May 1-15	6500	4700	9500
May 16-31	5900	4400	9500
June 1-15	5300	4000	9500

(TABLE 1 con'd)

Information/Guidelines

Recommended flows presented on the previous page were agreed upon by members of the Recommendation Subcommittee after consultation with Mr. Max Grimes, US Army Corps of Engineers, Wilmington District and Mr. J. D. Mitchell, Virginia Power Company. Preimpoundment, USGS data for the years 1912-1950 were used to negotiate the recommended flows for the dates indicated, yearly.

Upper and Lower Flow Limits:

At no time must flows (cfs) be greater than or less than those specified for the dates indicated. As an example, for May 1-15 the maximum, or upper limit flow = 9500, and the minimum, or lower limit flow = 4700. Flows must be within these values at all times during the indicated dates.

The Subcommittee recognizes the certainty of extremely wet (flood) and extremely dry (drought) years. Under these extreme conditions, where the US Army Corps of Engineers has very little control over watershed events, we merely expect the Corps to attempt to meet the flow regime as best possible. However, the Subcommittee remains concerned that the flow regime does not adequately address low flow augmentation for striped bass during dry years, when the Kerr Reservoir level is below 299.5', nor any flood storage in Kerr above elevation 302' during wet, nondisastrous flood (20000 cfs) periods. In other words, where does the priority status of the anadromous striped bass resource rank when flood control, hydropower and above dam recreational interests are considered? Additional Committee discussion and action on this concern is needed.

It should be noted that the recommended flow regime is not consistant with the current Memorandum of Understanding between the North Carolina Wildlife Resources Commission, US Army Corps of Engineers and Virginia Power Company. Specifically, minimum allowable flows recommended for May 1 - June 15 are lower than those in the 1971 Memorandum. However, the timeframe of April 1 - June 15 is consistant with the FERC license requirement.

Variation in Flow:

A maximum variation rate of 1500 cfs per hour is recommended. Flows may be increased or decreased as long as they do not fall outside the proposed upper and lower limits for the dates indicated. The Subcommittee underscores the importance of moderite, sustained flows during the actual spawning periods(s). Therefore as little variation as possible in flow during this period of time is preferred.

Friendly Amendments to Negotiated, Recommended Flow Regime

- 1. The Ad Hoc Committee shall compile and issue a formal report of its findings and recommendations in Federal FY 1989, preferrably by Spring 1989.
- 2. A standing committee on Roanoke River Water Flows should be formed. The committee should meet at least annually and issue a progress report. It is recommended that the standing committee compile and issue a formal report at approximately five year intervals.

The negotiated, recommended flow regime as adopted by the Ad Hoc Committee shall be evaluated over a four-year period. During the trial period, the following shall be evaluated and shall be subject to change:

- a. Flow augmentation period (i.e. dates).
- b. Upper and lower flow limits.
- c. Hourly variation in flow.
- d. Impacts on other resources and users.
- 3. The Ad Hoc Committee recommends that the Memorandum of Understanding (MOU) between the U.S. Army Corps of Engineers, Virginia Power Company, and North Carolina Wildlife Resources Commission be re-examined to incorporate the recommendations of the Ad Hoc Committee. The MOU should also be re-examined at the conclusion of the trial/evaluation period discussed above. We recommend that the NC Department of Marine Fisheries participate in these discussions.
- 4. Anadromous striped bass shall receive "high" priority status, at least equal to other resources and uses/users in the Roanoke River Basin.
- 5. At the conclusion of the four-year trial period, if the recommended or amended flow regime has proved to be beneficial to striped bass and in consideration with other resources and users, then the rule curve and FERC license should be re-examined to insure a regularly maintained, new, recommended flow regime for the Roanoke River.

Dans John Her wo fel Comments (8/12/88)



512 N. Salisbury Street, Raleigh, North Carolina 27611, 919-733-3391 Charles R. Fullwood, Executive Director

12 September 88

Dr. Charles S. Manooch, III National Marine Fisheries Service Beaufort Laboratory Beaufort, North Carolina 28516

Dear Chuck,

Thank you for your letter informing me of the objectives, activities and recommendations of the ad hoc committee investigating water flows in the Roanoke River below Roanoke Rapids Dam.

It is obvious that the Committee expended considerable effort in investigating the problem and developing recommendations. I am appreciative of these efforts and I look forward to receiving the Committee's full report.

Yours I truly.

Charles R. Fullwood

CRF/so

cc: Boating & Inland Fisheries

United States Senate

WASHINGTON, DC 20510

September 13, 1988

Dr. Roger A. Rulifson
Co-Chair
Roanoke River Water Flow Committee
c/o Institute for Coastal and Marine
Resources
East Carolina University
Greenville, NC 27858

Dear Dr. Rulifson,

Thank you for your recent letter and the enclosed information regarding the Roanoke River Water Flow Committee's activities and recommendations.

I am pleased at the initiative taken by the Committee in studying the impact of changing water flows on the Roanoke's wildlife and fishery resources, particularly with respect to the striped bass. This is exactly the kind of information that is needed by policymakers as projects that could significantly affect water flow in the River are discussed.

I have noted with interest the Committee's recommendations and have taken the liberty of sending a copy of the information you enclosed to the Senate Environment Committee, which will soon be considering reauthorization of the Atlantic Striped Bass Conservation Act.

I hope you will continue to keep me informed of the Committee's work. Please don't hesitate to contact me, or John Blackburn of my staff, at (202) 224-3154 whenever my office can be of assistance.

With best wishes always,

Sincerely,

Terry Sanford

TS/jpb



State of North Carolina

Department of Agriculture

Raleigh

September 20, 1988

Dr. Charles Manooch, III, Ph.D. Flow Committee Co-Chair National Marine Fisheries Service Beaufort Laboratory Beaufort, North Carolina 28616-9722

Dear Chuck:

JAMES A.GRAHAM
COMMISSIONER

Thank you for your August 31 letter describing the purpose process and recommendations of the Roanoke River Water Flow Committee. I have followed the actions of this committee with great interest. The management of flows is vital to the striped bass, wildlife, timber industry and agricultural production in the Roanoke basin.

I fully concur with your findings and recommendations. The recommendation for a standing committee is excellent in that it is the only way to ensure consistent review and evaluation. I feel that due to the multiresource nature of these recommendations, a state agency such as the Division of Water Resources in the Department of Natural Resources and Community Development, would be appropriate to house the effort administratively.

I believe in multipurpose projects such as Kerr Dam. However without a formal review process, certain interests seem to dominate their management. Agriculture, forestry, wildlife and the striped bass need proper consideration in the management of the river.

Thank you for your hard work, leadership and concern.

With all good wishes.

Cordially,

ames A. Graham

ommissioner



State of North Carolina Department of Natural Resources and Community Development

512 North Salisbury Street • Raleigh, North Carolina 27611

lames G. Martin, Governor

S. Thomas Rhodes, Secretary

September 22, 1988

Mr. Charles S. Manooch, III., Ph.D. Mr. Roger A. Rulifson, Ph.D. Roanoke River Flow Committee Co-Chairmen Institute for Coastal and Marine Resources East Carolina University Greenville, North Carolina 27834

Dear Drs. Manooch and Rulifson:

Thank you for your letter of August 31, 1988 concerning the work of the Roanoke River Flow Committee.

The expertise of this committee is very impressive and exemplifies what can be done when all interests come together with a common goal. Striped bass are extremely important to the commercial and recreational economy of the Roanoke-Albemarle region. I am well aware of the efforts the Marine Fisheries Commission has been going through over the last three years in order to conserve striped bass while maintaining a multi-species fishery in the Albemarle Sound.

The input of the ad-hoc flow committee is critical in order to set the optimum river flow regions necessary to protect the natural resources of the Roanoke River basin.

It appears from the juvenile index so far this year that a definite improvement in the spawning run this spring has taken place as we have the best index since 1976. I agree with the committee that this needs to be followed over several years to refine and verify the necessary flow regime for striped bass spawning success while protecting other resources in the basin. The committee will also be valuable to the formation of the State Striped Bass Management Plan that is being developed by the Wildlife Commission and the Division of Marine Fisheries. This plan will be required by the Atlantic States Fisheries Management Commission as part of the reauthorization of the Striped Bass Conservation Act.

Drs. Manooch and Rulifson Page 2 September 22, 1988

I support the flow committee in their efforts and commit the services of my Department in these efforts.

If I can be of any assistance, please let me know.

Sincerely,

S. Thomas Rhodes

J. ThroPhales

STR/WTH: jm

cc: William T. Hogarth



STATE OF NORTH CAROLINA OFFICE OF THE GOVERNOR RALEIGH 27603-8001

September 23, 1988

JAMES G. MARTIN GOVERNOR

Dr. Charles S. Manooch, III
Dr. Roger A. Rulifson
Flow Committee Co-Chair
Roanoke River Water Flow Committee
c/o Institute for Coastal and Marine Resources
East Carolina University
Greenville, North Carolina 27858-4353

Dear Drs. Manooch and Rulifson:

Your letter of August 31, 1988 concerning the work of the ad-hoc flow committee on the Roanoke River has been reviewed with great interest. It is encouraging to see so many interests and agencies get together and work for the improvement of a traditional part of our State's heritage. I can assure you I will support these efforts to restore the striped bass populations to their historical levels. Since I have been Governor, I have been very aware of the hardships created on the fishermen in the Roanoke-Albemarle areas by the drastic declines in the striped bass population.

It is my understanding that so far this year, the juvenile index is approximately four which is the highest since 1976. This is a very good beginning to what I hope will be the recovery of the striped bass populations. Your committee is to be congratulated for their interest and results in this effort.

I agree the flow committee's work should continue in order to refine and verify the best flow regime for the users in the Roanoke River basin. Therefore, I will in the near future appoint a working group to continue the flow committee evaluations for the next three to four years.

Thank you and your committee for their important work. If I can be of further assistance, please contact my office or Secretary S. Thomas Rhodes of the Department of Natural Resources and Community Development.

Sincerely,

James G. Martir

JGM: kew

Enclosures

cc: Secretary S. Thomas Rhodes Mr. William T. Hogarth

BRIEFING

Striped bass catches have dropped from over one million pounds commercially to only 262,000 pounds in 1987. Recreation catches have dropped accordingly.

Marine Fisheries Commission has been forced to impose strict regulations on striped bass both commercially - short seasons, gear restrictions and three fish per day per fishermen for recreation fishermen.

Fishermen taking much of the blame for the decrease when in actuality it appears flow regime as a result of the operation of the dams is interfering with the striped bass spawning run.

Roanoke River is the major spawning area for striped bass in North Carolina stripes require attracting flow to move them from the Sound to the River and the 100 plus mile trip to the spawning area at Halifax-Weldon, North Carolina.

Proper flows are needed for spawning and to transport larvae to delta where feeding takes place. Since the dams have been in place the flows have not been conducive for striped bass.

Corp of Engineers and Virginia Power agreed to regulate flows as committee requested - results - best juvenile index in 10 to 15 years.

Roanoke River flow is operated by lake levels (recreation) first, hydroelectric power second.

Two news releases attached on striped bass as a result of flow committee work.

Briefing

Page 2

Working Group should include:

Division of Marine Fisheries

. Wildlife Commission

Dr. W.W. Hassler, retired NCSU Professor, has 25 plus years of data on Roanoke River Striped Bass

National Marine Fisheries Service - Dr. Manooch

U.S. Fish and Wildlife Service - Bill Cole

Dr. Rulifson - East Carolina, has Albemarle-Pamlico,
 projects on striped bass

N.C. Division of Water Resources

N.C. Department of Agriculture

Dr. Monroe, Statistician, NCSU, Consultant to Division of Marine Fisheries

Corp of Engineers

Virginia Power



North Carolina

Department of Natural Resources and Community Development

Release: IMMEDIATE Date: 26 August 1988

Contact: Division of Marine Fisheries, Morehead City 1-800-682-2632

STATUS OF STRIPED BASS FISHERY IN ROANOKE/ALBEMARLE

Morehead City.....The 'future of the Roanoke-Albemarle striped bass fishery is more optimistic this year due mainly to the regulation of the Roanoke River flow and improved water quality conditions.

Dr. William T. Hogarth. Director. N.C. Division of Marine Fisheries explains, "the Roanoke River is the principal spawning area for the Albemarle Sound striped bass. Proper river flow and environmental conditions are critical for growth and survival during the early life stages of the striped bass. Adult striped bass spawn near Weldon. Egg and larval fish are totally dependant on river flow for their transport during the 100 mile trip from the spawning grounds to the nursery areas in the Roanoke River delta and western Albemarle Sound."

Roanoke River flow, which is regulated by three dams (Kerr, Gaston, and Roanoke Rapids), affects water quality conditions in the entire western Albemarle Sound, supplying approximately two-thirds of the inflow to this nursery area. Magnitude and duration of flow affect the timing distribution, abundance, and growth of the young striped bass and their food sources.

Earlier this year, the Division of Marine Fisheries participated in a Roancke River Flow Committee which recommended a more favorable spring flow by lake management changes. Through cooperative efforts by the U.S. Army Corps of Engineers and Virginia Power, the recommended flows can normally be maintained.

Natural production and recruitment has remained at historically low levels for the eleven years prior to this season. During the 1988 spawning season. Roanoke River flows were maintained at a more biologically acceptable level for striped bass production.

"Samples of the juvenile striped bass population taken in July and August, 1988, indicate that reproduction and survival may be the best since the 1976 season." states Dr. Hogarth.

-more on reverse side-

215

NEWS RELEASE 26 August 1988 Page 2

"A Phase II Striped Bass Stocking Program, along with severe restrictions on commercial and recreational harvest, has helped to maintain the population," Hogarth continued.

"The increased number of young fish this year is evidence that the present striped bass population can provide sufficient reproduction for recovery, if proper river flow and environmental conditions are available. Continued harvest restrictions will be necessary to protect the 1988 year class until they spawn or until natural production reaches a consistently acceptable level," Hogarth concluded.

For further information contact the N.C. Division of Marine Fisheries by calling 1-800-682-2632 between the hours of 7:00 am and 11:00 pm. Monday through Friday.



North Carolina

Department of Natural Resources and Community Development

Release: IMMEDIATE Date: 17 August 1988

Contact: Division of Marine Fisheries, Morehead City 1-800-682-2632

MARINE FISHERIES OBJECTS TO LAKE GASTON PIPELINE

Morehead City...The planned withdrawal of 60 million gallons of water per day from Lake Gaston for use by Virginia Beach will have a significant long-term negative impact on striped bass in the Roanoke River/Albemarle Sound area.

Dr. William T. Hogarth, Director, Division of Marine Fisheries (DMF) adds that "striped bass are an extremely valuable commercial and recreational resource to the people of North Carolina and have been since colonial times. The Roanoke River (fed from Lake Gaston) is the major spawning river for striped bass in North Carolina. The dams on the River have historically been operated first for hydroelectric power generation, second for recreation, and third for striped bass spawning."

In a letter to the U.S. Army Corps of Engineers, Dr. Hogarth also requested a full Environmental Impact Statement (EIS) which he feels is absolutely necessary to determine the existing, proposed, and cumulative effects of water withdrawal on striped bass. Aspects such as spawning, egg and larval transport, food chain development, and adequate water quality maintenance must be address before irrevocable commitments in water management regimes are set.

The DMF strongly objects to the withdrawal of 60 million gallons of water per day from Lake Gaston and feels that is will severely limit current and future natural resource management options throughout the Roanoke River/Albemarle Sound system. The DMF has managed this system as a multi-species fishery in order to protect the livelihood of the fishermen utilizing the Albemarle Sound Estuary. The striped bass population is monitored constantly and appropriate actions taken to reduce the fish mortality. During the 1988 spawning season, the Roanoke River flows were maintained at a more biologically acceptable level.

"As a result, the July sampling by the DMF yielded the highest number of juvenile fish found since 1976", Hogarth continued. "The DMF believes that environmental conditions exert major influences on the reproduction of survival of all fishes in the Albemarle Sound and its tributaries. The Roanoke River flow directly affects the hydrology, water quality, and potential productivity of the western Albemarle Sound, delivering approximately two-thirds of the flow to these waters. Since the Roanoke River is the sole major spawning river for striped bass in North Carolina, it is critical that the flow not be diminished".

CHIEF COUNSEL EDMUND B. WELCH

CHIEF CLERK BARBARA L. CAVAS

MINORITY STAFF DIRECTOR

GEORGE D. PENCE
MINORITY CHIEF COUNSEL
DUNCAN C. SMITH III

WALTER B. JONES, NORTH CAROLINA, CHAIRMAN

GLENN M ANDERSON CALIFORNIA
GERRY E STUDDS. MASSACHUSETTS
CARROLL HUBBARD JA. KENTUCKY
DON BONKER. WASHINGTON
WILLIAM J HUGHES NEW JERSEY
MIKE LOWRY, WASHINGTON
EARL HUTTO. FLORIDA
W J (BILLY) TAUZIN, LOUISIANA
THOMAS M FOGLIETTA. PENNSYLVANIA
DENNIS M HERTEL MICHIGAN
ROY DYSON, MARYLAND
WILLIAM O LIPINSKI. ILLINOIS
ROBERT A BORSKI, PENNSYLVANIA
THOMAS R CAPPER, DELAWARE
DOUGLAS H BOSCO, CALIFORNIA
ROBIN TALLON SOUTH CAROLINA
SOLOMON P. ORTIZ, TEXAS
CHANLES E BENNETT, FLORIDA
THOMAS J MANTON, NEW YORK
OWEN B PICKETT, VIRGINIA
JOSEPH E BRENNAN, MAINE
GEORGE J HOCHBRUECKNER, NEW YORK
BOB CLEMENT, TENNESSEE

ROBERT W DAVIS, MICHIGAN
DON YOUNG, ALASKA
NORMAN F LENT. NEW YORK
NORMAN D, SHUMWAY, CALIFORNIA
JACK FIELDS, TEXAS
CLAUDINE SCHNEIDER, RHODE ISLAND
HERBERT H, BATEMAN, VIRGINIA
JIM SAXTON NEW JERSEY
JOHN R, MILLER, WASHINGTON
HELEN DELICH BENTLEY, MARYLAND
HOWARD COBLE, NORTH CAROLINA
MAC SWEENEY, TEXAS
CURT WELDON, PENNSYLVANIA
PATRICIA SAIKI, HAWAII
JIM BUNNING, KENTUCKY
ERNEST L, KONNYU, CALIFORNIA
JIM BUNNING, KENTUCKY
ERNEST L, KONNYU, CALIFORNIA

A.S. House of Representatives Committee on Merchant Marine and Fisheries Room 1334, Longworth House Office Building Washington, MC 20515–6230

November 1, 1988

Dr. Roger A. Rulifson, Ph.D.
Flow Committee Co-Chair
Roanoke River Water Flow Committee
c/o Institute for Coastal and Marine Resources
East Carolina University
Greenville, North Carolina 27858

Dear Dr. Rulifson:

Thank you very much for your past letter informing me of the activities and recommendations of the Roanoke River Water Flow I would like to offer my hearty congratulations on Committee. your timely and comprehensive work. The Committee's deliberations have already made a substantial contribution to conserving the resources of the lower watershed of the Roanoke River and promise to make a continuing contribution in the I find your recommendations regarding the future of the Flow Committee very attractive in terms of holding annual meetings, issuing formal reports, continuing to evaluate recommended flow regimes, incorporating the flow regime recommendations in Memoranda of Understanding with other agencies, and maintaining a high priority for the conservation and restoration of striped bass.

As you are probably aware, one of my highest priorities during the 100th Congress has been to establish a study of the status of striped bass in the Albemarle Sound and Roanoke River Basin. After considerable discussion and negotiation, the House and Senate recently agreed upon and passed such a study as part of H.R. 4124, a bill that reauthorized the Atlantic Striped Bass Conservation Act. I have enclosed a copy of H.R. 4124 and floor statements that serve as part of its legislative history for your reference.

I know that you and members of your Committee contributed actively in the formulation of this legislation. Thank you for your effective assistance. You will note that the study language and the floor statements are replete with references to the effects of water withdrawals and discharges; water flows before, during, and after critical striped bass spawning periods; reservoir management and water flow regulation; and other issues of interest to the Water Flow Committee and to North Carolina.

Dr. Roger A. Rulifson, Ph.D. November 1, 1988 Page Two

The provisions authorizing the North Carolina Striped Bass Study contain language that deals with participation by State agencies and consultation with other interested groups. this provision does not refer specifically by name to the Water Flow Committee, it is obvious that your Committee can provide exactly the type of knowledge and expertise through its membership and deliberations that could make a great contribution to the North Carolina Striped Bass Study. It is certainly my intent that the Water Flow Committee be included among the groups that are consulted to the maximum extent practicable. that many of the 20 members of the Committee represent State and Federal agencies and will be involved in consultation because of their roles in those agencies. Nevertheless, I will contact the Director of the U.S. Fish and Wildlife Service (FWS) and the Assistant Administrator of the National Oceanic and Atmospheric Administration for Fisheries (NOAA) to urge that FWS and NOAA avail themselves of the expertise of your Committee during the Study.

I look forward to the continuing contributions of the Roanoke Water Flow Committee to the resources of the Roanoke River, their users, and the general population of the Albemarle Sound-Roanoke River Basin. Thank you again for your report, and do not hesitate to contact my office when I can assist you with your good work.

With warmest personal regards, I am

WALTER B. JONES

Sincerelly

Chairman

Enclosure



State of North Carolina Department of Natural Resources and Community Development

Division of Marine Fisheries

P.O. Box 769 • Morehead City, North Carolina 28557-0769

James G. Martin, Governor William W. Cobey, Jr., Secretary January 6, 1988

William T. Hogarth, Director (919) 726-7021

Congressman Walter B. Jones 241 Conner House Office Building Washington, DC 20515

Dear Sir:

We appreciate very much your hard work in attaining reauthorization of the Atlantic Striped Bass Conservation Act (PL 110-589), including Section 5 providing for a cooperative state-federal study of Roanoke River-Albemarle Sound striped bass.

The North Carolina Marine Fisheries Commission is keenly aware of the biological and social problems of the striped bass fishery and intends to maintain its cooperative and responsible management approach. We feel that the study provided for in Section 5 is extremely important and merits a very high priority for funding in the federal FY 1990 budget. We urge as strongly as possible that funds be appropriated for the study as provided in the Act.

Attached is a resolution of the Commission in support of this request.

Again, thank you for your continued support.

Sincerely,

Thomas S. Bennett, Chairman NC Marine Fisheries Commission

TSB:WTH/ko

Governor Martin Secretary Cobey

> NC Congressional delegation Secretary of the Interior

Secretary of Natural Resources, Virginia

William T. Hogarth

NC Marine Fisheries Commission

RESOLUTION

OF THE

NORTH CAROLINA MARINE FISHERIES DIVISION

- WHEREAS The One Hundredth Congress of the United States (2nd Session) has recognized the need for a study of striped bass in Albemarle Sound and Roanoke River Basin P.L. 589, approved November 3, 1988, 102 STAT 2984; and
- WHEREAS The Division of Marine Fisheries has actively participated within the Atlantic States Marine Fisheries Commission under the Atlantic Striped Bass Conservation Act to develop and implement an Atlantic coast management plan for migratory striped bass; and
- WHEREAS The Division is actively involved in a Cooperative
 Agreement with the US Fish and Wildlife Service and the
 North Carolina Wildlife Resources Commission to plan
 for and manage striped bass in North Carolina waters;
- NOW THEREFORE BE IT RESOLVED that the North Carolina Marine Fisheries Commission urges the Congress to follow through on their authorization of appropriations by appropriating those funds authorized by P.L. 589 to complete these necessary and essential actions for this important North Carolina commercial and recreational fishery.

This the 9th day of December, 1988.



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL MARINE FISHERIES SERVICE Southeast Fisheries Center Beaufort Laboratory Beaufort, N.C. 28516-9722

February 10, 1989

Mr. Fred Harris
Chief of Fisheries
North Carolina Wildlife
Resources Commission
512 N. Salisbury St.
Raleigh, NC 27611

Dear Fred.

As a followup to the planning meeting for the North Carolina striped bass study held in Raleigh 2-3 February, I wish to pursue the action recommendation made at that meeting by members of the Roanoke River Water Flow Committee. That is, for the three parties: NC Wildlife Resources Commission, US Army Corps of Engineers, Wilmington District, and Virginia Power Company to reexamine the Memorandum of Understanding pertaining to Roanoke River water flows and striped bass spawning. Since both the Corps and Virginia Power have expressed the willingness to follow our Committee's recommended flow regime, it would seem appropriate for the Wildlife Resources Commission to officially notify the Corps and arrange a meeting of the parties. This should probably be done as soon as possible to allow the Corps to make plans for this spring.

Sincerely,

Charles S. Manooch, III, Co-Chairman Roanoke River Water Flow Committee

cc: Tony Mullis, NCWRC, Greenville Roger Rulifson, ECU, Greenville





512 N. Salisbury Street, Raleigh, North Carolina 27611, 919-733-3391 Charles R. Fullwood, Executive Director

February 21, 1989

Colonel Paul Woodbury U.S. Army Corps of Engineers P. O. Box 1890 Wilmington, NC 28401

Dear Colonel Woodbury:

As you are aware the Roanoke River Water Flow Committee has been evaluating water flows in the Roanoke River and the impact of various flow regimes on the reproductive success of striped bass. Although the committee's final report has not been released, we think it is appropriate to implement the recommended flow regime during 1989. To this end we request that the 1971 Memorandum of Understanding signed by Virginia Power and Electric Co., the U.S. Army Corps of Engineers, and the Wildlife Resources Commission be amended as follows:

- During the period April 1-15 establish a target flow of 8500 CFS with a range of 6600 -13700 CFS.
- 2. During the period April 16-30 establish a target flow of 7800 CFS with a range of 5800 11000 CFS.
- 3. During the period May 1-15 establish a target flow of 6500 CFS with a range of 4700 9500 CFS.
- 4. During the period May 16-31 establish a target flow of 5900 CFS with a range of 4400 9500 CFS.
- 5. During the period June 1-15 establish a target flow of 5300 CFS with a range of 4000 9500 CFS.

Page 2 February 21, 1989 Letter to Colonel Woodbury

We further recommend that this amendment become effective on April 1, 1989 and that it remain in effect until June 15, 1992 to allow a thorough evaluation of its impact upon striped bass spawning. Following this evaluation, we should negotiate a new long term agreement to provide acceptable flows in the Roanoke River during the time of striped bass spawning.

We appreciate your assistance in this matter.

Sincerely,

Charles R. Fullwood Executive Director

CRF/lr

cc: Jack Mitchell, Virginia Electric Power Co.
Lois D. Cashell, Secretary, FERC
Charles Manooch, Co-Chairman, Roanoke Water Flow Comm.
Roger Rulifson, Co-Chairman, Roanoke Water Flow Comm.
Jaman Vithalani, Corps of Engineers